

Jeroen A C M Goos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8143773/publications.pdf>

Version: 2024-02-01

16
papers

1,664
citations

840119

11
h-index

996533

15
g-index

25
all docs

25
docs citations

25
times ranked

3297
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimisation of the Synthesis and Cell Labelling Conditions for [89Zr]Zr-oxine and [89Zr]Zr-DFO-NCS: a Direct In Vitro Comparison in Cell Types with Distinct Therapeutic Applications. <i>Molecular Imaging and Biology</i> , 2021, 23, 952-962.	1.3	4
2	Delivery of polymeric nanostars for molecular imaging and endoradiotherapy through the enhanced permeability and retention (EPR) effect. <i>Theranostics</i> , 2020, 10, 567-584.	4.6	63
3	Expression of the immune modulator secretory leukocyte protease inhibitor (SLPI) in colorectal cancer liver metastases and matched primary tumors is associated with a poorer prognosis. <i>Oncolmmunology</i> , 2020, 9, 1832761.	2.1	10
4	pHâ€Responsive Polymers for Improving the Signalâ€toâ€Noise Ratio of Hypoxia PET Imaging with [18 F]Fluoromisonidazole. <i>Macromolecular Rapid Communications</i> , 2020, 41, 2000061.	2.0	4
5	Design and preclinical evaluation of nanostars for the passive pretargeting of tumor tissue. <i>Nuclear Medicine and Biology</i> , 2020, 84-85, 63-72.	0.3	16
6	Temporal Modulation of HER2 Membrane Availability Increases Pertuzumab Uptake and Pretargeted Molecular Imaging of Gastric Tumors. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1569-1578.	2.8	27
7	Biologically Targeted Magnetic Hyperthermia: Potential and Limitations. <i>Frontiers in Pharmacology</i> , 2018, 9, 831.	1.6	340
8	A prognostic classifier for patients with colorectal cancer liver metastasis, based on AURKA, PTGS2 and MMP9. <i>Oncotarget</i> , 2016, 7, 2123-2134.	0.8	17
9	Loss of KCNQ1 expression in stage II and stage III colon cancer is a strong prognostic factor for disease recurrence. <i>British Journal of Cancer</i> , 2016, 115, 1565-1574.	2.9	34
10	Glucose Transporter 1 (SLC2A1) and Vascular Endothelial Growth Factor A (VEGFA) Predict Survival After Resection of Colorectal Cancer Liver Metastasis. <i>Annals of Surgery</i> , 2016, 263, 138-145.	2.1	44
11	Molecular imaging of aurora kinase A (AURKA) expression: Synthesis and preclinical evaluation of radiolabeled alisertib (MLN8237). <i>Nuclear Medicine and Biology</i> , 2016, 43, 63-72.	0.3	9
12	MGL ligand expression is correlated to BRAF mutation and associated with poor survival of stage III colon cancer patients. <i>Oncotarget</i> , 2015, 6, 26278-26290.	0.8	39
13	Combination of Episulfide Ringâ€Opening Polymerization With ATRP for the Preparation of Amphiphilic Block Copolymers. <i>Macromolecular Rapid Communications</i> , 2013, 34, 156-162.	2.0	15
14	Biomimetic synthesis of calcium carbonate bilayers interfaced by a diblock copolymer template. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2012, 227, 739-743.	0.4	0
15	SATB2 in Combination With Cytokeratin 20 Identifies Over 95% of all Colorectal Carcinomas. <i>American Journal of Surgical Pathology</i> , 2011, 35, 937-948.	2.1	209
16	The Initial Stages of Template-Controlled CaCO ₃ Formation Revealed by Cryo-TEM. <i>Science</i> , 2009, 323, 1455-1458.	6.0	831