

Olga Bessidskaia Bylund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8144034/publications.pdf>

Version: 2024-02-01

406
papers

20,009
citations

12330

69
h-index

20358

116
g-index

429
all docs

429
docs citations

429
times ranked

9805
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
2	Search for heavy particles in the b-tagged dijet mass distribution with additional b-tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
3	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $\sqrt{s}=13$ TeV events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC Run 2. Journal of Instrumentation, 2022, 17, P01013.	1.2	1
6	Search for Higgs boson decays into a pair of pseudoscalar particles in the final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2022, 105, .	4.7	17
7	Search for exotic decays of the Higgs boson into b and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
8	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
9	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
10	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
12	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s}=13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
13	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
15	A search for an unexpected asymmetry in the production of e^+e^- and $e^+\mu^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
16	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
17	Search for anomalous top production of Higgs bosons in the $t\bar{t}H$ channel. Physical Review D, 2022, 105, .	4.7	10
18	Constraints on Higgs boson production with large transverse momentum using $t\bar{t}H$ decays in the ATLAS detector. Physical Review D, 2022, 105, .	4.7	5

#	ARTICLE	IF	CITATIONS
19	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
20	Search for single production of a vectorlike T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	4.7	10
21	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
22	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13\text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
23	Measurement of hadronic event shapes in high- p_T multijet final states at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
24	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
25	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13\text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
26	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
27	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
28	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
29	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
30	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
31	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
32	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
33	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
34	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
35	Measurement of the CP-violating phase ϕ_s in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV . European Physical Journal C, 2021, 81, .	3.9	13
36	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
37	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- \gamma \gamma$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
38	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
39	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow e^+e^- Z H$ and $e^+e^- \rightarrow e^+e^- W W$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
40	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
41	Measurements of $W+W^*+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
42	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
43	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13, \text{TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
44	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
45	Test of the universality of \tilde{g} , and $\tilde{g}/4$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
46	Two-particle azimuthal correlations in photonuclear ultraperipheral pp collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	3.9	11
47	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
48	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
49	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
50	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
51	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	82
52	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2021, 16, P07029.	1.2	6
53	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
54	The ATLAS Fast Tracker system. Journal of Instrumentation, 2021, 16, P07006.	1.2	5

#	ARTICLE	IF	CITATIONS
55	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
56	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
57	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	1.2	3
58	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
59	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. Physical Review C, 2021, 104, 014907.	2.9	11
60	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $\sqrt{s} = 13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	7.8	14
61	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
62	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
63	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
64	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
65	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
66	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
67	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
68	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
69	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
70	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
71	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
72	Search for Lepton-Flavor Violation in Z -Boson Decays with \tilde{l}_i Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8

#	ARTICLE	IF	CITATIONS
73	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2021, 104, .	4.7	25
74	Search for new phenomena in pp collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. Physical Review D, 2021, 104, .	4.7	14
75	Measurement of b -quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^* \mu^+ \mu^-$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
76	Combined measurements of Higgs boson production and decay using up to 80 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2020, 101, .	4.7	24
77	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
78	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
79	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
80	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
81	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b -jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
82	Measurements of the production cross-section for a Z boson in association with b -jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
83	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
84	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
85	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
86	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
87	Higgs boson production cross-section measurements and their EFT interpretation in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
88	Search for heavy neutral Higgs bosons produced in association with b -quarks and decaying into b -quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2020, 101, .	4.7	22
89	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
90	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68

#	ARTICLE	IF	CITATIONS
91	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
92	Search for \overline{Z} resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
93	Reconstruction and identification of boosted di- τ , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
94	Evidence for electroweak production of two jets in association with a Z^0 pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 2020, 1.	4.1	9
95	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
96	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
97	Evidence for $\tau\tau$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
98	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
99	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
100	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
101	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
102	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
103	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
104	Measurement of the $t\bar{t}Z$ cross-section and charge asymmetry of Z bosons produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 2019, 1.	4.7	28
105	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 2019, 1.	3.9	24
106	Observation of Electroweak Production of a Same-Sign W^+Z Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2019, 122, 231801.	7.8	53
107	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 2019, 1.	3.9	77
108	Observation of electroweak W^+Z boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.	4.1	38

#	ARTICLE	IF	CITATIONS
109	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	4.7	33
110	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
111	Measurement of VH production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
112	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
113	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
114	Cross-section measurements of the Higgs boson decaying into a pair of $\tau^+\tau^-$ leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	4.7	63
115	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
116	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
117	Search for four-top-quark production in the single-top and $t\bar{t}$ final states in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	4.7	13
118	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
119	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
120	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
121	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
122	Search for pair production of Higgs bosons in the $t\bar{t}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
123	Measurement of the $H \rightarrow \tau^+\tau^-$ cross-sections in the $W\tau\nu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.1	46
124	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
125	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
126	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9

#	ARTICLE	IF	CITATIONS
127	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
128	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
129	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}+jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
130	Search for High-Mass Resonances Decaying to $l\bar{l}$ in $t\bar{t}$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 100, 1.	7.8	50
131	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	51
132	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
133	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
134	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
135	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at \sqrt{s} TeV. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
136	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
137	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.0 TeV. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
138	Measurement of quarkonium production in proton–lead and proton–proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
139	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
140	Search for heavy ZZ resonances in the $l\bar{l}+e\bar{e}$ final states using proton–proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
141	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
142	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
143	Search for heavy resonances decaying into WW in the $e\mu u e\bar{l}$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
144	Direct top-quark decay width measurement in the $t\bar{t}+l\bar{l}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17

#	ARTICLE	IF	CITATIONS
145	Search for $W W/W Z$ resonance production in $\hat{\nu}_\tau \nu_\tau$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
146	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
147	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
148	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
149	Search for Higgs boson pair production in the $\gamma\gamma WW^* \rightarrow W W$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
150	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
151	Angular analysis of $B^0 \rightarrow \ell^+ \ell^- K^* \rightarrow \ell^+ \ell^- \rho^0$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
152	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
153	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
154	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
155	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
156	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
157	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
158	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
159	Measurements of Higgs boson properties in the $H \rightarrow \mu\mu$ decay channel with $\sqrt{s}=13$ TeV. Physical Review D, 2018, 98, ...	4.7	115
160	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
161	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
162	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
163	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
164	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^- \nu_\tau$ and the $H \rightarrow \tau^+ \tau^- Z \nu_\tau$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	4.7	42
165	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
166	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
167	Measurement of the Higgs boson mass in the $H \rightarrow \tau^+ \tau^- \nu_\tau$ and $H \rightarrow \tau^+ \tau^- Z \nu_\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.1	138
168	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36.1 fb ⁻¹ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	10
169	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ \rightarrow \tau^+ \tau^- 4\mu$, $ZZ \rightarrow \tau^+ \tau^- 2\mu$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
170	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
171	Measurement of the Higgs boson mass in the $H \rightarrow \tau^+ \tau^- \nu_\tau$ and $H \rightarrow \tau^+ \tau^- Z \nu_\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physical Review Letters, 2018, 121, 152002.	7.8	16
172	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
173	Search for exclusive Higgs and Z boson decays to $\tau^+ \tau^-$ and $\tau^+ \tau^- \nu_\tau$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
174	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.7	40
175	Measurements of b-jet tagging efficiency with the ATLAS detector using $t \rightarrow b \tau$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
176	Search for flavour-changing neutral current top-quark decays $t \rightarrow q Z$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
177	Measurement of the inclusive and fiducial $t \bar{t} \tau^+ \tau^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
178	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.7	26
179	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	7.8	41
180	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79

#	ARTICLE	IF	CITATIONS
181	Measurement of the Soft-Drop Jet Mass in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 092001.	7.8	33
182	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
183	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	7.8	33
184	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
185	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
186	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
187	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
188	Measurement of σ_{pol} , polarisation in $Z/\gamma \rightarrow \text{e}^+ \text{e}^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
189	Searches for heavy ZZ and ZW resonances in the $\text{e}^+ \text{e}^-$, qq and $\text{e}^+ \text{e}^-/2\text{qq}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
190	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
191	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
192	Measurement of differential cross sections and W^+/\bar{W}^+ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
193	Combination of inclusive and differential $\overline{\text{t}}\text{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
194	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
195	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7$, $\sqrt{s}=13$ TeV) with the ATLAS detector. , 2018, 78, 1.		1
196	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$, $\sqrt{s}=13$ TeV). , 2018, 78, 1.		1
197	Measurement of the $\sigma_{\text{t}\bar{\text{t}}Z}$ and $\sigma_{\text{t}\bar{\text{t}}W}$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
198	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29

#	ARTICLE	IF	CITATIONS
199	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
200	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
201	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
202	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
203	Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
204	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
205	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
206	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
207	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
208	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
209	Measurements of electroweak W^+W^- production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
210	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
211	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
212	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
213	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using $t\bar{t}$ Production. Physical Review Letters, 2017, 119, 181804.	7.8	49
214	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
215	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
216	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.7	11

#	ARTICLE	IF	CITATIONS
235	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
236	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
237	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
238	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
239	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, 114005.	4.7	157
240	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
241	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
242	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
243	Measurement of $WW/WZ \rightarrow \ell \ell \nu \bar{\nu}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
244	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \sqrt{s}=13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
245	Searches for the $Z\tilde{\chi}^0_3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
246	Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
247	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
248	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tilde{\chi}^0_3\tilde{\chi}^0_3$, in $s = 13 \sqrt{s}=13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
249	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	3.9	30
250	Measurements of top quark spin observables in $t\bar{t} \rightarrow \ell\bar{\ell} + \text{hadrons}$ events using dilepton final states in $s = 8 \sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
251	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
252	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow \text{hadrons}$ decay channel at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
253	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
254	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
255	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
256	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
257	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
258	Measurement of the kt splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
259	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
260	Evidence for the $H \rightarrow b \bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
261	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
262	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
263	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
264	A measurement of material in the ATLAS tracker using secondary hadronic interactions in $7 \text{ TeV} < i>pp < /i>$ collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
265	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
266	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
267	Measurement of event-shape observables in $Z \rightarrow e^+ e^- Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
268	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
269	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
270	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37

#	ARTICLE	IF	CITATIONS
271	Search for minimal supersymmetric standard model Higgs Bosons H_{\pm} and for a Z^{\prime} boson in the au l, \bar{l} , final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
272	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
273	Measurement of the $\overline{b}b$ $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
274	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
275	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
276	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
277	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	3.9	453
278	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
279	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
280	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
281	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
282	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
283	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	3.9	39
284	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
285	Search for charged Higgs bosons in the $H_{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
286	Measurement of W_{\pm} and Z-boson production cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	3.9	188
287	Study of the rare decays of $B^0_s \rightarrow B^0$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
288	Search for supersymmetry in a final state containing two photons and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	3.9	24

#	ARTICLE	IF	CITATIONS
307	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
308	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
309	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS. Physical Review D, 2016, 94, .	4.7	22
310	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
311	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
312	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
313	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
314	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
315	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
316	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
317	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
318	Measurement of the CP-violating phase $\arg(\lambda_{cb})$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \tau^+ \tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
319	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
320	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
321	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
322	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
323	Probing top quark neutral couplings in the Standard Model Effective Field Theory at NLO in QCD. Journal of High Energy Physics, 2016, 2016, 1.	4.7	91
324	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60

#	ARTICLE	IF	CITATIONS
325	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
326	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
327	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
328	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
329	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
330	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu} \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
331	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
332	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
333	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
334	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
335	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
336	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
337	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
338	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
339	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s} = 8$ TeV) with the ATLAS detector. , 2016, 76, 1.		1
340	Observation and measurement of Higgs boson decays to W^+W^- and WZ final states using the ATLAS detector. Physical Review D, 2015, 92, 032002.	4.7	110
341	Measurement of the fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	7.8	48
342	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	27

#	ARTICLE	IF	CITATIONS
343	Search for a Heavy Neutral Particle Decaying to a Heavy Neutral Particle and a Photon in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	20
344	Search for a Heavy Neutral Particle Decaying to a Heavy Neutral Particle and a Photon in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	20
345	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	30
346	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	49
347	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	23
348	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
349	A search for high-mass resonances decaying to $J, \gamma, \tilde{\chi}^0$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
350	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
351	Search for lepton-flavour-violating $H \rightarrow \tau \tilde{\nu}_\tau$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
352	Measurement of four-jet differential cross sections in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
353	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
354	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
355	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
356	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
357	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
358	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
359	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
360	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71

#	ARTICLE	IF	CITATIONS
361	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
362	Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
363	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
364	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
365	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
366	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
367	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS and CMS Detectors $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	1,062
368	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
369	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116
370	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
371	Search for $W' \rightarrow tb$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
372	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
373	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
374	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
375	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 208.	3.9	27
376	Search for Higgs and Z boson decays to $\tau\tau$ and $\tau\tau + \tau\tau$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
379	Search for Scalar Charm Quark Pair Production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	7.8	35
380	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	7.8	64
381	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
382	Search for resonant diboson production in the pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
383	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
384	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
385	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
386	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
387	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
388	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
389	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
390	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
391	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u \bar{u} \tau^+ \tau^-$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
392	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
393	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} / b\bar{b} \rightarrow \tau^+ \tau^- / \tau^+ \tau^- + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
394	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
395	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
396	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70

#	ARTICLE	IF	CITATIONS
397	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
398	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
399	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
400	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
401	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
402	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
403	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
404	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s} = 7)$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
405	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s} = 8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
406	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s} = 8)$ TeV with the ATLAS detector. , 2015, 75, 1.		2