

Frdric Fages

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8144859/frederic-fages-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

4,690
citations

36
h-index

62
g-index

168
ext. papers

5,013
ext. citations

5.1
avg, IF

5.34
L-index

#	Paper	IF	Citations
154	High-efficiency electroluminescence and amplified spontaneous emission from a thermally activated delayed fluorescent near-infrared emitter. <i>Nature Photonics</i> , 2018 , 12, 98-104	33.9	287
153	Metal coordination to assist molecular gelation. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 1680-2	16.4	257
152	A novel small molecular luminescent gelling agent for alcohols. <i>Journal of the Chemical Society Chemical Communications</i> , 1991 , 416-418		145
151	Cholesterol-based gelators. <i>Topics in Current Chemistry</i> , 2005 , 256, 39-76		137
150	Metal-Induced Self-Assembly of a Pyrene-Tethered Hydroxamate Ligand for the Generation of Multichromophoric Supramolecular Systems. The Pyrene Excimer as Switch for Iron(III)-Driven Intramolecular Fluorescence Quenching. <i>Journal of the American Chemical Society</i> , 1998 , 120, 7511-7519	16.4	133
149	Multiaddressable Self-Assembling Organogelators Based on 2H-Chromene and N-Acyl-1,β-amino Acid Units <i>Langmuir</i> , 2002 , 18, 7096-7101	4	133
148	Systematic design of amide- and urea-type gelators with tailored properties. <i>Topics in Current Chemistry</i> , 2005 , 256, 77-131		119
147	Alpha,omega-distyryl oligothiophenes: high mobility semiconductors for environmentally stable organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16346-7	16.4	119
146	Anthraceno-cryptands: a new class of cation-complexing macrobicyclic fluorophores. <i>Journal of the American Chemical Society</i> , 1989 , 111, 8672-8680	16.4	111
145	Thixotropic organogels based on a simple N-hydroxyalkyl amide: rheological and aging properties. <i>Langmuir</i> , 2004 , 20, 3032-41	4	109
144	Structural Aspects of the Gelation Process Observed with Low Molecular Mass Organogelators. <i>Langmuir</i> , 2003 , 19, 2013-2020	4	93
143	Photophysics of Re(I) and Ru(II) diimine complexes covalently linked to pyrene: contributions from intra-ligand charge transfer states. <i>Inorganic Chemistry</i> , 2002 , 41, 359-66	5.1	89
142	Hybrid Bulk Heterojunction Solar Cells Based on P3HT and Porphyrin-Modified ZnO Nanorods. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 11273-11278	3.8	87
141	Synthesis and Solution Structure Analysis of a Bispyrenyl Bishydroxamate Calix[4]arene-Based Receptor, a Fluorescent Chemosensor for Cu ²⁺ and Ni ²⁺ Metal Ions. <i>Journal of Organic Chemistry</i> , 1999 , 64, 7034-7039	4.2	86
140	Efficient NIR-light emission from solid-state complexes of boron difluoride with 2-hydroxychalcone derivatives. <i>Chemistry - A European Journal</i> , 2012 , 18, 12764-72	4.8	81
139	Pulsed-laser printing of organic thin-film transistors. <i>Applied Physics Letters</i> , 2009 , 95, 171109	3.4	81
138	Synthesis and photophysical properties of difluoroboron complexes of curcuminoid derivatives bearing different terminal aromatic units and a meso-aryl ring. <i>Journal of Organic Chemistry</i> , 2013 , 78, 4446-55	4.2	75

137	Rational Design of Low Molecular Mass Organogelators: Toward a Library of Functional N-Acyl-1, β Amino Acid Derivatives. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 3164-3166	16.4	74
136	Near-Infrared Electroluminescence and Low Threshold Amplified Spontaneous Emission above 800 nm from a Thermally Activated Delayed Fluorescent Emitter. <i>Chemistry of Materials</i> , 2018 , 30, 6702-6710	9.6	72
135	Synthesis, cation binding, and photophysical properties of macrobicyclic anthraceno-cryptands. <i>Journal of the Chemical Society Chemical Communications</i> , 1985 , 433-436		63
134	Boron difluoride hemicurcuminoid as an efficient far red to near-infrared emitter: toward OLEDs and laser dyes. <i>Chemical Communications</i> , 2017 , 53, 7003-7006	5.8	62
133	Boron Difluoride Curcuminoid Fluorophores with Enhanced Two-Photon Excited Fluorescence Emission and Versatile Living-Cell Imaging Properties. <i>Chemistry - A European Journal</i> , 2016 , 22, 5219-32	4.8	62
132	Characterization of light-harvesting pigments of <i>Chloroflexus aurantiacus</i> . Two new chlorophylls: oleyl (octadec-9-enyl) and cetyl (hexadecanyl) bacteriochlorophyllides-c. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1990 , 2791		58
131	Tunable photoresponsive supramolecular systems. <i>Pure and Applied Chemistry</i> , 1992 , 64, 1231-1238	2.1	57
130	Two-photon excited fluorescence of BF ₂ complexes of curcumin analogues: toward NIR-to-NIR fluorescent organic nanoparticles. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 5208-5215	7.1	54
129	Chiral Gelators Constructed from 11-Aminoundecanoic (AUDA), Lauric and Amino Acid Units. Synthesis, Gelling Properties and Preferred Gelation of Racemates vs. the Pure Enantiomers. <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 4048-4059	3.2	54
128	Durch Metallkoordination zu molekularen Gelen!. <i>Angewandte Chemie</i> , 2006 , 118, 1710-1712	3.6	53
127	Linear molecular recognition: spectroscopic, photophysical, and complexation studies on .alpha.,.omega.-alkanediyl diammonium ions binding to a bisanthracenyl macrotricyclic receptor. <i>Journal of the American Chemical Society</i> , 1993 , 115, 3658-3664	16.4	53
126	Fluorescent, Siderophore-Based Chelators. Design and Synthesis of a Trispyrenyl Trishydroxamate Ligand, an Intramolecular Excimer-Forming Sensing Molecule Which Responds to Iron(III) and Gallium(III) Metal Cations. <i>Journal of Organic Chemistry</i> , 1996 , 61, 3956-3961	4.2	52
125	A trisbipyridine tripodal ligand as toluene gelator. Phasetransition-triggered binding of iron(ii). <i>Chemical Communications</i> , 1997 , 327-328	5.8	48
124	Flow-Induced Alignment of Fiberlike Supramolecular Self-Assemblies during Organogel Formation with Various Low Molecular Mass Organogelator/Solvent Systems. <i>Langmuir</i> , 2002 , 18, 7151-7153	4	47
123	Zinc(II)-operated intramolecular charge transfer fluorescence emission in pyrene-2,2'-bipyridine conjugated molecular rods. <i>Tetrahedron Letters</i> , 2001 , 42, 1665-1667	2	45
122	11-Aminoundecanoic acid: a versatile unit for the generation of low molecular weight gelators for water and organic solvents. <i>Chemical Communications</i> , 2004 , 190-1	5.8	43
121	Nonlinear triple exciplexes: thermodynamic and kinetic aspects of the intramolecular exciplex formation between anthracene and the two anchored nitrogens of an anthraceno-cryptand. <i>Journal of the American Chemical Society</i> , 1989 , 111, 96-102	16.4	43
120	Synthesis and thin film electronic properties of two pyrene-substituted oligothiophene derivatives. <i>Journal of Materials Chemistry</i> , 2006 , 16, 2380		42

119	Synthesis and Photophysical Properties of a Highly Fluorescent Ditopic Ligand Based on 1,6-Bis(ethynyl)pyrene as Central Aromatic Core. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 2684-2688	3.2	39
118	Borondifluoride complexes of hemicurcuminoids as bio-inspired push-pull dyes for bioimaging. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 1311-24	3.9	36
117	Environmentally stable organic thin-films transistors: Terminal styryl vs central divinyl benzene building blocks for p-type oligothiophene semiconductors. <i>Organic Electronics</i> , 2006 , 7, 465-473	3.5	36
116	Synthesis and fluorescence emission properties of a bis-anthracenyl macrotricyclic ditopic receptor. Crystal structure of its dinuclear rubidium cryptate. <i>Journal of the Chemical Society Chemical Communications</i> , 1990 , 655		34
115	Synthesis, Structural, Spectroscopic, and Alkali-Metal Cations Complexation Studies of a Bis-Anthracenediyl Macrotricyclic Ditopic Receptor. <i>Journal of Organic Chemistry</i> , 1994 , 59, 5264-5271	4.2	33
114	Laser printing of a semiconducting oligomer as active layer in organic thin film transistors: Impact of a protecting triazene layer. <i>Thin Solid Films</i> , 2012 , 520, 3043-3047	2.2	31
113	Synthesis, metal binding, and fluorescence studies of a pyrene-tethered hydroxamic acid ligand. <i>Tetrahedron Letters</i> , 1995 , 36, 1451-1454	2	31
112	PHOTOSTATIONARY FLUORESCENCE EMISSION AND TIME RESOLVED SPECTROSCOPY OF SYMMETRICALLY DISUBSTITUTED ANTHRACENES ON THE meso AND SIDE RINGS: THE UNUSUAL BEHAVIOR OF THE 1,4 DERIVATIVE*. <i>Photochemistry and Photobiology</i> , 1992 , 55, 349-358	3.6	30
111	Electronic energy and electron transfer processes in photoexcited donor-acceptor dyad and triad molecular systems based on triphenylene and perylene diimide units. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 7875-87	3.6	29
110	Tunable Photophysical Properties of Two 2,2-Bipyridine-Substituted Pyrene Derivatives. <i>Journal of Physical Chemistry A</i> , 2000 , 104, 9408-9414	2.8	29
109	Hybrid Heterojunction Nanorods for Nanoscale Controlled Morphology in Bulk Heterojunction Solar Cells. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 10881-10888	3.8	28
108	Remarkably simple small organogelators: di-n-alkoxy-benzene derivatives. <i>Tetrahedron Letters</i> , 1999 , 40, 9021-9024	2	27
107	Tuning the Direction of Intramolecular Charge Transfer and the Nature of the Fluorescent State in a T-Shaped Molecular Dyad. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 6283-95	2.8	26
106	The use of a monoorganotin derivative of pyrene in the palladium(0)-catalyzed synthesis of a new metal-cation complexing molecule displaying excited state charge transfer properties. <i>Tetrahedron Letters</i> , 1998 , 39, 1179-1182	2	26
105	A fluoroponytails containing organogelator: gelation of perfluorotributylamine and isopropanol. <i>Tetrahedron</i> , 2002 , 58, 4049-4052	2.4	26
104	Intramolecular electronic energy transfer in a pyrene-labeled ruthenium(II)-trisbipyridine hemicage complex. <i>Inorganic Chemistry</i> , 2001 , 40, 6061-3	5.1	26
103	Synthesis of Bioinspired Curcuminoid Small Molecules for Solution-Processed Organic Solar Cells with High Open-Circuit Voltage. <i>ACS Energy Letters</i> , 2017 , 2, 1303-1307	20.1	25
102	Shelf-life time test of p- and n-channel organic thin film transistors using copper phthalocyanines. <i>Thin Solid Films</i> , 2010 , 518, 5593-5598	2.2	25

101	Charge transfer effects in organic field-effect transistors containing a donor/acceptor heterojunction. <i>Synthetic Metals</i> , 2007 , 157, 551-557	3.6	25
100	Highly Efficient Hybrid Solar Cells Based on an Octithiophene/CuAs Heterojunction. <i>Advanced Functional Materials</i> , 2005 , 15, 810-817	15.6	25
99	Internally referenced analysis of charge-transfer reactions in a new ferrocenyl bithiophenic conducting polymer through cyclic voltammetry. <i>Chemical Communications</i> , 2008 , 6606-8	5.8	24
98	Laser printing of air-stable high performing organic thin film transistors. <i>Organic Electronics</i> , 2012 , 13, 2035-2041	3.5	23
97	Solution-processed bulk heterojunction solar cells based on BF(2)-hydroxychalcone complexes. <i>Chemical Communications</i> , 2013 , 49, 3555-7	5.8	23
96	Minireview: From molecular nanowires to molecular nanocables: Synthetic strategies and conducting properties. <i>Comptes Rendus Chimie</i> , 2008 , 11, 1241-1253	2.7	23
95	Influence of the electron donor groups on the optical and electrochemical properties of borondifluoride complexes of curcuminoid derivatives: a joint theoretical and experimental study. <i>RSC Advances</i> , 2017 , 7, 10132-10142	3.7	22
94	NIR Emission in Borondifluoride Complexes of 2'-Hydroxychalcone Derivatives Containing an Acetonaphthone Ring. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 11906-11918	3.8	22
93	Oligothiophene self-assembly on the surface of ZnO nanorods: toward coaxial p-n hybrid heterojunctions. <i>ChemPhysChem</i> , 2009 , 10, 2465-70	3.2	22
92	Influence of Phenyl Perfluorination on Charge Transport Properties of Distyryl-Oligothiophenes in Organic Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1567-1574	3.8	22
91	Blue-Shifting Intramolecular Charge Transfer Emission by Nonlocal Effect of Hyperbolic Metamaterials. <i>Nano Letters</i> , 2018 , 18, 1476-1482	11.5	21
90	Ambipolar organic field-effect transistors based on CuPc and F16CuPc: Impact of the fine microstructure at organic/organic interface. <i>Synthetic Metals</i> , 2011 , 161, 1915-1920	3.6	21
89	Sensitized luminescence emission of the europium(III) ion bound to a pyrene-containing triacid ligand. <i>Tetrahedron Letters</i> , 1997 , 38, 1381-1384	2	21
88	Design and synthesis of bismacrocylic hexaazatriphenylene derivatives. <i>Organic Letters</i> , 2006 , 8, 1311-46.2		21
87	Tunable fluorescence emission in pyrene-(2,2'-bipyridine) dyads containing phenylene-ethynylene bridges. <i>Photochemical and Photobiological Sciences</i> , 2004 , 3, 949-59	4.2	21
86	Boron difluoride complexes of 3-hydroxyflavone derivatives: efficient bioinspired dyes for solution and solid-state emission. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 500-10	4.2	20
85	Effect of end-substitutions of distyryl-oligothiophenes by hexyl chains on environmental stability in organic thin film transistors. <i>Organic Electronics</i> , 2008 , 9, 591-601	3.5	20
84	Extending Excited-state Lifetimes by Interchromophoric Triplet-state Equilibration in a Pyrene-Ru(II)diimine Dyad System. <i>Supramolecular Chemistry</i> , 2003 , 15, 627-637	1.8	20

83	Tuning solid-state emission properties of pyrene-containing chalcone derivatives. <i>Tetrahedron</i> , 2015 , 71, 2255-2259	2.4	19
82	Synthesis and zinc(II) complexation modulated fluorescence emission properties of two pyrene-oligo(phenylene vinylene)-2,2'-bipyridine conjugated molecular rods. <i>New Journal of Chemistry</i> , 2007 , 31, 1013-1021	3.6	18
81	Characterization of PEDOT film functionalized with a series of automated synthesis ferrocenyl-containing oligonucleotides. <i>Tetrahedron</i> , 2005 , 61, 3947-3952	2.4	18
80	Supramolecular control of photochemical and electrochemical properties of two oligothiophene derivatives at the air/water interface. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 1482-90	3.4	16
79	Acetylenic spacers in phenylene end-substituted oligothiophene core for highly air-stable organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 3845-51	3.6	16
78	Multilayer laser printing for Organic Thin Film Transistors. <i>Applied Surface Science</i> , 2011 , 257, 5152-5155	6.7	16
77	Synthesis, electrochemical and photochromic behaviour of a series of (1,4-dithiafulven-6-yl)substituted 3H-naphtho[2,1-b]pyran derivatives. <i>Tetrahedron</i> , 2005 , 61, 423-428	2.4	16
76	Zinc(II)-driven Fluorescence Quenching of a Pyrene-labelled Bis-2,2'-bipyridine Ligand. <i>Journal of Chemical Research Synopses</i> , 1999 , 134-135		16
75	The first intermolecular 9,10-photodimerization of the anthracene ring. <i>Journal of the Chemical Society Chemical Communications</i> , 1988 , 1413-1415		16
74	P-type semiconductor surfactant modified zinc oxide nanorods for hybrid bulk heterojunction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 159, 608-616	6.4	15
73	Intramolecular electron transfer in Cu(II) complexes with aryl-imidazo-1,10-phenanthroline derivatives: experimental and quantum chemical calculation studies. <i>New Journal of Chemistry</i> , 2019 , 43, 2817-2827	3.6	15
72	Structure-charge transfer property relationship in self-assembled discotic liquid-crystalline donor-acceptor dyad and triad thin films. <i>RSC Advances</i> , 2016 , 6, 57811-57819	3.7	15
71	Co-grafting of porphyrins and fullerenes on ZnO nanorods: towards supramolecular donor-acceptor assembly. <i>Journal of Colloid and Interface Science</i> , 2012 , 386, 268-76	9.3	15
70	Improvement in semiconductor laser printing using a sacrificial protecting layer for organic thin-film transistors fabrication. <i>Applied Surface Science</i> , 2011 , 257, 5245-5249	6.7	15
69	All solution processed flexible ammonia gas and light sensors based on hexyl-distyrylbithiophene films. <i>Sensors and Actuators B: Chemical</i> , 2010 , 151, 77-82	8.5	14
68	Polypyridine ligands with extended π -conjugation: highly tunable fluorophores. <i>Comptes Rendus Chimie</i> , 2005 , 8, 1204-1212	2.7	14
67	Rationales Design von niedermolekularen Organogelatoren: auf dem Weg zu einer Bibliothek von funktionellen N-Acyl-1,4-Aminosäure-Derivaten. <i>Angewandte Chemie</i> , 2001 , 113, 3266-3267	3.6	14
66	Theoretical and Experimental Study on Boron π -Diketonate Complexes with Intense Two-Photon-Induced Fluorescence in Solution and in the Solid State. <i>ChemPhysChem</i> , 2016 , 17, 2128-36	3.2	14

65	Synthesis, electrochemical and photophysical studies of the borondifluoride complex of a meta-linked biscurcuminoid. <i>New Journal of Chemistry</i> , 2016 , 40, 1297-1305	3.6	13
64	A solvent-free and vacuum-free melt-processing method to fabricate organic semiconducting layers with large crystal size for organic electronic applications. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3190-3198	7.1	12
63	Searching for new borondifluoride β-diketonate complexes with enhanced absorption/emission properties using ab initio tools. <i>Dyes and Pigments</i> , 2018 , 155, 59-67	4.6	12
62	p-Type and n-type quaterthiophene based semiconductors for thin film transistors operating in air?. <i>Current Applied Physics</i> , 2009 , 9, 26-33	2.6	12
61	Dye-adsorption-induced gelation of suspensions of spherical and rodlike zinc oxide nanoparticles in organic solvents. <i>Langmuir</i> , 2009 , 25, 8473-9	4	11
60	Benzyl and tert-butyl carbamate derivatives of 1,β-amino acids as simple yet efficient gelators. <i>Tetrahedron</i> , 2007 , 63, 7482-7488	2.4	11
59	Synthesis of electrochemical probes for nucleic acid detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 132, 439-442	8.5	10
58	Investigation of crown-containing styrylthiophene derivatives which are optically and electrochemically sensitive to the presence of metal cations. <i>Synthetic Metals</i> , 2007 , 157, 885-893	3.6	10
57	Water-compatible electrogenerated poly(thiophenes) derived from linked EDOT-based bithiophenic precursors. <i>Electrochemistry Communications</i> , 2006 , 8, 533-538	5.1	10
56	Design, synthesis and redox properties of two ferrocene-containing iron chelators. <i>Tetrahedron Letters</i> , 2006 , 47, 3371-3374	2	10
55	Photoactive pyrene-containing receptors for transition-metal ions. <i>Pure and Applied Chemistry</i> , 2001 , 73, 411-414	2.1	10
54	Two 9,10-anthracenocryptand silver(I) nitrate complexes. Fluorescence modulated by Ag ⁺ as a function of the geometry of the complex. <i>Acta Crystallographica Section B: Structural Science</i> , 1995 , 51, 293-300		10
53	Optical properties of quadrupolar and bi-quadrupolar dyes: intra and inter chromophoric interactions. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 24623-24632	3.6	10
52	Functionalization of zinc oxide nanorods with diarylethene-based photochromic compounds. <i>Dyes and Pigments</i> , 2011 , 89, 266-270	4.6	9
51	Core-cyanated distyryl-bithiophene: Synthesis and impact on charge transport in field-effect transistors. <i>Thin Solid Films</i> , 2010 , 519, 578-586	2.2	9
50	C ₆ H ₆ BF ₂ O ₂ Interactions in Crystals: A Case for Boron Hydrogen Bonding?. <i>Crystal Growth and Design</i> , 2014 , 14, 3700-3703	3.5	8
49	Top gate copper phthalocyanine thin film transistors with laser-printed dielectric. <i>Synthetic Metals</i> , 2011 , 161, 888-893	3.6	8
48	Design, synthesis and electrochemical properties of a thiophene derivative functionalized with a siderophore-like chelator. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 626, 42-46	4.1	8

47	Metal ion modulated torsion angle in a ditopic oligothiophene ligand: toward supramolecular control of π -conjugation. <i>ChemPhysChem</i> , 2010 , 11, 3152-60	3.2	8
46	Comparison of p-channel transistors based on π -hexyl-distyryl-bithiophene prepared using various film deposition methods. <i>Thin Solid Films</i> , 2010 , 518, 5311-5320	2.2	8
45	Photoswitching in azobenzene self-assembled monolayers capped on zinc oxide: nanodots vs nanorods. <i>Journal of Colloid and Interface Science</i> , 2012 , 367, 109-14	9.3	7
44	Nanosecond laser-induced periodic surface structuring of cross-linked azo-polymer films. <i>Applied Surface Science</i> , 2013 , 282, 880-886	6.7	7
43	Novel crown-containing 3-styryl derivatives of oligothiophenes: synthesis, structure, and optical and electrochemical characteristics. <i>Russian Chemical Bulletin</i> , 2009 , 58, 1509-1515	1.7	7
42	Ethynylene-analogues of hemicurcuminoids: Synthesis and ground- and excited properties of their boron difluoride complexes. <i>Dyes and Pigments</i> , 2017 , 141, 38-47	4.6	6
41	Access to Fluorenones Using Benzocyclopentynone Surrogate as Partner for the [2 + 2 + 2] Cycloaddition Reaction. <i>Organic Letters</i> , 2020 , 22, 1894-1898	6.2	6
40	Optical and morphological properties of thin films of bis-pyrenyl π -conjugated molecules. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 5299-305	3.6	6
39	Boron difluoride complexes of 2'-hydroxychalcones and curcuminoids as fluorescent dyes for photonic applications. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2015 , 6, 015009	1.6	6
38	Effect of molecular structure on bias stress effect in organic thin-film transistors. <i>Applied Surface Science</i> , 2011 , 257, 9386-9389	6.7	6
37	Salts of 4-Substituted Dipicolinic Acid Derivatives π -Very Low Molecular Mass Gelators of Aqueous DMSO. <i>European Journal of Organic Chemistry</i> , 2002 , 2002, 2891-2893	3.2	6
36	Adsorption and Growth of Bis-pyrene Molecular Layers on Au(111) Studied by STM. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 7214-7220	3.8	5
35	Influence of halogen substitution on aggregation-induced near infrared emission of borondifluoride complexes of 2'-hydroxychalcones. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 86-92	7.8	5
34	Donor-Acceptor Distance-Dependent Charge Transfer Dynamics Controlled by Metamaterial Structures. <i>ACS Photonics</i> , 2019 , 6, 2649-2654	6.3	5
33	Influence of pyrene grafting on PMMA nanosecond laser ablation at 248 nm. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 41-8	9.5	5
32	Toward n-channel organic thin film transistors based on a distyryl-bithiophene derivatives. <i>Tetrahedron</i> , 2012 , 68, 4664-4671	2.4	5
31	Gel-Layer-Assisted Directional Electropolymerization: A Versatile Method for High-Resolution Volume and Surface Patterning of Flexible Substrates with Conjugated Polymers. <i>Advanced Materials</i> , 2004 , 16, 1709-1712	24	5
30	Spontaneous exciton dissociation enables spin state interconversion in delayed fluorescence organic semiconductors. <i>Nature Communications</i> , 2021 , 12, 6640	17.4	5

29	Solid State Interactions in Anthraceno-Cryptands and Crown-Ethers X-Ray Structure Analysis and Fluorescence Emission of the Free Ligands and two of their Complexes. <i>Molecular Crystals and Liquid Crystals</i> , 1988 , 156, 383-392	0.5	5
28	Thermal behaviour and thin film properties of a bis-pyrene compound for organic thin film transistor applications. <i>Synthetic Metals</i> , 2015 , 209, 29-33	3.6	4
27	Liquid Crystal Hexyl-Distyryl-Bithiophene: Morphology and Charge Transport Properties in Organic Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2009 , 507, 178-187	0.5	4
26	Solution Growth and Structures of Semiconducting Distyryl-Oligothiophene. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 491, 264-269	0.5	4
25	Polymer interconnections for 3D-chip stacking technology: directional volume patterning of flexible substrates with conducting polymer wires. <i>Journal of Micromechanics and Microengineering</i> , 2004 , 14, 1618-1624	2	4
24	Tunable Fluorescence of Some Macrocyclic Anthracenophanes. <i>ACS Symposium Series</i> , 1993 , 59-73	0.4	4
23	Equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu ²⁺ and 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane (OBISDIEN). <i>Inorganica Chimica Acta</i> , 1995 , 236, 189-196	2.7	4
22	Characterization of in-plane structures of vapor deposited thin-films of distyryl-oligothiophenes by grazing incidence x-ray diffractometry. <i>Crystal Research and Technology</i> , 2007 , 42, 1228-1231	1.3	3
21	Synthesis, structures, and optical and electrochemical characteristics of novel crown-containing polythiophene systems. <i>Russian Chemical Bulletin</i> , 2007 , 56, 967-974	1.7	3
20	Effect of Methoxy Substitution on Supramolecular Arrangement of Borondifluorides of 2Q-Hydroxy Chalcones and their Solid-State NIR Fluorescence. <i>Croatica Chemica Acta</i> , 2017 , 90,	0.8	3
19	Optical spin-dependent beam separation in cyclic group symmetric metasurface. <i>Nanophotonics</i> , 2020 , 9, 3459-3471	6.3	3
18	Confocal Laser Scanning Microscopy: A Versatile Spectroscopic Tool for the Investigation of Molecular Gels 2012 , 607-627		2
17	Comparative time resolved shadowgraphic imaging studies of nanosecond and picosecond laser transfer of organic materials 2008 ,		2
16	Models for the Pigment Organization in the Chlorosomes of Photosynthetic Bacteria: Diastereoselective Control of in-Vitro Bacteriochlorophyll <i>cs</i> Aggregation. [Erratum to document cited in CA122:76986]. <i>The Journal of Physical Chemistry</i> , 1995 , 99, 16194-16194		2
15	Fluorescent, Siderophore-Based Hydroxamate Chelators for the Detection of Transition-Metal Ions 1997 , 221-240		2
14	Noncontact AFM and differential reflectance spectroscopy joint analyses of bis-pyrenyl thin films on bulk insulators: Relationship between structural and optical properties. <i>Physical Review B</i> , 2018 , 97,	3.3	2
13	Electron Conducting and Magneto-Sensitive Gels 2006 , 793-815		2
12	Laser-induced forward transfer of a bis-pyrene compound for OTFTs. <i>Applied Surface Science</i> , 2015 , 336, 133-137	6.7	1

11	Inkjet printing of new photosensitive sensors based on organic thin films 2008 ,		1
10	Thin-film structure of semiconducting end-capped oligothiophenes. <i>Journal of Physics: Conference Series</i> , 2007 , 83, 012026	0.3	1
9	Ion-induced luminescence control in pyrene-tethered bipyridine ligand systems. <i>International Journal of Photoenergy</i> , 2001 , 3, 49-53	2.1	1
8	Structures of two trichromophoric anthraceno cryptands. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1986 , 42, 715-719		1
7	Cation-dependent structural diversity of zinc(II), calcium(II) mono- and binuclear complexes of aryl-imidazo-1,10-phenanthroline derivatives. <i>Inorganica Chimica Acta</i> , 2016 , 445, 103-109	2.7	1
6	Exciton Interactions, Excimer Formation, and [2+2] Photodimerization in Nonconjugated Curcuminoid-BF Dimers. <i>Chemistry - A European Journal</i> , 2020 , 26, 3818-3828	4.8	0
5	Effect of the electron donating group on the excited-state electronic nature and epsilon-near-zero properties of curcuminoid-borondifluoride dyes.. <i>RSC Advances</i> , 2021 , 11, 38247-38257	3.7	0
4	Epitaxial Relationships of Vapor Deposited Thin Films of Octithiophene on KBr (001). <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 445, 35/[325]-41/[331]	0.5	
3	Metal-Containing Molecular Gels 2004 , 1-7		
2	Molecular, Crystal Structure and Fluorescence Emission Properties of Diprotonated 7,10,19,22-Tetraoxa-4,13-diaza[16.84,13](9,10)anthracenophane (A33.2H ⁺). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 113-116		
1	The Water Inclusion Complex of a Fluorescent Diprotonated Anthracenocryptand. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995 , 51, 1218-1221		