

JÃ©rÃ´me Harambat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8146332/publications.pdf>

Version: 2024-02-01

114
papers

4,848
citations

87886

38
h-index

106340

65
g-index

123
all docs

123
docs citations

123
times ranked

4768
citing authors

#	ARTICLE	IF	CITATIONS
1	Preemptive Kidney Transplantation Is Associated With Transplantation Outcomes in Children: Results From the French Kidney Replacement Therapy Registry. <i>Transplantation</i> , 2022, 106, 401-411.	1.0	9
2	Kidney Transplantation in Small Children: Association Between Body Weight and Outcome—A Report From the ESPN/ERA-EDTA Registry. <i>Transplantation</i> , 2022, 106, 607-614.	1.0	2
3	The effect of lumasiran therapy for primary hyperoxaluria type 1 in small infants. <i>Pediatric Nephrology</i> , 2022, 37, 907-911.	1.7	15
4	Impact of nephrology care trajectories pre-CKD stage 5 on initiation of kidney replacement therapy in children. <i>Pediatric Nephrology</i> , 2022, 37, 2427-2436.	1.7	2
5	Findings from 4C-T Study demonstrate an increased cardiovascular burden in girls with end stage kidney disease and kidney transplantation. <i>Kidney International</i> , 2022, 101, 585-596.	5.2	16
6	Social Deprivation Is Associated With Lower Access to Pre-emptive Kidney Transplantation and More Urgent-Start Dialysis in the Pediatric Population. <i>Kidney International Reports</i> , 2022, 7, 741-751.	0.8	15
7	Improved Outcome of Infantile Oxalosis Over Time in Europe: Data From the OxalEurope Registry. <i>Kidney International Reports</i> , 2022, 7, 1608-1618.	0.8	7
8	Dynamic prediction models for graft failure in paediatric kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 927-935.	0.7	8
9	Relapse rate of nephrotic syndrome in the time of COVID-19. <i>Pediatric Nephrology</i> , 2021, 36, 211-212.	1.7	12
10	Mycophenolic acid area under the concentration-time curve is associated with therapeutic response in childhood-onset lupus nephritis. <i>Pediatric Nephrology</i> , 2021, 36, 341-347.	1.7	21
11	Epidemiology and management of Chronic Kidney Disease in Children. , 2021, , 1-16.		0
12	Treatment strategy for Streptococcus pneumoniae-associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2021, 36, 1655-1656.	1.7	5
13	Phase 1/2 Study of Lumasiran for Treatment of Primary Hyperoxaluria Type 1. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1025-1036.	4.5	48
14	Association of kidney biopsy findings with short- and medium-term outcomes in children with moderate-to-severe IgA vasculitis nephritis. <i>European Journal of Pediatrics</i> , 2021, 180, 3209-3218.	2.7	7
15	Growth in children on kidney replacement therapy: a review of data from patient registries. <i>Pediatric Nephrology</i> , 2021, 36, 2563-2574.	1.7	7
16	Plasma oxalate and eGFR are correlated in primary hyperoxaluria patients with maintained kidney function—data from three placebo-controlled studies. <i>Pediatric Nephrology</i> , 2021, 36, 1785-1793.	1.7	7
17	Ten-year trends in epidemiology and outcomes of pediatric kidney replacement therapy in Europe: data from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2021, 36, 2337-2348.	1.7	31
18	A roadmap for optimizing chronic kidney disease patient care and patient-oriented research in the Eastern European nephrology community. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 23-35.	2.9	10

#	ARTICLE	IF	CITATIONS
19	Outcome of children with Shiga toxin-associated haemolytic uraemic syndrome treated with eculizumab: a matched cohort study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2147-2153.	0.7	15
20	Growth Patterns After Kidney Transplantation in European Children Over the Past 25 Years: An ESPN/ERA-EDTA Registry Study. <i>Transplantation</i> , 2020, 104, 137-144.	1.0	21
21	Results in the ESPN/ERA-EDTA Registry suggest disparities in access to kidney transplantation but little variation in graft survival of children across Europe. <i>Kidney International</i> , 2020, 98, 464-475.	5.2	13
22	Setting reasonable objectives for improving preemptive kidney transplantation rates in children. <i>Pediatric Nephrology</i> , 2020, 35, 2353-2360.	1.7	4
23	Determinants of Statural Growth in European Children With Chronic Kidney Disease: Findings From the Cardiovascular Comorbidity in Children With Chronic Kidney Disease (4C) Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 278.	1.9	19
24	Targeted gene therapy in human-induced pluripotent stem cells from a patient with primary hyperoxaluria type 1 using CRISPR/Cas9 technology. <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 677-683.	2.1	17
25	Hemodialysis vascular access and subsequent transplantation: a report from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2019, 34, 713-721.	1.7	10
26	Quality of life in adolescents with chronic kidney disease who initiate haemodialysis treatment. <i>BMC Nephrology</i> , 2019, 20, 163.	1.8	30
27	Nephrology and Public Policy Committee propositions to stimulate research collaboration in adults and children in Europe. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1469-1480.	0.7	8
28	Social deprivation is associated with poor kidney transplantation outcome in children. <i>Kidney International</i> , 2019, 96, 769-776.	5.2	25
29	Generation of induced pluripotent stem cells-derived hepatocyte-like cells for ex vivo gene therapy of primary hyperoxaluria type 1. <i>Stem Cell Research</i> , 2019, 38, 101467.	0.7	19
30	Clinical practice recommendations for growth hormone treatment in children with chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2019, 15, 577-589.	9.6	103
31	Association between timing of dialysis initiation and clinical outcomes in the paediatric population: an ESPN/ERA-EDTA registry study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1932-1940.	0.7	17
32	Low levels of urinary epidermal growth factor predict chronic kidney disease progression in children. <i>Kidney International</i> , 2019, 96, 214-221.	5.2	43
33	Think Twice before Postponing Chronic Dialysis in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2473-2474.	6.1	0
34	Hemolytic uremic syndrome associated with <i>Bordetella pertussis</i> infection in a 2-month-old infant carrying a pathogenic variant in complement factor H. <i>Pediatric Nephrology</i> , 2019, 34, 533-537.	1.7	4
35	Long-term outcome of diarrhea-associated hemolytic uremic syndrome is poorly related to markers of kidney injury at 1-year follow-up in a population-based cohort. <i>Pediatric Nephrology</i> , 2019, 34, 657-662.	1.7	15
36	Prolonged dialysis duration is associated with graft failure and mortality after kidney transplantation: results from the French transplant database. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 538-545.	0.7	58

#	ARTICLE	IF	CITATIONS
37	Treatment and outcome of congenital nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 458-467.	0.7	42
38	Effects of nutritional vitamin D supplementation on markers of bone and mineral metabolism in children with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 2208-2217.	0.7	23
39	Bladder Dysfunction in Children with Neurofibromatosis Type I: Report of Four Cases and Review of the Literature. <i>Urologia Internationalis</i> , 2018, 100, 339-345.	1.3	8
40	Prevalence of Hypertension in Children with Early-Stage ADPKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 874-883.	4.5	65
41	Patient and transplant outcome in infants starting renal replacement therapy before 2 years of age. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1459-1465.	0.7	15
42	Eculizumab treatment in severe pediatric STEC-HUS: a multicenter retrospective study. <i>Pediatric Nephrology</i> , 2018, 33, 1385-1394.	1.7	43
43	Survival in children requiring chronic renal replacement therapy. <i>Pediatric Nephrology</i> , 2018, 33, 585-594.	1.7	37
44	Combination therapy of rituximab and mycophenolate mofetil in childhood lupus nephritis. <i>Pediatric Nephrology</i> , 2018, 33, 111-116.	1.7	17
45	Outcomes of renal replacement therapy in boys with prune belly syndrome: findings from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2018, 33, 117-124.	1.7	18
46	Recovery of Kidney Function in Children Treated with Maintenance Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1510-1516.	4.5	6
47	Risk prediction models for graft failure in kidney transplantation: a systematic review. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, ii68-ii76.	0.7	58
48	Mortality risk disparities in children receiving chronic renal replacement therapy for the treatment of end-stage renal disease across Europe: an ESPN-ERA/EDTA registry analysis. <i>Lancet</i> , The, 2017, 389, 2128-2137.	13.7	48
49	A randomised Phase I/II trial to evaluate the efficacy and safety of orally administered Oxalobacter formigenes to treat primary hyperoxaluria. <i>Pediatric Nephrology</i> , 2017, 32, 781-790.	1.7	66
50	Infants Requiring Maintenance Dialysis: Outcomes of Hemodialysis and Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2017, 69, 617-625.	1.9	53
51	The association of donor and recipient age with graft survival in paediatric renal transplant recipients in a European Society for Paediatric Nephrology/European Renal Associationâ€™European Dialysis and Transplantation Association Registry study. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1949-1956.	0.7	35
52	Metabolic acidosis is common and associates with disease progression in children with chronic kidney disease. <i>Kidney International</i> , 2017, 92, 1507-1514.	5.2	66
53	Age-Dependent Risk of Graft Failure in Young Kidney Transplant Recipients. <i>Transplantation</i> , 2017, 101, 1327-1335.	1.0	43
54	Racial variation in cardiovascular disease risk factors among European children on renal replacement therapyâ€™results from the European Society for Paediatric Nephrology/European Renal Association â€™European Dialysis and Transplant Association Registry. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1908-1917.	0.7	5

#	ARTICLE	IF	CITATIONS
55	Late diagnosis of primary hyperoxaluria type III. <i>Annals of Clinical Biochemistry</i> , 2017, 54, 406-411.	1.6	16
56	Effect of center practices on the choice of the first dialysis modality for children and young adults. <i>Pediatric Nephrology</i> , 2017, 32, 659-667.	1.7	10
57	Child-onset and adolescent-onset acquired thrombotic thrombocytopenic purpura with severe ADAMTS13 deficiency: a cohort study of the French national registry for thrombotic microangiopathy. <i>Lancet Haematology</i> , 2016, 3, e537-e546.	4.6	53
58	Mycophenolic Acid Pharmacokinetics and Relapse in Children with Steroid-Dependent Idiopathic Nephrotic Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1777-1782.	4.5	35
59	Timing of renal replacement therapy does not influence survival and growth in children with congenital nephrotic syndrome caused by mutations in NPHS1: data from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2016, 31, 2317-2325.	1.7	25
60	Microalbuminuria among HIV-infected antiretroviral therapy-naive children in the Democratic Republic of Congo. <i>Pediatric Nephrology</i> , 2016, 31, 769-772.	1.7	6
61	Observations of a large Dent disease cohort. <i>Kidney International</i> , 2016, 90, 430-439.	5.2	71
62	Inequalities in access to pediatric ESRD care: a global health challenge. <i>Pediatric Nephrology</i> , 2016, 31, 353-358.	1.7	52
63	Lessons learned from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2016, 31, 2055-2064.	1.7	31
64	Demographics of CKD and ESRD in Children. , 2016, , 1385-1397.		2
65	Pathogens causing urinary tract infections in infants: a European overview by the ESCAPE study group. <i>European Journal of Pediatrics</i> , 2015, 174, 783-790.	2.7	35
66	Are there good reasons for inequalities in access to renal transplantation in children?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 2080-2087.	0.7	13
67	Clinical characteristics and outcomes of childhood-onset ANCA-associated vasculitis: a French nationwide study. <i>Nephrology Dialysis Transplantation</i> , 2015, 30 Suppl 1, i104-12.	0.7	45
68	Genotype-phenotype associations in WT1 glomerulopathy. <i>Kidney International</i> , 2014, 85, 1169-1178.	5.2	113
69	Pharmacokinetics of mycophenolate mofetil in children with lupus and clinical findings in favour of therapeutic drug monitoring. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 867-876.	2.4	42
70	Atypical hematologic and renal manifestations in Neurofibromatosis type I: Coincidence or pathophysiological link?. <i>European Journal of Medical Genetics</i> , 2014, 57, 639-642.	1.3	5
71	Adult Height in Patients with Advanced CKD Requiring Renal Replacement Therapy during Childhood. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 92-99.	4.5	72
72	Likelihood of children with end-stage kidney disease in Europe to live with a functioning kidney transplant is mainly explained by nonmedical factors. <i>Pediatric Nephrology</i> , 2014, 29, 453-459.	1.7	22

#	ARTICLE	IF	CITATIONS
73	Rapid access to renal transplant waiting list in children: impact of patient and centre characteristics in France. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1973-1979.	0.7	18
74	2,8-Dihydroxyadenine Urolithiasis: A Not So Rare Inborn Error of Purine Metabolism. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2014, 33, 241-252.	1.1	16
75	Hemolytic uremic syndrome complicating <i>Mycoplasma pneumoniae</i> infection. <i>Pediatric Nephrology</i> , 2013, 28, 2057-2060.	1.7	10
76	Recurrent Disease in Pediatric Renal Transplantation. <i>Current Pediatrics Reports</i> , 2013, 1, 60-67.	4.0	1
77	Long-term critical issues in pediatric renal transplant recipients: a single-center experience. <i>Transplant International</i> , 2013, 26, 154-161.	1.6	28
78	Prediction of steroid-sparing agent use in childhood idiopathic nephrotic syndrome. <i>Pediatric Nephrology</i> , 2013, 28, 631-638.	1.7	18
79	Disparities in Policies, Practices and Rates of Pediatric Kidney Transplantation in Europe. <i>American Journal of Transplantation</i> , 2013, 13, 2066-2074.	4.7	82
80	Intestinal Microsporidiosis due to <i>Enterocytozoon bienersi</i> in a Pediatric Kidney Transplant Recipient Successfully Treated with Fumagillin. <i>Transplantation</i> , 2013, 96, e66-e67.	1.0	8
81	Diagnosis of <i>Streptococcus pneumoniae</i> associated Hemolytic Uremic Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 1045-1049.	2.0	27
82	Advanced Glycation End Products in Children With Type 1 Diabetes: Family Matters?. <i>Diabetes Care</i> , 2012, 35, e1-e1.	8.6	17
83	Familial Hypomagnesemia with Hypercalciuria and Nephrocalcinosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 801-809.	4.5	82
84	The consequences of chronic kidney disease on bone metabolism and growth in children. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3063-3071.	0.7	88
85	Primary hyperoxaluria Type 1: indications for screening and guidance for diagnosis and treatment. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1729-1736.	0.7	266
86	Characteristics and Outcomes of Children with Primary Oxalosis Requiring Renal Replacement Therapy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 458-465.	4.5	121
87	Adenine Phosphoribosyltransferase Deficiency. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1521-1527.	4.5	87
88	Invasive fungal disease in PICU: epidemiology and risk factors. <i>Annals of Intensive Care</i> , 2012, 2, 6.	4.6	70
89	Epidemiology of chronic kidney disease in children. <i>Pediatric Nephrology</i> , 2012, 27, 363-373.	1.7	686
90	Renal outcome in long-term survivors from severe acute kidney injury in childhood. <i>Pediatric Nephrology</i> , 2012, 27, 151-152.	1.7	23

#	ARTICLE	IF	CITATIONS
91	Adenine phosphoribosyltransferase deficiency in children. <i>Pediatric Nephrology</i> , 2012, 27, 571-579.	1.7	44
92	Successful treatment with rituximab for acute refractory thrombotic thrombocytopenic purpura related to acquired ADAMTS13 deficiency: A pediatric report and literature review. <i>Pediatric Critical Care Medicine</i> , 2011, 12, e90-e93.	0.5	16
93	Severe transient ADAMTS13 deficiency in pneumococcal-associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2011, 26, 631-635.	1.7	9
94	A 10-year-old boy with dark urine and acute kidney injury: question. <i>Pediatric Nephrology</i> , 2011, 26, 1229-1230.	1.7	4
95	A 10-year-old boy with dark urine and acute kidney injury: answer. <i>Pediatric Nephrology</i> , 2011, 26, 1231-1233.	1.7	0
96	Long-term effects of cyclophosphamide therapy in steroid-dependent or frequently relapsing idiopathic nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 178-184.	0.7	37
97	Defining Left Ventricular Hypertrophy in Children on Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1934-1943.	4.5	39
98	Primary Hyperoxaluria. <i>International Journal of Nephrology</i> , 2011, 2011, 1-11.	1.3	76
99	Primary hyperoxaluria type 1: strategy for organ transplantation. <i>Current Opinion in Organ Transplantation</i> , 2010, 15, 590-593.	1.6	47
100	The Influence of Glomerular Filtration Rate and Age on Fibroblast Growth Factor 23 Serum Levels in Pediatric Chronic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1741-1748.	3.6	112
101	Acute Neurological Involvement in Diarrhea-Associated Hemolytic Uremic Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1218-1228.	4.5	188
102	First Report of Septic Arthritis Caused by <i>Klebsiella oxytoca</i> . <i>Journal of Clinical Microbiology</i> , 2010, 48, 3021-3023.	3.9	11
103	Phenotype and Genotype Characterization of Adenine Phosphoribosyltransferase Deficiency. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 679-688.	6.1	112
104	Renal impairment in children with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2010, 9, 263-268.	0.7	17
105	Genotype-phenotype correlation in primary hyperoxaluria type 1: the p.Gly170Arg AGXT mutation is associated with a better outcome. <i>Kidney International</i> , 2010, 77, 443-449.	5.2	117
106	Malignancy incidence after renal transplantation in children: a 20-year single-centre experience. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 611-616.	0.7	54
107	Effect of conservative treatment on the renal outcome of children with primary hyperoxaluria type 1. <i>Kidney International</i> , 2009, 76, 767-773.	5.2	57
108	Both extrauterine and intrauterine growth restriction impair renal function in children born very preterm. <i>Kidney International</i> , 2009, 76, 445-452.	5.2	119

#	ARTICLE	IF	CITATIONS
109	Growth after renal transplantation. <i>Pediatric Nephrology</i> , 2009, 24, 1297-1306.	1.7	66
110	Maximizing Growth in Children After Renal Transplantation. <i>Transplantation</i> , 2009, 88, 1321-1322.	1.0	6
111	First report of rapidly progressive glomerulonephritis in tumor necrosis factor receptor-associated periodic syndrome. <i>Arthritis and Rheumatism</i> , 2008, 58, 3275-3276.	6.7	5
112	Hyperuricemia after liver transplantation in children. <i>Pediatric Transplantation</i> , 2008, 12, 847-853.	1.0	10
113	18-month occurrence of severe events among early diagnosed HIV-infected children before antiretroviral therapy in Abidjan, CÃ©te d'Ivoire: A cohort study. <i>BMC Public Health</i> , 2008, 8, 169.	2.9	10
114	Renal Function in Pediatric Liver Transplantation: A Long-Term Follow-Up Study. <i>Transplantation</i> , 2008, 86, 1028-1034.	1.0	61