Thomas Wenzl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8146954/publications.pdf

Version: 2024-02-01

59 2,368 27 48 papers citations h-index g-index

60 60 60 2560

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Profiling of volatile substances by direct thermal desorption gas chromatography high-resolution mass spectrometry for flagging a characterising flavour in cigarette tobacco. Analytical and Bioanalytical Chemistry, 2021, 413, 2103-2111.	1.9	8
2	Identification of Cigarette Brands by Soft Independent Modeling of Class Analogy of Volatile Substances. Nicotine and Tobacco Research, 2020, 22, 997-1003.	1.4	4
3	Validation by collaborative trial of a method for the determination by GC–MS and LC–MS/MS of boar taint marker compounds in pork tissue. Food Chemistry: X, 2020, 6, 100083.	1.8	3
4	Smoking and COVID-19 – Did we overlook representativeness?. Tobacco Induced Diseases, 2020, 18, 89.	0.3	9
5	Influence of battery power setting on carbonyl emissions from electronic cigarettes. Tobacco Induced Diseases, 2020, 18, 1-5.	0.3	16
6	Polycyclic Aromatic Hydrocarbons in Food and Feed., 2019,, 455-469.		2
7	The power of fingerprinting of volatiles constituents in fighting illicit and flavoured tobacco products. Tobacco Prevention and Cessation, 2019, 5, .	0.2	0
8	Assessment of critical steps of a GC/MS based indirect analytical method for the determination of fatty acid esters of monochloropropanediols (MCPDEs) and of glycidol (GEs). Food Control, 2017, 77, 65-75.	2.8	37
9	Experimental design-based isotope-dilution SPME-GC/MS method development for the analysis of smoke flavouring products. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2017, 34, 2069-2084.	1.1	4
10	Optimization of a Differential Ion Mobility Spectrometry–Tandem Mass Spectrometry Method for High-Throughput Analysis of Nicotine and Related Compounds: Application to Electronic Cigarette Refill Liquids. Analytical Chemistry, 2016, 88, 6500-6508.	3.2	23
11	Analytical method for the trace determination of esterified 3- and 2-monochloropropanediol and glycidyl fatty acid esters in various food matrices. Journal of Chromatography A, 2016, 1466, 136-147.	1.8	33
12	Single-laboratory validation of a saponification method for the determination of four polycyclic aromatic hydrocarbons in edible oils by HPLC-fluorescence detection. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1-10.	1.1	7
13	Rapid and sensitive method for the determination of four EU marker polycyclic aromatic hydrocarbons in cereal-based foods using isotope-dilution GC/MS. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1-8.	1,1	10
14	Derivatization of bisphenol A and its analogues with pyridineâ€3â€sulfonyl chloride: multivariate optimization and fragmentation patterns by liquid chromatography/Orbitrap mass spectrometry. Rapid Communications in Mass Spectrometry, 2015, 29, 1473-1484.	0.7	52
15	Development and validation of analytical methods for the analysis of 3â€MCPD (both in free and ester) Tj ETQq1 if food groups in support to a scientific opinion on comprehensive risk assessment on the presence of 3â€MCPD and glycidyl esters in food. EFSA Supporting Publications, 2015, 12, 779E.	1 0.78431 0.3	14 rgBT /Over
16	EU marker polycyclic aromatic hydrocarbons in food supplements: analytical approach and occurrence. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1914-1926.	1.1	28
17	The Occurrence of 16 EPA PAHs in Food – A Review. Polycyclic Aromatic Compounds, 2015, 35, 248-284.	1.4	276
18	Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Seafood Using Gas Chromatography-Mass Spectrometry: Collaborative Study. Journal of AOAC INTERNATIONAL, 2015, 98, 477-505.	0.7	14

#	Article	IF	CITATIONS
19	Development and validation of a stable-isotope dilution liquid chromatography–tandem mass spectrometry method for the determination of bisphenols in ready-made meals. Journal of Chromatography A, 2015, 1414, 110-121.	1.8	51
20	Determination of bisphenols in beverages by mixed-mode solid-phase extraction and liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography A, 2015, 1422, 230-238.	1.8	79
21	Proficiency test results for PAH analysis are not method-dependent. Analytical Methods, 2013, 5, 5345.	1.3	6
22	Analytical approaches for MCPD esters and glycidyl esters in food and biological samples: a review and future perspectives. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2013, 30, 11-45.	1.1	76
23	Evaluation of the quality of postharvest rapeseed by means of an electronic nose. Journal of the Science of Food and Agriculture, 2012, 92, 2200-2206.	1.7	10
24	Determination of 3-MCPD esters in edible oil - methods of analysis and comparability of results. European Journal of Lipid Science and Technology, 2011, 113, 1433-1442.	1.0	17
25	Development and optimisation of a dopant assisted liquid chromatographic-atmospheric pressure photo ionisation-tandem mass spectrometric method for the determination of 15+1 EU priority PAHs in edible oils. Journal of Chromatography A, 2011, 1218, 23-31.	1.8	51
26	Proficiency test on the determination of mineral oil in sunflower oil. European Journal of Lipid Science and Technology, 2010, 112, 321-332.	1.0	9
27	Results of an European inter-laboratory comparison study on the determination of the 15+1 EU priority polycyclic aromatic hydrocarbons (PAHs) in liquid smoke condensates. Food Chemistry, 2010, 123, 819-826.	4.2	10
28	Evaluation of gas chromatography columns for the analysis of the $15 + 1$ EU-priority polycyclic aromatic hydrocarbons (PAHs). Analytical and Bioanalytical Chemistry, 2009, 393, 1697-1707.	1.9	37
29	Determination of acrylamide in roasted chestnuts and chestnut-based foods by isotope dilution HPLC-MS/MS. Food Chemistry, 2009, 114, 1555-1558.	4.2	41
30	Optimisation and validation of programmed temperature vaporization (PTV) injection in solvent vent mode for the analysis of the 15+1 EU-priority PAHs by GC–MS. Talanta, 2009, 80, 643-650.	2.9	32
31	Validation by collaborative trial of an isotope dilution liquid chromatographic tandem mass spectrometric method to determine the content of acrylamide in roasted coffee. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2009, 26, 1146-1152.	1.1	18
32	Results of a European inter-laboratory comparison study on the determination of EU priority polycyclic aromatic hydrocarbons (PAHs) in edible vegetable oils. Analytical and Bioanalytical Chemistry, 2008, 391, 1397-1408.	1.9	42
33	Acrylamide in coffee: Review of progress in analysis, formation and level reduction. Food Additives and Contaminants, 2007, 24, 60-70.	2.0	100
34	European Union database of acrylamide levels in food: Update and critical review of data collection. Food Additives and Contaminants, 2007, 24, 5-12.	2.0	31
35	Analysis of heat-induced contaminants (acrylamide, chloropropanols and furan) in carbohydrate-rich food. Analytical and Bioanalytical Chemistry, 2007, 389, 119-137.	1.9	117
36	Investigation of the Correlation of the Acrylamide Content and the Antioxidant Activity of Model Cookies. Journal of Agricultural and Food Chemistry, 2006, 54, 853-859.	2.4	51

#	Article	IF	CITATIONS
37	Collaborative trial validation study of two methods, one based on high performance liquid chromatographyâ€"tandem mass spectrometry and on gas chromatographyâ€"mass spectrometry for the determination of acrylamide in bakery and potato products. Journal of Chromatography A, 2006, 1132, 211-218.	1.8	61
38	Analytical methods for polycyclic aromatic hydrocarbons (PAHs) in food and the environment needed for new food legislation in the European Union. TrAC - Trends in Analytical Chemistry, 2006, 25, 716-725.	5 . 8	333
39	Acrylamide in Food: ASurvey of Two Years of Research Activities. Journal of AOAC INTERNATIONAL, 2005, 88, 226-226.	0.7	4
40	Results from Two Interlaboratory Comparison Tests Organized in Germany and at the EU Level for Analysis of Acrylamide in Food. Journal of AOAC INTERNATIONAL, 2005, 88, 292-298.	0.7	19
41	Evaluation of Results of an Interlaboratory Comparison Test on Determination of Acrylamide in Crispbread Samples. Journal of AOAC INTERNATIONAL, 2005, 88, 1413-1418.	0.7	8
42	Overview of Acrylamide Monitoring Databases. Journal of AOAC INTERNATIONAL, 2005, 88, 246-252.	0.7	26
43	Evaluation of results of an interlaboratory comparison test on determination of acrylamide in crispbread samples. Journal of AOAC INTERNATIONAL, 2005, 88, 1413-8.	0.7	0
44	Evaluation of the results from an inter-laboratory comparison study of the determination of acrylamide in crispbread and butter cookies. Analytical and Bioanalytical Chemistry, 2004, 379, 449-457.	1.9	25
45	Chemometrical classification of pumpkin seed oils using UV–Vis, NIR and FTIR spectra. Journal of Proteomics, 2004, 61, 95-106.	2.4	39
46	Fluorescence screening of antioxidant capacity in pumpkin seed oils and other natural oils. European Journal of Lipid Science and Technology, 2003, 105, 266-274.	1.0	58
47	Multi-residue Analysis of 66 Biocides in River Water, River Sediment and Suspended Solids Samples by Gas Chromatography-Mass Spectrometry. International Journal of Environmental Analytical Chemistry, 2003, 83, 111-125.	1.8	9
48	Analytical methods for the determination of acrylamide in food products: a review. Food Additives and Contaminants, 2003, 20, 885-902.	2.0	172
49	Triazines in the aquatic systems of the Eastern Chinese Rivers Liao-He and Yangtse. Chemosphere, 2002, 47, 455-466.	4.2	38
50	Determination and quantification of clonidine in human blood serum. Journal of Proteomics, 2002, 53, 131-139.	2.4	11
51	An improved method to discover adulteration of Styrian pumpkin seed oil. Journal of Proteomics, 2002, 53, 193-202.	2.4	34
52	Occurrence of triazines in surface and drinking water of Liaoning Province in Eastern China. Journal of Proteomics, 2002, 53, 217-228.	2.4	39
53	Fluidized-bed extraction of polycyclic aromatic hydrocarbons from contaminated soil samples. Chromatographia, 2002, 55, 467-473.	0.7	6
54	Comparison of different extraction techniques for the determination of polychlorinated organic compounds in sediment. Analytical and Bioanalytical Chemistry, 2002, 372, 562-568.	1.9	58

THOMAS WENZL

#	Article	IF	CITATIONS
55	Comparative studies of the static and dynamic headspace extraction of saturated short chain aldehydes from cellulose-based packaging materials. Analytical and Bioanalytical Chemistry, 2002, 372, 649-653.	1.9	18
56	Enhanced extraction of polychlorinated organic compounds from soil samples by fluidized-bed extraction (FBE). Chromatographia, 2001, 53, 442-446.	0.7	18
57	Effect of the water content of cardboard on the static headspace extraction of volatile aldehydes. Journal of Separation Science, 2001, 24, 885-888.	1.3	10
58	Microwave-assisted derivatization of volatile carbonyl compounds with O-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine. Journal of Chromatography A, 2000, 891, 267-273.	1.8	34
59	Reduction of adsorption phenomena of volatile aldehydes and aromatic compounds for static headspace analysis of cellulose based packaging materials. Journal of Chromatography A, 2000, 897, 269-277.	1.8	20