

Andrzej Bernasik

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8147279/andrzej-bernasik-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,074
citations

32
h-index

49
g-index

141
ext. papers

3,500
ext. citations

4.6
avg, IF

4.92
L-index

#	Paper	IF	Citations
136	Morphology and Phase Segregation of Spin-Casted Films of Polyfluorene/PCBM Blends. <i>Macromolecules</i> , 2007 , 40, 8291-8301	5.5	279
135	Vertical phase separation in spin-coated films of a low bandgap polyfluorene/PCBM blendEffects of specific substrate interaction. <i>Applied Surface Science</i> , 2007 , 253, 3906-3912	6.7	122
134	Roughness and Fiber Fraction Dominated Wetting of Electrospun Fiber-Based Porous Meshes. <i>Polymers</i> , 2018 , 11,	4.5	90
133	Swelling of poly(3-alkylthiophene) films exposed to solvent vapors and humidity: Evaluation of solubility parameters. <i>Synthetic Metals</i> , 2007 , 157, 726-732	3.6	82
132	Multilayer formation in spin-coated thin films of low-bandgap polyfluorene:PCBM blends. <i>Journal of Physics Condensed Matter</i> , 2005 , 17, L529-L534	1.8	81
131	XPS studies of nitrogen-containing conjugated polymersPalladium systems. <i>Surface Science</i> , 2002 , 507-510, 916-921	1.8	81
130	Enhanced Piezoelectricity of Electrospun Polyvinylidene Fluoride Fibers for Energy Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 13575-13583	9.5	72
129	Substrate-Determined Shape of Free Surface Profiles in Spin-Cast Polymer Blend Films. <i>Macromolecules</i> , 2003 , 36, 4060-4067	5.5	62
128	Surface Patterns in Solvent-Cast Polymer Blend Films Analyzed with an Integral-Geometry Approach. <i>Macromolecules</i> , 2003 , 36, 2419-2427	5.5	56
127	Surface-Potential-Controlled Cell Proliferation and Collagen Mineralization on Electrospun Polyvinylidene Fluoride (PVDF) Fiber Scaffolds for Bone Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 582-593	5.5	54
126	Device Performance of APFO-3/PCBM Solar Cells with Controlled Morphology. <i>Advanced Materials</i> , 2009 , 21, 4398-403	24	51
125	Polymer vs Solvent Diagram of Film Structures Formed in Spin-Cast Poly(3-alkylthiophene) Blends. <i>Macromolecules</i> , 2008 , 41, 4802-4810	5.5	51
124	Surface segregation in yttria-stabilized zirconia by means of angle resolved X-ray photoelectron spectroscopy. <i>Journal of Physics and Chemistry of Solids</i> , 2002 , 63, 233-239	3.9	51
123	Surface potential and roughness controlled cell adhesion and collagen formation in electrospun PCL fibers for bone regeneration. <i>Materials and Design</i> , 2020 , 194, 108915	8.1	50
122	Electrical properties of Cr- and Nb-doped TiO ₂ thin films. <i>Applied Surface Science</i> , 1993 , 65-66, 240-245	6.7	49
121	XPS study of the cBN/TiC system. <i>Ceramics International</i> , 2001 , 27, 637-643	5.1	47
120	Phase decomposition in polymer blend films cast on substrates patterned with self-assembled monolayers. <i>Vacuum</i> , 2001 , 63, 307-313	3.7	47

119	Measuring Compositions in Organic Depth Profiling: Results from a VAMAS Interlaboratory Study. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 10784-97	3.4	46
118	PDMS substrate stiffness affects the morphology and growth profiles of cancerous prostate and melanoma cells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 41, 13-22	4.1	42
117	Humidity and solvent effects in spin-coated polythiophene-polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 67-79	2.9	42
116	Surface potential tailoring of PMMA fibers by electrospinning for enhanced triboelectric performance. <i>Nano Energy</i> , 2019 , 57, 500-506	17.1	41
115	Temperature and pH dual-responsive coatings of oligoperoxide-graft-poly(N-isopropylacrylamide): wettability, morphology, and protein adsorption. <i>Journal of Colloid and Interface Science</i> , 2012 , 387, 95-105	9.2	39
114	Tuning the Vertical Phase Separation in Polyfluorene:Fullerene Blend Films by Polymer Functionalization. <i>Chemistry of Materials</i> , 2011 , 23, 2295-2302	9.6	39
113	Selective protein adsorption on polymer patterns formed by self-organization and soft lithography. <i>Biomacromolecules</i> , 2009 , 10, 2101-9	6.9	39
112	Three-Dimensional Information on the Phase Domain Structure of Thin Films of Polymer Blends Revealed by Secondary Ion Mass Spectrometry. <i>Macromolecular Rapid Communications</i> , 2001 , 22, 829-834	4.8	39
111	Spectroscopic and microscopic characterization of biosensor surfaces with protein/amino-organosilane/silicon structure. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 90, 159-68	6	38
110	Composition Effects in Polymer Blends Spin-Cast on Patterned Substrates. <i>Macromolecules</i> , 2005 , 38, 8486-8493	5.5	38
109	Temperature and pH dual-responsive POEGMA-based coatings for protein adsorption. <i>Journal of Colloid and Interface Science</i> , 2013 , 411, 247-56	9.3	35
108	Protein adsorption and covalent bonding to silicon nitride surfaces modified with organo-silanes: comparison using AFM, angle-resolved XPS and multivariate ToF-SIMS analysis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 110, 217-24	6	34
107	Structures Formed in Spin-Cast Films of Polystyrene Blends with Poly(butyl methacrylate) Isomers. <i>Macromolecules</i> , 2004 , 37, 7308-7315	5.5	34
106	Poly(o-methoxyaniline)-Palladium systems: effect of preparation conditions on physico-chemical properties. <i>Synthetic Metals</i> , 2004 , 143, 341-350	3.6	34
105	Bulk and grain boundary diffusion of titanium in yttria-stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2000 , 20, 951-958	6	32
104	Fiber-Based Composite Meshes with Controlled Mechanical and Wetting Properties for Water Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 1665-1676	9.5	31
103	Physico-chemical properties of PDMS surfaces suitable as substrates for cell cultures. <i>Applied Surface Science</i> , 2016 , 389, 247-254	6.7	29
102	Single-Step Approach to Tailor Surface Chemistry and Potential on Electrospun PCL Fibers for Tissue Engineering Application. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801211	4.6	29

101	Protein adsorption mechanisms at rough surfaces: Serum albumin at a gold substrate. <i>Journal of Colloid and Interface Science</i> , 2018 , 530, 631-641	9.3	28
100	Ordering domains of spin cast blends of conjugated and dielectric polymers on surfaces patterned by soft- and photo-lithography. <i>Soft Matter</i> , 2009 , 5, 234-241	3.6	28
99	Lamellar structures formed in spin-cast blends of insulating and conducting polymers. <i>Synthetic Metals</i> , 2004 , 144, 253-257	3.6	27
98	Role of Al segregation and high affinity to oxygen in formation of adhesive alumina layers on FeCr alloy support. <i>Catalysis Today</i> , 2005 , 105, 629-633	5.3	27
97	Temperature-Controlled Three-Stage Switching of Wetting, Morphology, and Protein Adsorption. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12035-12045	9.5	25
96	Temperature-responsive properties of poly(4-vinylpyridine) coatings: influence of temperature on the wettability, morphology, and protein adsorption. <i>RSC Advances</i> , 2016 , 6, 87469-87477	3.7	25
95	Substructure formation during pattern transposition from substrate into polymer blend film. <i>Europhysics Letters</i> , 2003 , 62, 855-861	1.6	24
94	Polyaniline incorporating cobalt ions from CoCl ₂ solutions. <i>Reactive and Functional Polymers</i> , 2006 , 66, 1703-1710	4.6	23
93	Polypyrrole-Palladium systems prepared in PdCl ₂ aqueous solutions. <i>European Polymer Journal</i> , 2003 , 39, 1669-1678	5.2	23
92	"Command" surfaces with thermo-switchable antibacterial activity. <i>Materials Science and Engineering C</i> , 2019 , 103, 109806	8.3	22
91	Model immunoassay on silicon surfaces: vertical and lateral nanostructure vs. protein coverage. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 103, 253-60	6	22
90	Effects of polythiophene surface structure on adsorption and conformation of bovine serum albumin: a multivariate and multitechnique study. <i>Langmuir</i> , 2014 , 30, 13925-33	4	22
89	Influence of humid atmosphere on phase separation in polyaniline-polystyrene thin films. <i>Synthetic Metals</i> , 2005 , 155, 516-522	3.6	22
88	The grafting density and thickness of polythiophene-based brushes determine the orientation, conjugation length and stability of the grafted chains. <i>Polymer Chemistry</i> , 2017 , 8, 6250-6262	4.9	21
87	Poly(o-toluidine) as the matrix for incorporation of palladium species from PdCl ₂ aqueous solutions. <i>Polymer</i> , 2003 , 44, 7809-7819	3.9	21
86	Phase decomposition in polymer blend films cast on homogeneous substrates modified by self-assembled monolayers. <i>Vacuum</i> , 2001 , 63, 297-305	3.7	21
85	Diffusion of calcium in yttria stabilized zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2000 , 20, 2095-2100	6	21
84	Halloysite-alkaline phosphatase system-A potential bioactive component of scaffold for bone tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 173, 1-8	6	21

83	Enhanced hyperthermic properties of biocompatible zinc ferrite nanoparticles with a charged polysaccharide coating. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 2962-2973	7.3	20
82	Protein coverage on silicon surfaces modified with amino-organic films: a study by AFM and angle-resolved XPS. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 80, 63-71	6	20
81	A combined approach: Isotopic exposure/SIMS analysis/SEM to Study the Early Stages of oxidation of NiAl at 1473 K. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 1995 , 46, 297-305	1.6	20
80	Investigations of polyaniline-Platinum composites prepared by sodium borohydride reduction. <i>European Polymer Journal</i> , 2008 , 44, 1594-1602	5.2	19
79	Electrical surface versus bulk properties of Fe-doped TiO ₂ single crystals. <i>Solid State Ionics</i> , 1994 , 72, 12-18	3.3	19
78	Non-cytotoxic, temperature-responsive and antibacterial POEGMA based nanocomposite coatings with silver nanoparticles.. <i>RSC Advances</i> , 2020 , 10, 10155-10166	3.7	19
77	Synthesis and Postpolymerization Modification of Thermoresponsive Coatings Based on Pentaerythritol Monomethacrylate: Surface Analysis, Wettability, and Protein Adsorption. <i>Langmuir</i> , 2015 , 31, 9675-83	4	18
76	Wetting transition in a binary polymer blend. <i>Europhysics Letters</i> , 2000 , 50, 35-40	1.6	18
75	Structure evolution in layers of polymer blend nanoparticles. <i>Langmuir</i> , 2007 , 23, 7235-40	4	17
74	Depth profiling studies of the surface directed phase decomposition in thin polymer films. <i>Vacuum</i> , 1999 , 54, 303-307	3.7	17
73	Temperature-responsive peptide-mimetic coating based on poly(N-methacryloyl-l-leucine): properties, protein adsorption and cell growth. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 118, 270-9	6	15
72	Dendrites and pillars in spin cast blends of polyaniline or its oligomeric analogue. <i>Synthetic Metals</i> , 2010 , 160, 2459-2466	3.6	15
71	Hydrodynamic-flow-driven phase evolution in a polymer blend film modified by diblock copolymers. <i>European Physical Journal E</i> , 2001 , 5, 207-219	1.5	15
70	Imaging and spectroscopic comparison of multi-step methods to form DNA arrays based on the biotin-streptavidin system. <i>Analyst, The</i> , 2015 , 140, 1127-39	5	14
69	Compositional Mismatch between Chemical Patterns on a Substrate and Polymer Blends Yielding Spin-Cast Films with Subpattern Periodicity. <i>Macromolecules</i> , 2007 , 40, 2120-2125	5.5	14
68	Imaging and chemical surface analysis of biomolecular functionalization of monolithically integrated on silicon Mach-Zehnder interferometric immunosensors. <i>Applied Surface Science</i> , 2016 , 385, 529-542	6.7	14
67	Surface-directed spinodal decomposition modified by a surface active copolymer. <i>Europhysics Letters</i> , 1997 , 40, 503-508	1.6	13
66	Pattern replication in polyaniline-polystyrene thin films. <i>Synthetic Metals</i> , 2007 , 157, 935-939	3.6	13

65	Stabilizing fluorite structure in ceria-based high-entropy oxides: Influence of Mo addition on crystal structure and transport properties. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 5870-5881	6	13
64	Carbon nanomaterials coatings [Properties and influence on nerve cells response. <i>Diamond and Related Materials</i> , 2018 , 84, 127-140	3.5	12
63	Production of nanoparticles of copper compounds by anodic dissolution of copper in organic solvents. <i>Journal of Applied Electrochemistry</i> , 2006 , 36, 1407-1414	2.6	12
62	Pattern replication examined with integral geometry approach: application to ion milling of polymer blend films. <i>Thin Solid Films</i> , 2005 , 476, 358-365	2.2	12
61	CBN/Tr/Cr ₃ C ₂ composite materials: chemical equilibria, XPS investigations. <i>Ceramics International</i> , 2000 , 26, 545-550	5.1	12
60	Mechanistic aspects of Pt-modified NiAl alloy oxidation. <i>Materials at High Temperatures</i> , 2009 , 26, 273-280	11	
59	Surface Potential Driven Water Harvesting from Fog. <i>ACS Nano</i> , 2021 , 15, 8848-8859	16.7	11
58	Time-dependent effects on physicochemical and surface properties of PHBV fibers and films in relation to their interactions with fibroblasts. <i>Applied Surface Science</i> , 2021 , 545, 148983	6.7	11
57	Optical and electrical properties of Ti(Cr)O ₂ :N thin films deposited by magnetron co-sputtering. <i>Applied Surface Science</i> , 2016 , 380, 73-82	6.7	10
56	Buried polymer/metal interfaces examined with Kelvin Probe Force Microscopy. <i>Thin Solid Films</i> , 2013 , 531, 271-276	2.2	10
55	Indirect immunoassay on functionalized silicon surface: Molecular arrangement, composition and orientation examined step-by-step with multi-technique and multivariate analysis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 150, 437-444	6	10
54	Pattern guided structure formation in polymer films of asymmetric blends. <i>Surface Science</i> , 2006 , 600, 1004-1011	1.8	10
53	Growth and motility of human skin fibroblasts on multilayer strong polyelectrolyte films. <i>Journal of Colloid and Interface Science</i> , 2016 , 461, 305-316	9.3	9
52	Engineering a Poly(3,4-ethylenedioxythiophene):(Polystyrene Sulfonate) Surface Using Self-Assembling Molecules-A Chemical Library Approach. <i>ACS Omega</i> , 2018 , 3, 3631-3639	3.9	9
51	Spectroscopic and microscopic examination of protein adsorption and blocking of non-specific binding to silicon surfaces modified with APTES and GOPS. <i>Procedia Engineering</i> , 2011 , 25, 334-337	9	
50	Structures in Multicomponent Polymer Films: Their Formation, Observation and Applications in Electronics and Biotechnology. <i>Acta Physica Polonica A</i> , 2009 , 115, 435-440	0.6	9
49	Contact pin-printing of albumin-fungicide conjugate for silicon nitride-based sensors biofunctionalization: Multi-technique surface analysis for optimum immunoassay performance. <i>Applied Surface Science</i> , 2017 , 410, 79-86	6.7	8
48	Protein adsorption/desorption and antibody binding stoichiometry on silicon interferometric biosensors examined with TOF-SIMS. <i>Applied Surface Science</i> , 2018 , 444, 187-196	6.7	8

47	Redox behaviour of polyaniline-Palladium catalytic system in the presence of formic acid. <i>Synthetic Metals</i> , 2010 , 160, 2546-2551	3.6	8
46	On the application of SIMS to study the oxidation mechanisms of alumina formers. <i>Materials at High Temperatures</i> , 2005 , 22, 505-519	1.1	8
45	Immobilization of oligonucleotide probes on silicon surfaces using biotin-streptavidin system examined with microscopic and spectroscopic techniques. <i>Applied Surface Science</i> , 2014 , 290, 199-206	6.7	7
44	Polymer blends spin-cast into films with complementary elements for electronics and biotechnology. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 4275-4284	2.9	7
43	Application of Conjugated Polymer-Platinum Group Metal Composites as Heterogeneous Catalysts. <i>Catalysis Letters</i> , 2009 , 127, 304-311	2.8	7
42	Conductivity of Thin Polymer Films Containing Polyaniline. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 485, 796-803	0.5	7
41	Polyaniline-Rhodium composites: Preparation, physicochemical characterization, and catalytic properties. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 447-455	2.9	7
40	On the application of SIMS to study the oxidation mechanisms of alumina formers. <i>Materials at High Temperatures</i> , 2005 , 22, 505-519	1.1	7
39	Between single ion magnets and macromolecules: a polymer/transition metal-based semi-solid solution. <i>Chemical Science</i> , 2018 , 9, 7277-7286	9.4	6
38	Plasma-assisted nanoscale protein patterning on Si substrates via colloidal lithography. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 13743-51	2.8	6
37	Diffusion of niobium in yttria-stabilized zirconia and in titania-doped yttria-stabilized zirconia polycrystalline materials. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 3139-3143	6	6
36	Evolution of 3D structures in a phase-separating polymer blend film confined by symmetric flat walls. <i>European Physical Journal E</i> , 2003 , 12, 211-214	1.5	6
35	Chemical stability of polymers under argon gas cluster ion beam and x-ray irradiation. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , 2016 , 34, 030604	1.3	6
34	Examination of polymer/metal interface modified by self-assembled monolayer by Kelvin probe force microscopy and secondary ion mass spectrometry. <i>Electrochimica Acta</i> , 2013 , 104, 462-467	6.7	5
33	Oxide phases and residual stresses in scales formed at early stages of oxidation of NiAl at 1473 K and the effect of implanted yttrium. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2017 , 68, 235-248	6	5
32	Preparation and characterization of polypyrrole with dispersed metallic rhodium particles. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 1067-1077	3.2	5
31	Physicochemical and catalytic properties of palladium supported on poly(o-methoxyaniline). <i>Materials Research Bulletin</i> , 2005 , 40, 869-889	5.1	5
30	Surface segregation in the minority component of the binary polymer mixture. <i>Vacuum</i> , 1999 , 54, 273-277	5	5

29	Versailles Project on Advanced Materials and Standards interlaboratory study on intensity calibration for x-ray photoelectron spectroscopy instruments using low-density polyethylene. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2020 , 38, 063208	2.9	5
28	Polymer brushes grafted from nanostructured zinc oxide layers [Spatially controlled decoration of nanorods. <i>European Polymer Journal</i> , 2019 , 112, 186-194	5.2	5
27	Covalently bonded surface functional groups on carbon nanotubes: from molecular modeling to practical applications. <i>Nanoscale</i> , 2021 , 13, 10152-10166	7.7	5
26	Scale growth process at 1473 K on unmodified and yttrium- or chromium-implanted NiAl . <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2011 , 62, 490-495	1.6	4
25	Influence of solvents and substrates on the morphology and the performance of low-bandgap polyfluorene: PCBM photovoltaic devices 2006 , 6192, 339		4
24	Poly(methylvinylsiloxane)-Based High Internal Phase Emulsion-Templated Materials (polyHIPEs)-Preparation, Incorporation of Palladium, and Catalytic Properties. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 19485-19499	3.9	4
23	Fabrication and Impact of Fouling-Reducing Temperature-Responsive POEGMA Coatings with Embedded CaCO_3 Nanoparticles on Different Cell Lines. <i>Materials</i> , 2021 , 14,	3.5	4
22	Multilayers of poly(styrene- $\text{H}_2\text{C=CH-}$ -tert-butoxy- $\text{CH}_2=\text{CH-}$ -vinylbenzyl-polyglycidol) microspheres with core-shell morphology: Characterization by AFM, SIMS and XPS. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016 , 507, 200-209	5.1	4
21	Gradient of zinc content in core-shell zinc ferrite nanoparticles - precise study on composition and magnetic properties. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 23473-23484	3.6	4
20	The mechanism of early oxidation stages of $\text{Fe}_{20}\text{Cr}_{5}\text{Al}$ -type alloys at 1123 K. <i>Materials at High Temperatures</i> , 2009 , 26, 259-272	1.1	3
19	Experimental and calculated phase equilibria in the cubic $\text{BN}-\text{Ta}$ system. <i>Ceramics International</i> , 2004 , 30, 31-40	5.1	3
18	Effect of surface treatment on segregation of impurities in haematite. <i>Journal of Materials Science</i> , 1991 , 26, 2527-2532	4.3	3
17	Humidity and wetting effects in spin-cast blends of insulating polymers and conducting polyaniline doped with DBSA. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 2354-2361	2.9	2
16	Pattern Formation in Thin Polymer Films Containing Conducting Polyaniline. <i>Macromolecular Symposia</i> , 2008 , 263, 47-52	0.8	2
15	Wetting transition in polyolefin blends studied by profiling techniques. <i>Macromolecular Symposia</i> , 2000 , 149, 277-282	0.8	2
14	Effects of Segregation in Ceramics. <i>Key Engineering Materials</i> , 1995 , 111-112, 1-10	0.4	2
13	Effect of CO Partial Pressure on the Corrosion Inhibition of N80 Carbon Steel by Gum Arabic in a CO-Water Saline Environment for Shale Oil and Gas Industry. <i>Materials</i> , 2020 , 13,	3.5	2
12	XPS depth profiling of organic photodetectors with the gas cluster ion beam. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , 2016 , 34, 03H119	1.3	2

LIST OF PUBLICATIONS

11	Electrospinning: Single-Step Approach to Tailor Surface Chemistry and Potential on Electrospun PCL Fibers for Tissue Engineering Application (Adv. Mater. Interfaces 2/2019). <i>Advanced Materials Interfaces</i> , 2019 , 6, 1970010	4.6	1
10	Chemical Character of Active Carbon Surface After Oxidation in Liquid or Gas Phase. <i>Kluwer International Series in Engineering and Computer Science</i> , 1996 , 109-116		1
9	The mechanism of early oxidation stages of Fe20Cr5Al-type alloys at 1123 K		1
8	Extraordinary conduction increase in model conjugated/insulating polymer system induced by surface located electric dipoles. <i>Applied Materials Today</i> , 2020 , 21, 100880	6.6	1
7	The effect of shell modification in iron oxide nanoparticles on electrical conductivity in polythiophene-based nanocomposites. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10453-10461	7.1	1
6	Aminolysis as a surface functionalization method of aliphatic polyester nonwovens: impact on material properties and biological response.. <i>RSC Advances</i> , 2022 , 12, 11303-11317	3.7	0
5	Influence of Acrylic Polymers Stereoregularity on Interface Interactions in Model Thin Film Systems. <i>Macromolecular Chemistry and Physics</i> , 2018 , 219, 1800097	2.6	
4	Lamellar structures formed in spin-cast blends of insulating and conducting polymers. <i>Synthetic Metals</i> , 2004 , 144, 253-253	3.6	
3	Investigation of the Scale Growth Mechanism on FeCrAl Thin Foil in SO ₂ Using Tracer Method. <i>Defect and Diffusion Forum</i> , 2005 , 237-240, 971-978	0.7	
2	Transport of Oxygen in the Scales Growing on Nickel and Cobalt in SO ₂ Atmosphere. <i>Solid State Phenomena</i> , 2000 , 72, 41-46	0.4	
1	Ion distribution in iron oxide, zinc and manganese ferrite nanoparticles studied by XPS combined with argon gas cluster ion beam sputtering. <i>Surfaces and Interfaces</i> , 2022 , 30, 101865	4.1	