

Mengjin Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8147979/mengjin-yang-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73 papers	9,906 citations	48 h-index	79 g-index
79 ext. papers	11,136 ext. citations	16.3 avg, IF	6.47 L-index

#	Paper	IF	Citations
73	Surface lattice engineering through three-dimensional lead iodide perovskitoid for high-performance perovskite solar cells. <i>Chem</i> , 2021 , 7, 774-785	16.2	18
72	High-performance methylammonium-free ideal-band-gap perovskite solar cells. <i>Matter</i> , 2021 , 4, 1365-1376	17.7	23
71	SMART Perovskite Growth: Enabling a Larger Range of Process Conditions. <i>ACS Energy Letters</i> , 2021 , 6, 650-658	20.1	4
70	Toward Scalable Perovskite Solar Modules Using Blade Coating and Rapid Thermal Processing. <i>ACS Applied Energy Materials</i> , 2020 , 3, 3714-3720	6.1	26
69	Fabrication of flexible perovskite solar cells via rapid thermal annealing. <i>Materials Letters</i> , 2020 , 276, 128215	3.3	7
68	Highly Efficient Perovskite Solar Modules by Scalable Fabrication and Interconnection Optimization. <i>ACS Energy Letters</i> , 2018 , 3, 322-328	20.1	111
67	Scalable fabrication of perovskite solar cells. <i>Nature Reviews Materials</i> , 2018 , 3,	73.3	532
66	Effect of non-stoichiometric solution chemistry on improving the performance of wide-bandgap perovskite solar cells. <i>Materials Today Energy</i> , 2018 , 7, 232-238	7	26
65	Perovskite Solar Cells: Stable Formamidinium-Based Perovskite Solar Cells via In Situ Grain Encapsulation (Adv. Energy Mater. 22/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870101	21.8	1
64	Divalent Anionic Doping in Perovskite Solar Cells for Enhanced Chemical Stability. <i>Advanced Materials</i> , 2018 , 30, e1800973	24	39
63	Ultrafast Imaging of Carrier Transport across Grain Boundaries in Hybrid Perovskite Thin Films. <i>ACS Energy Letters</i> , 2018 , 3, 1402-1408	20.1	42
62	Stable Formamidinium-Based Perovskite Solar Cells via In Situ Grain Encapsulation. <i>Advanced Energy Materials</i> , 2018 , 8, 1800232	21.8	59
61	Top and bottom surfaces limit carrier lifetime in lead iodide perovskite films. <i>Nature Energy</i> , 2017 , 2,	62.3	275
60	Electronic and Morphological Inhomogeneities in Pristine and Deteriorated Perovskite Photovoltaic Films. <i>Nano Letters</i> , 2017 , 17, 1796-1801	11.5	22
59	Do grain boundaries dominate non-radiative recombination in CHNHPbI perovskite thin films?. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 5043-5050	3.6	141
58	Electrochemical impedance analysis of perovskite-electrolyte interfaces. <i>Chemical Communications</i> , 2017 , 53, 2467-2470	5.8	31
57	Extrinsic ion migration in perovskite solar cells. <i>Energy and Environmental Science</i> , 2017 , 10, 1234-1242	35.4	336

56	300% Enhancement of Carrier Mobility in Uniaxial-Oriented Perovskite Films Formed by Topotactic-Oriented Attachment. <i>Advanced Materials</i> , 2017 , 29, 1606831	24	101
55	Long-range hot-carrier transport in hybrid perovskites visualized by ultrafast microscopy. <i>Science</i> , 2017 , 356, 59-62	33.3	315
54	High-Performance Formamidinium-Based Perovskite Solar Cells via Microstructure-Mediated α - β Phase Transformation. <i>Chemistry of Materials</i> , 2017 , 29, 3246-3250	9.6	79
53	Perovskite ink with wide processing window for scalable high-efficiency solar cells. <i>Nature Energy</i> , 2017 , 2,	62.3	398
52	Determination of the True Lateral Grain Size in Organic-Inorganic Halide Perovskite Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 33565-33570	9.5	12
51	In situ investigation of halide incorporation into perovskite solar cells. <i>MRS Communications</i> , 2017 , 7, 575-582	2.7	6
50	Acid Additives Enhancing the Conductivity of Spiro-OMeTAD Toward High-Efficiency and Hysteresis-Less Planar Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1601451	21.8	90
49	Impact of grain boundaries on efficiency and stability of organic-inorganic trihalide perovskites. <i>Nature Communications</i> , 2017 , 8, 2230	17.4	166
48	Grain-Size-Limited Mobility in Methylammonium Lead Iodide Perovskite Thin Films. <i>ACS Energy Letters</i> , 2016 , 1, 561-565	20.1	141
47	Cooperative tin oxide fullerene electron selective layers for high-performance planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 14276-14283	13	178
46	Large polarization-dependent exciton optical Stark effect in lead iodide perovskites. <i>Nature Communications</i> , 2016 , 7, 12613	17.4	72
45	The Controlling Mechanism for Potential Loss in CH ₃ NH ₃ PbBr ₃ Hybrid Solar Cells. <i>ACS Energy Letters</i> , 2016 , 1, 424-430	20.1	70
44	Electron-Rotor Interaction in Organic-Inorganic Lead Iodide Perovskites Discovered by Isotope Effects. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 2879-87	6.4	69
43	Facile fabrication of large-grain CH ₃ NH ₃ PbI ₃ -xBr _x films for high-efficiency solar cells via CH ₃ NH ₃ Br-selective Ostwald ripening. <i>Nature Communications</i> , 2016 , 7, 12305	17.4	358
42	Charge Transfer Dynamics between Carbon Nanotubes and Hybrid Organic Metal Halide Perovskite Films. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 418-25	6.4	69
41	Origin of J-V Hysteresis in Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 905-17	6.4	530
40	Planar versus mesoscopic perovskite microstructures: The influence of CH ₃ NH ₃ PbI ₃ morphology on charge transport and recombination dynamics. <i>Nano Energy</i> , 2016 , 22, 439-452	17.1	64
39	Efficient charge extraction and slow recombination in organic/inorganic perovskites capped with semiconducting single-walled carbon nanotubes. <i>Energy and Environmental Science</i> , 2016 , 9, 1439-1449	35.4	109

38	Transformative Evolution of Organolead Triiodide Perovskite Thin Films from Strong Room-Temperature Solid-Gas Interaction between HPbI ₃ -CH ₃ NH ₂ Precursor Pair. <i>Journal of the American Chemical Society</i> , 2016 , 138, 750-3	16.4	141
37	Stabilizing Perovskite Structures by Tuning Tolerance Factor: Formation of Formamidinium and Cesium Lead Iodide Solid-State Alloys. <i>Chemistry of Materials</i> , 2016 , 28, 284-292	9.6	1186
36	Manipulating Crystallization of Organolead Mixed-Halide Thin Films in Antisolvent Baths for Wide-Bandgap Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 2232-7	9.5	72
35	Annealing-free efficient vacuum-deposited planar perovskite solar cells with evaporated fullerenes as electron-selective layers. <i>Nano Energy</i> , 2016 , 19, 88-97	17.1	109
34	Intercalation crystallization of phase-pure HC(NH ₂) ₂ PbI ₃ upon microstructurally engineered PbI ₂ thin films for planar perovskite solar cells. <i>Nanoscale</i> , 2016 , 8, 6265-70	7.7	33
33	Defect Tolerance in Methylammonium Lead Triiodide Perovskite. <i>ACS Energy Letters</i> , 2016 , 1, 360-366	20.1	357
32	Electron and hole drift mobility measurements on methylammonium lead iodide perovskite solar cells. <i>Applied Physics Letters</i> , 2016 , 108, 173505	3.4	51
31	Polarization and Dielectric Study of Methylammonium Lead Iodide Thin Film to Reveal its Nonferroelectric Nature under Solar Cell Operating Conditions. <i>ACS Energy Letters</i> , 2016 , 1, 142-149	20.1	82
30	In situ investigation of the formation and metastability of formamidinium lead tri-iodide perovskite solar cells. <i>Energy and Environmental Science</i> , 2016 , 9, 2372-2382	35.4	64
29	Exceptional Morphology-Preserving Evolution of Formamidinium Lead Triiodide Perovskite Thin Films via Organic-Cation Displacement. <i>Journal of the American Chemical Society</i> , 2016 , 138, 5535-8	16.4	153
28	Effect of Water Vapor, Temperature, and Rapid Annealing on Formamidinium Lead Triiodide Perovskite Crystallization. <i>ACS Energy Letters</i> , 2016 , 1, 155-161	20.1	21
27	Multiple-Stage Structure Transformation of Organic-Inorganic Hybrid Perovskite CH ₃ NH ₃ PbI ₃ . <i>Physical Review X</i> , 2016 , 6,	9.1	11
26	Methylammonium lead iodide grain boundaries exhibit depth-dependent electrical properties. <i>Energy and Environmental Science</i> , 2016 , 9, 3642-3649	35.4	42
25	Growth control of compact CH ₃ NH ₃ PbI ₃ thin films via enhanced solid-state precursor reaction for efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9249-9256	13	118
24	Room-temperature crystallization of hybrid-perovskite thin films via solvent-solvent extraction for high-performance solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8178-8184	13	336
23	A facile solvothermal growth of single crystal mixed halide perovskite CH ₃ NH ₃ Pb(Br(1-x)Cl(x)) ₃ . <i>Chemical Communications</i> , 2015 , 51, 7820-3	5.8	114
22	Interface band structure engineering by ferroelectric polarization in perovskite solar cells. <i>Nano Energy</i> , 2015 , 13, 582-591	17.1	93
21	Carrier separation and transport in perovskite solar cells studied by nanometre-scale profiling of electrical potential. <i>Nature Communications</i> , 2015 , 6, 8397	17.4	172

20	Mesoporous scaffolds based on TiO ₂ nanorods and nanoparticles for efficient hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 24315-24321	13	22
19	Low surface recombination velocity in solution-grown CH ₃ NH ₃ PbBr ₃ perovskite single crystal. <i>Nature Communications</i> , 2015 , 6, 7961	17.4	329
18	Observation of anatase nanograins crystallizing from anodic amorphous TiO ₂ nanotubes. <i>CrystEngComm</i> , 2015 , 17, 7346-7353	3.3	12
17	Square-Centimeter Solution-Processed Planar CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells with Efficiency Exceeding 15. <i>Advanced Materials</i> , 2015 , 27, 6363-70	24	272
16	Controllable Sequential Deposition of Planar CH ₃ NH ₃ PbI ₃ Perovskite Films via Adjustable Volume Expansion. <i>Nano Letters</i> , 2015 , 15, 3959-63	11.5	217
15	Crystal Morphologies of Organolead Trihalide in Mesoscopic/Planar Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 2292-7	6.4	85
14	Controlled Humidity Study on the Formation of Higher Efficiency Formamidinium Lead Triiodide-Based Solar Cells. <i>Chemistry of Materials</i> , 2015 , 27, 4814-4820	9.6	108
13	Impact of Capacitive Effect and Ion Migration on the Hysteretic Behavior of Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 4693-700	6.4	285
12	Comparison of Recombination Dynamics in CH ₃ NH ₃ PbBr ₃ and CH ₃ NH ₃ PbI ₃ Perovskite Films: Influence of Exciton Binding Energy. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 4688-92	6.4	284
11	Improved charge transport of Nb-doped TiO ₂ nanorods in methylammonium lead iodide bromide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 19616-19622	13	117
10	Surface electrochemical properties of niobium-doped titanium dioxide nanorods and their effect on carrier collection efficiency of dye sensitized solar cells. <i>Journal of Power Sources</i> , 2014 , 245, 301-307	8.9	32
9	Multiple step growth of single crystalline rutile nanorods with the assistance of self-assembled monolayer for dye sensitized solar cells. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 9809-15	9.5	17
8	Tunable surface plasmons of dielectric core-metal shell particles for dye sensitized solar cells. <i>RSC Advances</i> , 2013 , 3, 9690	3.7	10
7	Facile control of surface wettability in TiO ₂ /poly(methyl methacrylate) composite films. <i>Journal of Colloid and Interface Science</i> , 2012 , 368, 603-7	9.3	20
6	Carrier Transport in Dye-Sensitized Solar Cells Using Single Crystalline TiO ₂ Nanorods Grown by a Microwave-Assisted Hydrothermal Reaction. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 14534-14541	3.8	61
5	Progress in light harvesting and charge injection of dye-sensitized solar cells. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2011 , 176, 1142-1160	3.1	110
4	Surface-Plasmon Assisted Energy Conversion in Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2011 , 1, 415-421	21.8	85
3	Nickel Catalyst-Assisted Vertical Growth of Dense Carbon Nanotube Forests on Bulk Copper. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 3534-3538	3.8	47

- | | | | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 2 | Correlation between Photocatalytic Efficacy and Electronic Band Structure in Hydrothermally Grown TiO ₂ Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 15292-15297 | 3.8 | 66 |
| 1 | Observation of largely enhanced hardness in nanomultilayers of the Ag/Nb system with positive enthalpy of formation. <i>Applied Physics Letters</i> , 2007 , 90, 181917 | 3.4 | 26 |