

Jing Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/814943/publications.pdf>

Version: 2024-02-01

48
papers

1,935
citations

361296

20
h-index

254106

43
g-index

48
all docs

48
docs citations

48
times ranked

3055
citing authors

#	ARTICLE	IF	CITATIONS
1	Dual-Facets Emissive Quantum-Dot Light-Emitting Diode Based on AZO Electrode. <i>Materials</i> , 2022, 15, 740.	1.3	2
2	A Synergetic Codoping Strategy Enabling Performance Improvement of Pure Blue Perovskite Quantum Dots Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	11
3	Solution-processed MAPbI ₃ /Cs ₂ AgBiBr ₆ heterostructure through epitaxial growth for broadband photo-detection. <i>APL Materials</i> , 2022, 10, 041101.	2.2	1
4	Double-type-I charge-injection heterostructure for quantum-dot light-emitting diodes. <i>Materials Horizons</i> , 2022, 9, 2147-2159.	6.4	5
5	Electrically Modulated Near-Infrared/Visible Light Dual-Mode Perovskite Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 25824-25833.	4.0	18
6	High Spectral Rejection Ratio Narrowband Photodetectors Based on Perovskite Heterojunctions. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	9
7	Solution-Processed Epitaxial Growth of MAPbI ₃ Single-Crystal Films for Highly Stable Photodetectors. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	11
8	Tailoring Nanostructures of Quantum Dots toward Efficient and Stable All-Solution Processed Quantum Dot Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 17861-17868.	4.0	12
9	Energy Down-Conversion Cs ₃ Cu ₂ Cl ₅ Nanocrystals for Boosting the Efficiency of UV Photodetector. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	8
10	Low-noise X-ray PIN photodiodes made of perovskite single crystals by solution-processed dopant incorporated epitaxial growth. <i>Nano Energy</i> , 2021, 89, 106311.	8.2	17
11	Highly Stable Inverted CdSe/ZnS-Based Light-Emitting Diodes by Nonvacuum Technique ZTO as the Electron-Transport Layer. <i>Electronics (Switzerland)</i> , 2021, 10, 2290.	1.8	4
12	Photodiodes based on a MAPbBr ₃ /Bi ³⁺ -doped MAPbCl ₃ single crystals heterojunction for the X-ray detection. <i>CrystEngComm</i> , 2021, 23, 4954-4962.	1.3	10
13	Surface passivation by congeneric quantum dots for high-performance and stable CsPbBr ₃ -based photodetectors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10089-10100.	2.7	11
14	Organometallic perovskite single crystals grown on lattice-matched substrate for photodetection. <i>Nano Materials Science</i> , 2020, 2, 292-296.	3.9	5
15	High-Performance Photodetector Based on a Graphene Quantum Dot/CH ₃ NH ₃ PbI ₃ Perovskite Hybrid. <i>ACS Applied Electronic Materials</i> , 2020, 2, 230-237.	2.0	28
16	Enhanced Performance of Perovskite Single-Crystal Photodiodes by Epitaxial Hole Blocking Layer. <i>Frontiers in Chemistry</i> , 2020, 8, 791.	1.8	11
17	Multiple Cations Enhanced Defect Passivation of Blue Perovskite Quantum Dots Enabling Efficient Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2020, 8, 2001494.	3.6	30
18	Solution-Processed Vertical Field-Effect Transistor with Separated Charge Generation and Charge Transport Layers for High-Performance Near-Infrared Photodetection. <i>ACS Applied Electronic Materials</i> , 2020, 2, 3871-3879.	2.0	3

#	ARTICLE	IF	CITATIONS
19	Solution-Processed Halide Perovskite Single Crystals with Intrinsic Compositional Gradients for X-ray Detection. <i>Chemistry of Materials</i> , 2020, 32, 4973-4983.	3.2	59
20	Synergistic effects of charge transport engineering and passivation enabling efficient inverted perovskite quantum-dot light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5572-5579.	2.7	21
21	Ion Migrations in Lead Halide Perovskite Single Crystals with Different Halide Components. <i>Physica Status Solidi (B): Basic Research</i> , 2020, 257, 1900784.	0.7	8
22	Theoretical Study of Fluorescence Spectroscopy of Quantum Emitters Coupled with Plasmonic Dimers and Trimers. <i>Journal of Physical Chemistry C</i> , 2019, 123, 17483-17490.	1.5	13
23	Performance Enhancement of All-Inorganic Quantum Dot Light-Emitting Diodes via Surface Modification of Nickel Oxide Nanoparticles Hole Transport Layer. <i>ACS Applied Electronic Materials</i> , 2019, 1, 2096-2102.	2.0	9
24	Pumped Stimulated Vertical Cavity Surface Emitting Laser by Solution-processed Method. , 2019, , .		0
25	Interfacial Energy-Level Alignment for High-Performance All-Inorganic Perovskite CsPbBr ₃ Quantum Dot-Based Inverted Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 13236-13243.	4.0	44
26	Boosting the efficiency of inverted quantum dot light-emitting diodes by balancing charge densities and suppressing exciton quenching through band alignment. <i>Nanoscale</i> , 2018, 10, 592-602.	2.8	66
27	PIN Diodes Array Made of Perovskite Single Crystal for X-ray Imaging. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018, 12, 1800380.	1.2	63
28	A highly sensitive and fast graphene nanoribbon/CsPbBr ₃ quantum dot phototransistor with enhanced vertical metal oxide heterostructures. <i>Nanoscale</i> , 2018, 10, 10182-10189.	2.8	28
29	High sensitive solar blind phototransistor based on ZnO nanorods/IGZO heterostructure annealed by laser. <i>Materials Letters</i> , 2018, 228, 451-455.	1.3	12
30	Ultrafast Ionizing Radiation Detection by p-n Junctions Made with Single Crystals of Solution-Processed Perovskite. <i>Advanced Electronic Materials</i> , 2018, 4, 1800237.	2.6	29
31	A highly efficient white quantum dot light-emitting diode employing magnesium doped zinc oxide as the electron transport layer based on bilayered quantum dot layers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8099-8104.	2.7	47
32	Understanding and Eliminating Hysteresis for Highly Efficient Planar Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1700414.	10.2	190
33	Compositional and morphological engineering of mixed cation perovskite films for highly efficient planar and flexible solar cells with reduced hysteresis. <i>Nano Energy</i> , 2017, 35, 223-232.	8.2	162
34	Water Vapor Treatment of Low-Temperature Deposited SnO ₂ Electron Selective Layers for Efficient Flexible Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2017, 2, 2118-2124.	8.8	161
35	A highly efficient quantum dot light emitting diode via improving the carrier balance by modulating the hole transport. <i>RSC Advances</i> , 2017, 7, 43366-43372.	1.7	59
36	High performance field emission of silicon carbide nanowires and their applications in flexible field emission displays. <i>AIP Advances</i> , 2017, 7, .	0.6	16

#	ARTICLE	IF	CITATIONS
37	High-performance quantum dot light-emitting diodes with hybrid hole transport layer via doping engineering. <i>Optics Express</i> , 2016, 24, 25955.	1.7	37
38	Low-temperature plasma-enhanced atomic layer deposition of tin oxide electron selective layers for highly efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12080-12087.	5.2	210
39	Improving the Performance of Formamidinium and Cesium Lead Triiodide Perovskite Solar Cells using Lead Thiocyanate Additives. <i>ChemSusChem</i> , 2016, 9, 3288-3297.	3.6	178
40	Size Tunable ZnO Nanoparticles To Enhance Electron Injection in Solution Processed QLEDs. <i>ACS Photonics</i> , 2016, 3, 215-222.	3.2	159
41	Flexible Field Emission Devices Based on Barium Oxide Nanowires. <i>Journal of Display Technology</i> , 2016, 12, 466-471.	1.3	9
42	Surface plasmon-enhanced quantum dot light-emitting diodes by incorporating gold nanoparticles. <i>Optics Express</i> , 2016, 24, A33.	1.7	55
43	Enhanced Photoluminescence Property for Quantum Dot-Gold Nanoparticle Hybrid. <i>Nanoscale Research Letters</i> , 2015, 10, 400.	3.1	21
44	Graphene nanomesh photodetector with effective charge tunnelling from quantum dots. <i>Nanoscale</i> , 2015, 7, 4242-4249.	2.8	18
45	Stable electron field emission from carbon nanotubes emitter transferred on graphene films. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2015, 72, 84-88.	1.3	9
46	Flexible quantum dot light emitting diodes based on ZnO nanoparticles. <i>RSC Advances</i> , 2015, 5, 82192-82198.	1.7	41
47	Stable field emission lamps based on well-aligned BaO nanowires. <i>RSC Advances</i> , 2014, 4, 22246.	1.7	9
48	Enhanced Electrical Efficiency of Quantum Dot Based LEDs with TiO ₂ as the Electron Transport Layer Fabricated Under the Optimized Annealing-Time Conditions. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 7879-7884.	0.9	6