
Paul J Collings

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8149472/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Independent associations of sleep timing, duration and quality with adiposity and weight status in a national sample of adolescents: The UK Millennium Cohort Study. Journal of Sleep Research, 2022, 31, e13436.	1.7	10
2	Association of parents' physical activity and weight status with obesity and metabolic risk of their offspring. Ciencia E Saude Coletiva, 2022, 27, 783-792.	0.1	1
3	Associations of diarised sleep onset time, period and duration with total and central adiposity in a biethnic sample of young children: the Born in Bradford observational cohort study. BMJ Open, 2021, 11, e044769.	0.8	3
4	Compositional Associations of Sleep and Activities within the 24-h Cycle with Cardiometabolic Health Markers in Adults. Medicine and Science in Sports and Exercise, 2021, 53, 324-332.	0.2	28
5	Crossâ€sectional and prospective associations of sleep duration and bedtimes with adiposity and obesity risk in 15 810 youth from 11 international cohorts. Pediatric Obesity, 2021, , e12873.	1.4	2
6	Correlates of screen-based behaviors among adults from the 2019 Brazilian National Health Survey. BMC Public Health, 2021, 21, 2289.	1.2	6
7	Associations of Pregnancy Physical Activity with Maternal Cardiometabolic Health, Neonatal Delivery Outcomes and Body Composition in a Biethnic Cohort of 7305 Mother–Child Pairs: The Born in Bradford Study. Sports Medicine, 2020, 50, 615-628.	3.1	24
8	Objectively-measured sedentary time and physical activity in a bi-ethnic sample of young children: variation by socio-demographic, temporal and perinatal factors. BMC Public Health, 2020, 20, 109.	1.2	11
9	Maternal Physical Activity and Neonatal Cord Blood Lipid Levels: Findings From a Prospective Pregnancy Cohort. Journal of Physical Activity and Health, 2020, 17, 236-241.	1.0	10
10	Maternal Physical Activity and Neonatal Cord Blood pH: Findings from the Born in Bradford Pregnancy Cohort. Physical Activity and Health, 2020, 4, 150.	0.6	1
11	Associations of sedentary behaviors and physical activity with social isolation in 100,839 school students: The Brazilian Scholar Health Survey. General Hospital Psychiatry, 2019, 59, 7-13.	1.2	50
12	Factors associated with accelerometer measured movement behaviours among White British and South Asian children aged 6–8 years during school terms and school holidays. BMJ Open, 2019, 9, e025071.	0.8	11
13	Identifying children who are susceptible to dropping out from physical activity and sport: a cross-sectional study. Sao Paulo Medical Journal, 2019, 137, 329-335.	0.4	11
14	Associations of cord leptin and cord insulin with adiposity and blood pressure in White British and Pakistani children aged 4/5 years. Wellcome Open Research, 2019, 4, 157.	0.9	5
15	Impact of a classroom standing desk intervention on daily objectively measured sedentary behavior and physical activity in youth. Journal of Science and Medicine in Sport, 2018, 21, 919-924.	0.6	38
16	Association of maternal exposures with adiposity at age 4/5Âyears in white British and Pakistani children: findings from the Born in Bradford study. Diabetologia, 2018, 61, 242-252.	2.9	20
17	Is small size at birth associated with early childhood morbidity in white British and Pakistani origin UK children aged 0–3? Findings from the born in Bradford cohort study. BMC Pediatrics, 2018, 18, 22.	0.7	6
18	TV Viewing in 60,202 Adults From the National Brazilian Health Survey: Prevalence, Correlates, and Associations With Chronic Diseases. Journal of Physical Activity and Health, 2018, 15, 510-515.	1.0	15

PAUL J COLLINGS

#	Article	IF	CITATIONS
19	Physical activity maintenance and metabolic risk in adolescents. Journal of Public Health, 2018, 40, 493-500.	1.0	16
20	Profiling Movement and Gait Quality Characteristics in Pre-School Children. Journal of Motor Behavior, 2018, 50, 557-565.	0.5	10
21	Biocultural approach of the association between maturity and physical activity in youth. Jornal De Pediatria, 2018, 94, 658-665.	0.9	3
22	Associations of TV Viewing Duration, Meals and Snacks Eaten When Watching TV, and a TV in the Bedroom with Child Adiposity. Obesity, 2018, 26, 1619-1628.	1.5	28
23	Biocultural approach of the association between maturity and physical activity in youth. Jornal De Pediatria (Versão Em Português), 2018, 94, 658-665.	0.2	1
24	Associations of social and economic and pregnancy exposures with blood pressure in UK White British and Pakistani children age 4/5. Scientific Reports, 2018, 8, 8966.	1.6	7
25	Family history of cardiovascular disease and parental lifestyle behaviors are associated with offspring cardiovascular disease risk markers in childhood. American Journal of Human Biology, 2017, 29, e22995.	0.8	6
26	Physical Activity, Sedentary Time, and Fatness in a Biethnic Sample of Young Children. Medicine and Science in Sports and Exercise, 2017, 49, 930-938.	0.2	32
27	Cardiorespiratory fitness effect may be under-estimated in â€~fat but fit' hypothesis studies. Annals of Human Biology, 2017, 44, 237-242.	0.4	14
28	Cross-Sectional Associations of Objectively-Measured Physical Activity and Sedentary Time with Body Composition and Cardiorespiratory Fitness in Mid-Childhood: The PANIC Study. Sports Medicine, 2017, 47, 769-780.	3.1	75
29	Sleep Duration and Adiposity in Early Childhood: Evidence for Bidirectional Associations from the Born in Bradford Study. Sleep, 2017, 40, .	0.6	33
30	Prevalence, trajectories, and determinants of television viewing time in an ethnically diverse sample of young children from the UK. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 88.	2.0	48
31	Reliability and Validity of the Early Years Physical Activity Questionnaire (EY-PAQ). Sports, 2016, 4, 30.	0.7	23
32	Correlates of sports practice, occupational and leisureâ€ŧime physical activity in Brazilian adolescents. American Journal of Human Biology, 2016, 28, 112-117.	0.8	18
33	Biological Maturation, Central Adiposity, and Metabolic Risk in Adolescents: A Mediation Analysis. Childhood Obesity, 2016, 12, 377-383.	0.8	27
34	Cardiorespiratory fitness is related to metabolic risk independent of physical activity in boys but not girls from Southern <scp>B</scp> razil. American Journal of Human Biology, 2016, 28, 534-538.	0.8	15
35	Magnitude and determinants of change in objectively-measured physical activity, sedentary time and sleep duration from ages 15 to 17.5y in UK adolescents: the ROOTS study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 61.	2.0	34
36	Birth Weight And Cardio-metabolic Risk Factors In Youth- Does Physical Activity Matter?. Medicine and Science in Sports and Exercise, 2015, 47, 483.	0.2	0

PAUL J COLLINGS

#	Article	IF	CITATIONS
37	Prospective associations between sedentary time, sleep duration and adiposity in adolescents. Sleep Medicine, 2015, 16, 717-722.	0.8	35
38	Association between birth weight and objectively measured sedentary time is mediated by central adiposity: data in 10,793 youth from the International Children's Accelerometry Database. American Journal of Clinical Nutrition, 2015, 101, 983-990.	2.2	29
39	Physical activity, sedentary time and adiposity during the first two decades of life. Proceedings of the Nutrition Society, 2014, 73, 319-329.	0.4	44
40	Objectively measured physical activity in four-year-old British children: a cross-sectional analysis of activity patterns segmented across the day. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 1.	2.0	270
41	Levels and patterns of objectively-measured physical activity volume and intensity distribution in UK adolescents: the ROOTS study. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 23.	2.0	85
42	Physical activity intensity, sedentary time, and body composition in preschoolers. American Journal of Clinical Nutrition, 2013, 97, 1020-1028.	2.2	108