Youngkeun Ahn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8149661/publications.pdf

Version: 2024-02-01

345 papers 6,116 citations

38 h-index 62 g-index

349 all docs 349 docs citations

349 times ranked 9240 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Relationship of Serial High-Sensitivity C-Reactive Protein Changes to Long-term Clinical Outcomes in Stabilised Patients After Myocardial Infarction. Canadian Journal of Cardiology, 2022, 38, 92-101. | 0.8 | 4 |
| 2 | Outcomes of Extracorporeal Cardiopulmonary Resuscitation for In-Hospital Cardiac Arrest According to Cannulation Sites: Cath Lab ν s Non-Cath Lab. , 2022, 1, 40. | | 2 |
| 3 | In vivo therapeutic genome editing via CRISPR/Cas9 magnetoplexes for myocardial infarction. Biomaterials, 2022, 281, 121327. | 5.7 | 10 |
| 4 | Long-term clinical outcomes of type 1 vs. type 2 myocardial infarction in patients who underwent angiography: data from the Korea acute myocardial infarction-national institute of health registry. Cardiovascular Diagnosis and Therapy, 2022, 12, 55-66. | 0.7 | 2 |
| 5 | Comparison of Prognosis According to the Use of Emergency Medical Services in Patients with ST-Segment Elevation Myocardial Infarction. Yonsei Medical Journal, 2022, 63, 124. | 0.9 | O |
| 6 | The current status and outcomes of in-hospital P2Y12 receptor inhibitor switching in Korean patients with acute myocardial infarction. Korean Journal of Internal Medicine, 2022, , . | 0.7 | 1 |
| 7 | Successful subclavian transcatheter aortic valve replacement in a nonagenarian patient. Medicine (United States), 2022, 101, e28702. | 0.4 | O |
| 8 | Characteristics and Clinical Outcomes of Cancer Patients who Developed Constrictive Physiology After Pericardiocentesis. Korean Circulation Journal, 2022, 52, 74. | 0.7 | 2 |
| 9 | Clinical Outcomes in Patients WithÂDelayed Hospitalization for Non–ST-Segment Elevation MyocardialÂInfarction. Journal of the American College of Cardiology, 2022, 79, 311-323. | 1.2 | 19 |
| 10 | Staged Spasm Provocation Test Without Coronary Stenting in a Patient Presenting With ST-Segment Elevation Myocardial Infarction., 2022, 1, 90. | | 0 |
| 11 | Temporal Trends of Major Bleeding and Its Prediction by the Academic Research Consortium-High Bleeding Risk Criteria in Acute Myocardial Infarction. Journal of Clinical Medicine, 2022, 11, 988. | 1.0 | 3 |
| 12 | Religious Affiliations and Clinical Outcomes in Korean Patients With Acute Myocardial Infarction. Frontiers in Cardiovascular Medicine, 2022, 9, 835969. | 1.1 | 0 |
| 13 | Optimal low-density lipoprotein cholesterol target level in Korean acute myocardial infarction patients (<70Âmg/dL vs. <55Âmg/dL): Based on Korea acute myocardial infarction registry-National Institute of Health. International Journal of Cardiology, 2022, 351, 15-22. | 0.8 | 3 |
| 14 | Case Report: Intravascular Ultrasound-guided Intervention for Anastomosis Stenosis of the Left Main Coronary Artery Post-Cabrol Technique. Frontiers in Cardiovascular Medicine, 2022, 9, 778815. | 1.1 | 0 |
| 15 | Outcomes of Nonagenarians with Acute Myocardial Infarction with or without Coronary Intervention. Journal of Clinical Medicine, 2022, 11, 1593. | 1.0 | 4 |
| 16 | Prognostic Impact of Chronic Vasodilator Therapy in Patients With Vasospastic Angina. Journal of the American Heart Association, 2022, 11, e023776. | 1.6 | 5 |
| 17 | High-Performance Implantable Bioelectrodes with Immunocompatible Topography for Modulation of Macrophage Responses. ACS Nano, 2022, 16, 7471-7485. | 7. 3 | 13 |
| 18 | Off-hour presentation and outcomes for percutaneous coronary intervention in acute myocardial infarction with Killip III–IV. Korean Journal of Internal Medicine, 2022, 37, 591-604. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Target Low-Density Lipoprotein-Cholesterol and Secondary Prevention for Patients with Acute Myocardial Infarction: A Korean Nationwide Cohort Study. Journal of Clinical Medicine, 2022, 11, 2650. | 1.0 | 2 |
| 20 | Prognostic Value of Baseline Neutrophil-to-Lymphocyte Ratio Combined With Anemia in Patients With ST-Segment Elevation Myocardial Infarction: A Nationwide Prospective Cohort Study. Journal of Lipid and Atherosclerosis, 2022, 11, 147. | 1.1 | 4 |
| 21 | Our Dedicated Effort to Save a COVID-19 Confirmed Patient with Myocardial Infarction. Chonnam Medical Journal, 2022, 58, 85. | 0.5 | O |
| 22 | Predictors for the Recovery of Left Ventricular Ejection Fraction in Myocardial Infarction., 2022, 1, 101. | | 1 |
| 23 | Nitrates vs. Other Types of Vasodilators and Clinical Outcomes in Patients with Vasospastic Angina: A Propensity Score-Matched Analysis. Journal of Clinical Medicine, 2022, 11, 3250. | 1.0 | 2 |
| 24 | Seven Fractures in Three Second Generation Drug Eluting Stents Implanted in the Right Coronary Artery Assessed by Using Optical Coherence Tomography., 2022, 1, 134. | | 0 |
| 25 | Benefit of a staged inâ€hospital revascularization strategy in hemodynamically stable patients with STâ€segment elevation myocardial infarction and multivessel disease: Analyses by risk stratification. Catheterization and Cardiovascular Interventions, 2021, 97, 1151-1159. | 0.7 | 3 |
| 26 | Comparative overview of ST-elevation myocardial infarction epidemiology, demographics, management, and outcomes in five Asia-Pacific countries: a meta-analysis. European Heart Journal Quality of Care & Dical Outcomes, 2021, 7, 6-17. | 1.8 | 16 |
| 27 | The roles of non-coding RNAs in vascular calcification and opportunities as therapeutic targets. , 2021, 218, 107675 . | | 43 |
| 28 | Effects of Smoking on Long-Term Clinical Outcomes and Lung Cancer in Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2021, 51, 336. | 0.7 | 3 |
| 29 | Higher Long-Term Mortality in Patients with Non-ST-Elevation Myocardial Infarction than ST-Elevation Myocardial Infarction after Discharge. Yonsei Medical Journal, 2021, 62, 400. | 0.9 | 7 |
| 30 | Clinical characteristics of spontaneous coronary artery dissection in young female patients with acute myocardial infarction in Korea. Korean Journal of Internal Medicine, 2021, 36, 106-113. | 0.7 | 10 |
| 31 | Benefit of Extracorporeal Membrane Oxygenation before Revascularization in Patients with Acute Myocardial Infarction Complicated by Profound Cardiogenic Shock after Resuscitated Cardiac Arrest. Korean Circulation Journal, 2021, 51, 533. | 0.7 | 7 |
| 32 | 2021 Korean Society of Myocardial Infarction Expert Consensus Document on Revascularization for Acute Myocardial Infarction. Korean Circulation Journal, 2021, 51, 289. | 0.7 | 11 |
| 33 | Clinical Outcomes of Ticagrelor in Korean Patients with Acute Myocardial Infarction without High Bleeding Risk. Journal of Korean Medical Science, 2021, 36, e268. | 1.1 | 1 |
| 34 | Preclinical Evaluation of a Novel Polymer-free Everolimus-eluting Stent in a Mid-term Porcine Coronary Restenosis Model. Journal of Korean Medical Science, 2021, 36, e259. | 1.1 | 3 |
| 35 | Feasibility of primary percutaneous coronary intervention via the distal radial approach in patients with ST-elevation myocardial infarction. Korean Journal of Internal Medicine, 2021, 36, S53-S61. | 0.7 | 25 |
| 36 | The adipokine Retnla deficiency increases responsiveness to cardiac repair through adiponectin-rich bone marrow cells. Cell Death and Disease, 2021, 12, 307. | 2.7 | 3 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Sex differences in long-term clinical outcomes of acute myocardial infarction according to the presence of diabetes mellitus. Korean Journal of Internal Medicine, 2021, 36, S99-S113. | 0.7 | 3 |
| 38 | Long-Term Outcomes of Patients With Late Presentation of ST-Segment Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2021, 77, 1859-1870. | 1,2 | 30 |
| 39 | Efficacy and safety of drug-eluting stents in elderly patients: A meta-analysis of randomized trials. Cardiology Journal, 2021, 28, 223-234. | 0.5 | 4 |
| 40 | Immediate Compared With Delayed Percutaneous Coronary Intervention for Patients With ST-Segment–Elevation Myocardial Infarction Presenting ≥12 Hours After Symptom Onset Is Not Associated With Improved Clinical Outcome. Circulation: Cardiovascular Interventions, 2021, 14, e009863. | 1.4 | 5 |
| 41 | The change in high-sensitivity troponin-T as a risk factor for significant coronary stenosis in patients with acute coronary syndrome. Korean Journal of Internal Medicine, 2021, 36, 608-616. | 0.7 | 1 |
| 42 | Comparison of 4-French versus 5-French sheaths for diagnostic coronary angiography via the snuffbox approach. Cardiology Journal, 2021, 28, 528-533. | 0.5 | 3 |
| 43 | Risks of Recurrent Cardiovascular Events and Mortality in 1-Year Survivors of Acute Myocardial Infarction Implanted with Newer-Generation Drug-Eluting Stents. Journal of Clinical Medicine, 2021, 10, 3642. | 1.0 | 5 |
| 44 | Effects of Fixed-dose Combination of Low-intensity Rosuvastatin and Ezetimibe Versus Moderate-intensity Rosuvastatin Monotherapy on Lipid Profiles in Patients With Hypercholesterolemia: A Randomized, Double-blind, Multicenter, Phase III Study. Clinical Therapeutics, 2021, 43, 1573-1589. | 1.1 | 7 |
| 45 | Comparative effect of angiotensin converting enzyme inhibitor versus angiotensin ii type i receptor blocker in acute myocardial infarction with non-obstructive coronary arteries; from the Korea Acute Myocardial Infarction Registry — National Institute of Health. Cardiology Journal, 2021, 28, 738-745. | 0.5 | 5 |
| 46 | Usefulness of Diastolic Function Score as a Predictor of Long-Term Prognosis in Patients With Acute Myocardial Infarction. Frontiers in Cardiovascular Medicine, 2021, 8, 730872. | 1.1 | 3 |
| 47 | Visit-to-visit blood pressure variability and mortality and cardiovascular outcomes after acute myocardial infarction. Journal of Human Hypertension, 2021, , . | 1.0 | 2 |
| 48 | Transcatheter aortic valve replacement via a transsubclavian approach in a patient with severe aortic stenosis who had previously undergone kidney transplantation. Medicine (United States), 2021, 100, e27210. | 0.4 | 0 |
| 49 | Percutaneous Coronary Intervention for Double Ostial Lesion Presenting with ST-Segment Elevation Myocardial Infarction: Chronic Total Occlusion at Left Main Ostium and Plaque Rupture at Right Coronary Artery Ostium. Chonnam Medical Journal, 2021, 57, 99. | 0.5 | 0 |
| 50 | Two Cases of Single Coronary Artery Ostium Presenting with Acute Myocardial Infarction: Right Coronary Artery Arising from Left Anterior Descending Artery. Chonnam Medical Journal, 2021, 57, 162. | 0.5 | 0 |
| 51 | Gender Difference of Cardiac Remodeling in University Athletes: Results from 2015 Gwangju Summer Universiade. Korean Circulation Journal, 2021, 51, 426. | 0.7 | 5 |
| 52 | Bi-Caval Dual Lumen Catheter for Pediatric Patients Undergoing Venovenous Extracorporeal Membrane Oxygenation. Chonnam Medical Journal, 2021, 57, 219. | 0.5 | 0 |
| 53 | Unguided de-escalation from ticagrelor to clopidogrel in stabilised patients with acute myocardial infarction undergoing percutaneous coronary intervention (TALOS-AMI): an investigator-initiated, open-label, multicentre, non-inferiority, randomised trial. Lancet, The, 2021, 398, 1305-1316. | 6.3 | 87 |
| 54 | Impact of Intravascular Ultrasound on Long-Term Clinical Outcomes in Patients With Acute Myocardial Infarction. JACC: Cardiovascular Interventions, 2021, 14, 2431-2443. | 1.1 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effect of Novel Polymer-Free Nitrogen-Doped Titanium Dioxide Film–Coated Coronary Stent Loaded With Mycophenolic Acid. Frontiers in Bioengineering and Biotechnology, 2021, 9, 650408. | 2.0 | 1 |
| 56 | Gender Differences in the Impact of New-Onset Atrial Fibrillation on Long-Term Risk of Ischemic Stroke after Acute Myocardial Infarction. Journal of Clinical Medicine, 2021, 10, 5141. | 1.0 | 2 |
| 57 | J-curve relationship between long term glycemic control and mortality in diabetic patients with acute myocardial infarction undergoing percutaneous coronary intervention. Cardiovascular Diabetology, 2021, 20, 234. | 2.7 | 3 |
| 58 | Different outcomes between iso-osmolar and low-osmolar contrast media in acute myocardial infarction with renal impairment. Cardiology Journal, 2021, , . | 0.5 | 0 |
| 59 | Ticagrelor versus clopidogrel in acute myocardial infarction patients with multivessel disease; From Korea Acute Myocardial Infarction Registry-National Institute of Health. Journal of Cardiology, 2020, 75, 478-484. | 0.8 | 10 |
| 60 | <p>Efficacy and Safety of Nebivolol and Rosuvastatin Combination Treatment in Patients with Concomitant Hypertension and Hyperlipidemia</p> . Drug Design, Development and Therapy, 2020, Volume 14, 5005-5017. | 2.0 | 2 |
| 61 | GENetic characteristics and REsponse to lipid-lowering therapy in familial hypercholesterolemia: GENRE-FH study. Scientific Reports, 2020, 10, 19336. | 1.6 | 9 |
| 62 | Relationship between arterial stiffness and variability of home blood pressure monitoring. Medicine (United States), 2020, 99, e21227. | 0.4 | 9 |
| 63 | The microRNA <i>miRâ€134â€5p</i> induces calcium deposition by inhibiting histone deacetylase 5 in vascular smooth muscle cells. Journal of Cellular and Molecular Medicine, 2020, 24, 10542-10550. | 1.6 | 7 |
| 64 | Optimal Revascularization Strategy in Non–STâ€Segment–Elevation Myocardial Infarction With Multivessel Coronary Artery Disease: Culpritâ€Only Versus Oneâ€Stage Versus Multistage Revascularization. Journal of the American Heart Association, 2020, 9, e016575. | 1.6 | 23 |
| 65 | Ischemic and Bleeding Events Associated with Thrombocytopenia and Thrombocytosis after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. Journal of Clinical Medicine, 2020, 9, 3370. | 1.0 | 6 |
| 66 | Comprehensive evaluation of differentially expressed non-coding RNAs identified during macrophage activation. Molecular Immunology, 2020, 128, 98-105. | 1.0 | 2 |
| 67 | miR-27a-3p Targets ATF3 to Reduce Calcium Deposition in Vascular Smooth Muscle Cells. Molecular Therapy - Nucleic Acids, 2020, 22, 627-639. | 2.3 | 22 |
| 68 | One-year efficacy and safety of everolimus-eluting bioresorbable scaffolds in the setting of acute myocardial infarction. PLoS ONE, 2020, 15, e0235673. | 1.1 | 1 |
| 69 | Occupational radiation exposure in femoral artery approach is higher than radial artery approach during coronary angiography or percutaneous coronary intervention. Scientific Reports, 2020, 10, 7104. | 1.6 | 6 |
| 70 | Impact of Anticoagulation Intensity in Korean Patients with Atrial Fibrillation: Is It Different from Western Population?. Korean Circulation Journal, 2020, 50, 163. | 0.7 | 6 |
| 71 | Infolding Distortion of Evolut R Valve after Transcatheter Aortic Valve Replacement. Korean Circulation Journal, 2020, 50, 539. | 0.7 | 1 |
| 72 | Image of Statin-Induced Rhabdomyolysis. Korean Circulation Journal, 2020, 50, 738. | 0.7 | 1 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | 2020 Korean Society of Myocardial Infarction Expert Consensus Document on Pharmacotherapy for Acute Myocardial Infarction. Korean Circulation Journal, 2020, 50, 845. | 0.7 | 16 |
| 74 | The Value of Exercise Stress Test in Patients with Stable Ischemic Heart Disease. Journal of Korean Medical Science, 2020, 35, e21. | 1.1 | 1 |
| 75 | Impact of Previous Angina on Clinical Outcomes in ST-Elevation Myocardial Infarction Underwent Percutaneous Coronary Intervention. Chonnam Medical Journal, 2020, 56, 136. | 0.5 | 0 |
| 76 | Long-Term Clinical Outcome according to Changes of Glomerular Filtration Rate in AMI Patients with Multivessel Disease after Percutaneous Coronary Intervention. Chonnam Medical Journal, 2020, 56, 121. | 0.5 | 3 |
| 77 | Optical Coherence Tomography Findings of Non-ST Elevation Myocardial Infarction with Multivessel Disease. Korean Circulation Journal, 2020, 50, 88. | 0.7 | 2 |
| 78 | Angiotensin-Converting Enzyme Inhibitors Provide Better Long-Term Survival Benefits to Patients With AMI Than Angiotensin II Receptor Blockers After Survival Hospital Discharge. Journal of Cardiovascular Pharmacology and Therapeutics, 2019, 24, 120-129. | 1.0 | 14 |
| 79 | Prognosis and Predictors of Mortality in Patients Suffering Myocardial Infarction With Nonâ€Obstructive Coronary Arteries. Journal of the American Heart Association, 2019, 8, e011990. | 1.6 | 96 |
| 80 | Effects of Fimasartan/Amlodipine Fixed-Dose Combination on Left Ventricular Systolic Function and Infarct Size in Rat Myocardial Infarction Model. Chonnam Medical Journal, 2019, 55, 144. | 0.5 | 0 |
| 81 | Intravascular Ultrasound-Guided Treatment for In-stent Restenosis Associated with Stent Fracture in Overlapped Drug-eluting Stents. Chonnam Medical Journal, 2019, 55, 165. | 0.5 | 1 |
| 82 | Quantitative proteomic analyses reveal that GPX4 downregulation during myocardial infarction contributes to ferroptosis in cardiomyocytes. Cell Death and Disease, 2019, 10, 835. | 2.7 | 203 |
| 83 | Snuffbox Approach for Coronary Chronic Total Occlusion Intervention Using a 7-French Sheath. Chonnam Medical Journal, 2019, 55, 175. | 0.5 | 2 |
| 84 | Chemical characterization and biological activity data for a novel indirubin derivative, LDD-1819. Data in Brief, 2019, 25, 104373. | 0.5 | 4 |
| 85 | ENOblock inhibits the pathology of diet-induced obesity. Scientific Reports, 2019, 9, 493. | 1.6 | 9 |
| 86 | Impact of multi-vessel vasospastic angina on cardiovascular outcome. Atherosclerosis, 2019, 281, 107-113. | 0.4 | 8 |
| 87 | Therapeutic Effect of Fimasartan in a Rat Model of Myocardial Infarction Evaluated by Cardiac Positron Emission Tomography with [18F]FPTP. Chonnam Medical Journal, 2019, 55, 109. | 0.5 | 3 |
| 88 | Benefit of Early Statin Initiation within 48 Hours after Admission in Statin-NaÃ-ve Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. Korean Circulation Journal, 2019, 49, 419. | 0.7 | 9 |
| 89 | Multivessel Disease With Recanalized Thrombus ― Etiologic Insights From Optical Coherence Tomography ―. Circulation Journal, 2019, 83, 688. | 0.7 | 0 |
| 90 | Successful Drug-Eluting Stent Overexpansion with Intravascular Ultrasound Guidance for Left Main Bifurcation Lesion Via Left Snuffbox Approach. Chonnam Medical Journal, 2019, 55, 66. | 0.5 | 2 |

| # | Article | IF | Citations |
|-----|--|------------|----------------------|
| 91 | Predictors of In-Hospital Mortality in Korean Patients with Acute Myocardial Infarction. Chonnam Medical Journal, 2019, 55, 40. | 0.5 | 11 |
| 92 | Incidence of cardiac death and recurrent stent thrombosis after treatment for angiographically confirmed stent thrombosis. Journal of Cardiology, 2019, 74, 267-272. | 0.8 | 11 |
| 93 | Impacts of non-recovery of trastuzumab-induced cardiomyopathy on clinical outcomes in patients with breast cancer. Clinical Research in Cardiology, 2019, 108, 892-900. | 1.5 | 14 |
| 94 | Real World Comparison of Rivaroxaban and Warfarin in Korean Patients with Atrial Fibrillation: Propensity Matching Cohort Analysis. Chonnam Medical Journal, 2019, 55, 54. | 0.5 | 16 |
| 95 | Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. Clinical Therapeutics, 2019, 41, 2571-2592. | 1.1 | 7 |
| 96 | Relationship between arterial stiffness and circadian pattern of blood pressure. Medicine (United) Tj ETQq0 0 0 r | gBT_/Overl | \log_{13} 10 Tf 50 |
| 97 | University athletes and changes in cardiac geometry: insight from the 2015 Gwangju Summer Universiade. European Heart Journal Cardiovascular Imaging, 2019, 20, 407-416. | 0.5 | 11 |
| 98 | Inhibition of heat shock protein 70 blocks the development of cardiac hypertrophy by modulating the phosphorylation of histone deacetylase 2. Cardiovascular Research, 2019, 115, 1850-1860. | 1.8 | 23 |
| 99 | Studies on the effects of microencapsulated human mesenchymal stem cells in RGD-modified alginate on cardiomyocytes under oxidative stress conditions using in vitro biomimetic co-culture system. International Journal of Biological Macromolecules, 2019, 123, 512-520. | 3.6 | 32 |
| 100 | Antiinflammatory activity of ANGPTL4 facilitates macrophage polarization to induce cardiac repair. JCI Insight, 2019, 4, . | 2.3 | 46 |
| 101 | Novel porcine model of acute myocardial infarction using polyethylene terephthalate. Journal of Biomedical Translational Research, 2019, 20, 44-52. | 0.1 | 1 |
| 102 | Invasive physiological assessment of myocardial bridge via the left snuffbox approach. Kardiologia Polska, 2019, 77, 892-893. | 0.3 | 2 |
| 103 | Aspirin Has a Neutral Effect in Preventing Future Cardiovascular Events in Vasospastic Angina. Cardiovascular Prevention and Pharmacotherapy, 2019, 1, 30. | 0.0 | 2 |
| 104 | A score for decision making during percutaneous coronary intervention in acute myocardial infarction patients with multivessel disease. Korean Journal of Internal Medicine, 2019, 34, 324-334. | 0.7 | 2 |
| 105 | Pre-discharge anemia as a predictor of adverse clinical outcomes in patients with acute decompensated heart failure. Korean Journal of Internal Medicine, 2019, 34, 549-558. | 0.7 | 3 |
| 106 | D-dimer/troponin ratio in the differential diagnosis of acute pulmonary embolism from non-ST elevation myocardial infarction. Korean Journal of Internal Medicine, 2019, 34, 1263-1271. | 0.7 | 15 |
| 107 | Current status of acute myocardial infarction in Korea. Korean Journal of Internal Medicine, 2019, 34, 1-10. | 0.7 | 91 |
| 108 | Impact of Gender Differences in Elderly Patients with Acute Myocardial Infarction. Korean Journal of Medicine, 2019, 94, 96-106. | 0.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----------|----------------|
| 109 | Effectiveness and Safety of Zotarolimus-Eluting Stent (Resoluteâ,,¢ Integrity) in Patients with Diffuse Long Coronary Artery Disease. Korean Circulation Journal, 2019, 49, 709. | 0.7 | 7 |
| 110 | Benefits of SGLT2 Inhibitor: Preventing Heart Failure and Beyond. Korean Circulation Journal, 2019, 49, 1196. | 0.7 | 2 |
| 111 | Successful primary percutaneous coronary intervention in patient with ST-segment elevation myocardial infarction via left snuffbox approach: Patient advantages. Cardiology Journal, 2019, 26, 198-199. | 0.5 | 5 |
| 112 | Successful percutaneous coronary intervention in patients with recanalized thrombus: Saving a radial artery by snuffbox approach. Cardiology Journal, 2019, 26, 292-293. | 0.5 | 2 |
| 113 | Comparison of short-term clinical outcomes between Resolute Onyx zotarolimus-eluting stents and everolimus-eluting stent in patients with acute myocardial infarction: Results from the Korea Acute Myocardial infarction Registry (KAMIR). Cardiology Journal, 2019, 26, 469-476. | 0.5 | 8 |
| 114 | Angiotensin Receptor Blockers as an Alternative to Angiotensin-Converting Enzyme Inhibitors in Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. Journal of Korean Medical Science, 2019, 34, e289. | 1.1 | 7 |
| 115 | The Need for Re-evaluation of PCI Practice: from Proceduralists to Clinicians. Korean Circulation Journal, 2019, 49, 1164. | 0.7 | o |
| 116 | Optimal Timing of Percutaneous Coronary Intervention in Patients With Non–ST-Segment Elevation Myocardial Infarction Complicated by Acute Decompensated Heart Failure (from the Korea Acute) Tj ETQq0 0 0 | rgBT_/Ove | rlock 10 Tf 50 |
| 117 | Cardiology, 2018, 121, 1285-1292. Effect of the Metabolic Syndrome on Outcomes in Patients Aged <50 Years Versus >50 Years With Acute Myocardial Infarction. American Journal of Cardiology, 2018, 122, 192-198. | 0.7 | 10 |
| 118 | Comparison of the planned one―and elective twoâ€stent techniques in patients with coronary bifurcation lesions with or without acute coronary syndrome from the COBIS II Registry. Catheterization and Cardiovascular Interventions, 2018, 92, 1050-1060. | 0.7 | 5 |
| 119 | Dual Roles of Graphene Oxide To Attenuate Inflammation and Elicit Timely Polarization of Macrophage Phenotypes for Cardiac Repair. ACS Nano, 2018, 12, 1959-1977. | 7.3 | 184 |
| 120 | Impact of Complete Revascularization on Six-Year Clinical Outcomes and Incidence of Acute Decompensated Heart Failure in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Coronary Artery Disease. American Journal of Cardiology, 2018, 121, 544-551. | 0.7 | 2 |
| 121 | Influence of obesity and metabolic syndrome on clinical outcomes of ST-segment elevation myocardial infarction in men undergoing primary percutaneous coronary intervention. Journal of Cardiology, 2018, 72, 328-334. | 0.8 | 11 |
| 122 | Results of a 10-Year Experience in Korea Using Drug-Eluting Stents During Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the Korea Acute Myocardial Infarction Registry). American Journal of Cardiology, 2018, 122, 365-373. | 0.7 | 12 |
| 123 | Third-Generation P2Y12 Inhibitors in East Asian Acute Myocardial Infarction Patients: A Nationwide Prospective Multicentre Study. Thrombosis and Haemostasis, 2018, 118, 591-600. | 1.8 | 50 |
| 124 | Reverse Left Ventricular Remodelling in ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: Incidence, Predictors, and Impact on Outcome. Heart Lung and Circulation, 2018, 27, 154-164. | 0.2 | 3 |
| 125 | Predictors of Left Ventricular Functional Recovery and Their Impact on Clinical Outcomes in Patients With Newly Diagnosed Dilated Cardiomyopathy and Heart Failure. Heart Lung and Circulation, 2018, 27, 41-49. | 0.2 | 7 |
| 126 | Clinical outcome according to spasm type of single coronary artery provoked by intracoronary ergonovine tests in patients without significant organic stenosis. International Journal of Cardiology, 2018, 252, 6-12. | 0.8 | 19 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Statin has more protective effects in AMI patients with higher plasma BNP or NT-proBNP level, but not with lower left ventricular ejection fraction. Journal of Cardiology, 2018, 71, 375-381. | 0.8 | 6 |
| 128 | Successful Treatment of Coronary Spasm with Atherosclerosis Rapidly Progressing to Acute Myocardial Infarction in a Young Woman. Journal of Lipid and Atherosclerosis, 2018, 7, 68. | 1.1 | 0 |
| 129 | Adjuvant role of macrophages in stem cell-induced cardiac repair in rats. Experimental and Molecular Medicine, 2018, 50, 1-10. | 3.2 | 17 |
| 130 | Spontaneous Huge Subdural Spine Hematoma in a Patient Receiving Dual Anti-platelet Therapy after Drug-eluting Coronary Stent Implantation. Chonnam Medical Journal, 2018, 54, 131. | 0.5 | 0 |
| 131 | Predictors of Clinical Outcome in Patients with Angiographically Intermediate Lesions with Minimum Lumen Area Less than 4 mm ² Using Intravascular Ultrasound in Non-Proximal Epicardial Coronary Artery. Chonnam Medical Journal, 2018, 54, 190. | 0.5 | 0 |
| 132 | Nutritional risk index as a predictor of mortality in acutely decompensated heart failure. PLoS ONE, 2018, 13, e0209088. | 1.1 | 15 |
| 133 | Feasibility of Coronary Angiography and Percutaneous Coronary Intervention via Left Snuffbox Approach. Korean Circulation Journal, 2018, 48, 1120. | 0.7 | 70 |
| 134 | Effects of Ivabradine on Left Ventricular Systolic Function and Cardiac Fibrosis in Rat Myocardial Ischemia-Reperfusion Model. Chonnam Medical Journal, 2018, 54, 167. | 0.5 | 8 |
| 135 | A novel system-level approach using RNA-sequencing data identifies miR-30-5p and miR-142a-5p as key regulators of apoptosis in myocardial infarction. Scientific Reports, 2018, 8, 14638. | 1.6 | 16 |
| 136 | A multicenter, randomized, and double-blind phase IV clinical trial to compare the efficacy and safety of fixed-dose combinations of amlodipine orotate/valsartan 5/160 mg versus valsartan/hydrochlorothiazide 160/12.5 mg in patients with essential hypertension uncontrolled by valsartan 160 mg monotherapy. Medicine (United States), 2018, 97, e12329. | 0.4 | 4 |
| 137 | Safety and Efficacy of the Endeavor Resolute® Stent in Patients with Multivessel Disease: The HEART (Honam EndeAvor ResoluTe) Prospective, Multicenter Trial. Chonnam Medical Journal, 2018, 54, 55. | 0.5 | 4 |
| 138 | Recovery of High Degree Atrioventricular Block in a Patient with Cardiac Sarcoidosis by Corticosteroid Therapy. Chonnam Medical Journal, 2018, 54, 74. | 0.5 | 1 |
| 139 | Effectiveness and Safety of Biolimus A9â,,¢-Eluting stEnt in Patients with AcUTe Coronary sYndrome; A Multicenter, Observational Study (BEAUTY Study). Yonsei Medical Journal, 2018, 59, 72. | 0.9 | 2 |
| 140 | Impact of Combination Therapy with Ezetimibe/Simvastatin Treatment on the Neointimal Response to Biodegradable Polymer Biolimus-Eluting Stent Implantation in Patients with Acute Myocardial Infarction: Serial Assessment with Optical Coherence Tomography. Applied Sciences (Switzerland), 2018, 8, 1968. | 1.3 | 1 |
| 141 | A new risk score for ventricular tachyarrhythmia in acute myocardial infarction with preserved left ventricular ejection fraction. Journal of Cardiology, 2018, 72, 420-426. | 0.8 | 5 |
| 142 | PP2A negatively regulates the hypertrophic response by dephosphorylating HDAC2 S394 in the heart. Experimental and Molecular Medicine, 2018, 50, 1-14. | 3.2 | 22 |
| 143 | Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. Korean Circulation Journal, 2018, 48, 492. | 0.7 | 5 |
| 144 | Impacts of Predischarge Diastolic Functional Recovery on Clinical Outcomes in Patients With Hypertensive Heart Failure. Circulation Journal, 2018, 82, 1651-1658. | 0.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Comparison of Clinical Outcomes Between Ticagrelor and Prasugrel in Patients With ST-Segment Elevation Myocardial Infarction ― Results From the Korea Acute Myocardial Infarction Registry-National Institutes of Health ―. Circulation Journal, 2018, 82, 1866-1873. | 0.7 | 8 |
| 146 | Serum Copeptin Levels Predict Clinical Outcomes After Successful Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction. Annals of Laboratory Medicine, 2018, 38, 538-544. | 1.2 | 9 |
| 147 | Clinical Outcomes of Elderly Patients with Non ST-Segment Elevation Myocardial Infarction Undergoing Coronary Artery Bypass Surgery. Chonnam Medical Journal, 2018, 54, 41. | 0.5 | 1 |
| 148 | Intravascular Ultrasound-Guided Percutaneous Coronary Intervention with Drug-eluting Stent for Unprotected Left Main Disease via Left Snuffbox Approach. Korean Circulation Journal, 2018, 48, 532. | 0.7 | 12 |
| 149 | Functional Relevance of Macrophage-mediated Inflammation to Cardiac Regeneration. Chonnam Medical Journal, 2018, 54, 10. | 0.5 | 5 |
| 150 | Effect of renin-angiotensin system blockade in patients with severe renal insufficiency and heart failure. International Journal of Cardiology, 2018, 266, 180-186. | 0.8 | 6 |
| 151 | Cardioprotective effect of substance P in a porcine model of acute myocardial infarction. International Journal of Cardiology, 2018, 271, 228-232. | 0.8 | 10 |
| 152 | Prognostic significance of non-chest pain symptoms in patients with non-ST-segment elevation myocardial infarction. Korean Journal of Internal Medicine, 2018, 33, 1111-1118. | 0.7 | 9 |
| 153 | Gender differences in the distal radial artery diameter for the snuffbox approach. Cardiology Journal, 2018, 25, 639-641. | 0.5 | 34 |
| 154 | Manual thrombus aspiration during primary percutaneous coronary intervention: Impact of total ischemic time. Journal of Cardiology, 2017, 69, 428-435. | 0.8 | 10 |
| 155 | Persistent Renal Dysfunction After Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction. Angiology, 2017, 68, 159-167. | 0.8 | 5 |
| 156 | The micro <scp>RNA </scp> <i>miRâ€124</i> inhibits vascular smooth muscle cell proliferation by targeting S100 calciumâ€binding protein A4 (S100A4). FEBS Letters, 2017, 591, 1041-1052. | 1.3 | 40 |
| 157 | Benefits of Statin Therapy in Patients With Acute Myocardial Infarction With Serum Low-Density Lipoprotein Cholesterol â‰ぬ0Âmg/dl. American Journal of Cardiology, 2017, 120, 174-180. | 0.7 | 6 |
| 158 | Outcomes of Acute Myocardial Infarction Patients Implanted With Biodegradable Polymer Biolimus-Eluting Stents Versus New-Generation Durable Polymer Drug-Eluting Stents: A Retrospective Analysis. Angiology, 2017, 68, 698-706. | 0.8 | 0 |
| 159 | The stress hyperglycemia ratio, an index of relative hyperglycemia, as a predictor of clinical outcomes after percutaneous coronary intervention. International Journal of Cardiology, 2017, 241, 57-63. | 0.8 | 69 |
| 160 | Combination Therapy of Rosuvastatin and Ezetimibe in Patients with High Cardiovascular Risk. Clinical Therapeutics, 2017, 39, 107-117. | 1.1 | 37 |
| 161 | Benefit of Vasodilating βâ€Blockers in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention: Nationwide Multicenter Cohort Study. Journal of the American Heart Association, 2017, 6, . | 1.6 | 10 |
| 162 | Target achievement with maximal statinâ€based lipidâ€lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. Clinical Cardiology, 2017, 40, 1291-1296. | 0.7 | 10 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Relationship between time to treatment and mortality among patients undergoing primary percutaneous coronary intervention according to Korea Acute Myocardial Infarction Registry. Journal of Cardiology, 2017, 69, 377-382. | 0.8 | 27 |
| 164 | Influence of undernutrition at admission on clinical outcomes in patients with acute myocardial infarction. Journal of Cardiology, 2017, 69, 555-560. | 0.8 | 42 |
| 165 | Formyl Peptide Receptor 2 Is Involved in Cardiac Repair After Myocardial Infarction Through Mobilization of Circulating Angiogenic Cells. Stem Cells, 2017, 35, 654-665. | 1.4 | 33 |
| 166 | Optimal dose of dabigatran for the prevention of thromboembolism with minimal bleeding risk in Korean patients with atrial fibrillation. Europace, 2017, 19, iv1-iv9. | 0.7 | 31 |
| 167 | Optimal Timing of Percutaneous Coronary Intervention for Nonculprit Vessel in Patients with ST-Segment Elevation Myocardial Infarction and Multivessel Disease. Korean Circulation Journal, 2017, 47, 36. | 0.7 | 13 |
| 168 | Effect of Stents Coated with Artemisinin or Dihydroartemisinin in a Porcine Coronary Restenosis Model. Korean Circulation Journal, 2017, 47, 115. | 0.7 | 5 |
| 169 | Blood Pressure Targets and Clinical Outcomes in Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2017, 47, 446. | 0.7 | 16 |
| 170 | Impact of Postprocedural TIMI Flow on Long-Term Clinical Outcomes in Patients with Acute Myocardial Infarction. International Heart Journal, 2017, 58, 674-685. | 0.5 | 25 |
| 171 | Carotid plaque rather than intima-media thickness as a predictor of recurrent vascular events in patients with acute ischemic stroke. Cardiovascular Ultrasound, 2017, 15, 19. | 0.5 | 17 |
| 172 | Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. Clinical Hypertension, 2017, 23, 18. | 0.7 | 6 |
| 173 | Intramyocardial Injection of Stem Cells in Pig Myocardial Infarction Model: The First Trial in Korea. Journal of Korean Medical Science, 2017, 32, 1708. | 1.1 | 11 |
| 174 | T peak–Tend interval during therapeutic hypothermia can predict upcoming ventricular fibrillation in subjects with aborted arrhythmic sudden cardiac death: 3-years follow-up results. Europace, 2017, 19, iv17-iv24. | 0.7 | 8 |
| 175 | Clinical Outcomes according to the Achievement of Target Low Density Lipoprotein-Cholesterol in Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2017, 47, 31. | 0.7 | 11 |
| 176 | The Control of Drug Release and Vascular Endothelialization after Hyaluronic Acid-Coated Paclitaxel Multi-Layer Coating Stent Implantation in Porcine Coronary Restenosis Model. Korean Circulation Journal, 2017, 47, 123. | 0.7 | 6 |
| 177 | Tauroursodeoxycholic acid (TUDCA) attenuates pressure overload-induced cardiac remodeling by reducing endoplasmic reticulum stress. PLoS ONE, 2017, 12, e0176071. | 1.1 | 66 |
| 178 | The optimization of cell therapy by combinational application with apicidin-treated mesenchymal stem cells after myocardial infarction. Oncotarget, 2017, 8, 44281-44294. | 0.8 | 15 |
| 179 | Masked inherited primary arrhythmia syndromes in sudden cardiac death patients accompanied by coronary vasospasm. Korean Journal of Internal Medicine, 2017, 32, 836-846. | 0.7 | 4 |
| 180 | Long-Term Clinical Outcomes of Transient and Persistent No Reflow Phenomena following Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2016, 46, 490. | 0.7 | 21 |

| # | Article | IF | Citations |
|-----|---|-----------------------|--------------|
| 181 | Differential Clinical Implications of High-Degree Atrioventricular Block Complicating ST-Segment Elevation Myocardial Infarction according to the Location of Infarction in the Era of Primary Percutaneous Coronary Intervention. Korean Circulation Journal, 2016, 46, 315. | 0.7 | 16 |
| 182 | Usefulness of Cardiac Biomarkers in the Evaluation of Prognosis and Cardiac Involvement in Patients with Acute Aortic Syndrome. Journal of Lipid and Atherosclerosis, 2016, 5, 27. | 1.1 | 0 |
| 183 | Chemotherapy-Induced Left Ventricular Dysfunction in Patients with Breast Cancer. Journal of Breast Cancer, 2016, 19, 402. | 0.8 | 16 |
| 184 | Differential Benefit of Statin in Secondary Prevention of Acute Myocardial Infarction according to the Level of Triglyceride and High Density Lipoprotein Cholesterol. Korean Circulation Journal, 2016, 46, 324. | 0.7 | 10 |
| 185 | Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: OLmesartan rosuvaSTAtin from) Tj ETQq1 1 0.78 | 4314 rgB ⁻ | 「∕ðverlock I |
| 186 | Comparative Effects of Statin Therapy versus Renin-Angiotensin System Blocking Therapy in Patients with Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention. Chonnam Medical Journal, 2016, 52, 128. | 0.5 | 0 |
| 187 | Novel Fabrication of MicroRNA Nanoparticle-Coated Coronary Stent for Prevention of Post-Angioplasty Restenosis. Korean Circulation Journal, 2016, 46, 23. | 0.7 | 15 |
| 188 | Optimal coating method for a dual-layer stent with sirolimus and alpha-lipoic acid in a porcine coronary restenosis model. Macromolecular Research, 2016, 24, 725-733. | 1.0 | 1 |
| 189 | Priming mobilized peripheral blood mononuclear cells with the "activated platelet supernatant― enhances the efficacy of cell therapy for myocardial infarction of rats. Cardiovascular Therapeutics, 2016, 34, 245-253. | 1.1 | 3 |
| 190 | Prognostic importance of mitral regurgitation complicated by acute myocardial infarction during a 5-year follow-up period in the drug-eluting stent era. Coronary Artery Disease, 2016, 27, 109-115. | 0.3 | 3 |
| 191 | Multicenter Cohort Study of Acute Myocardial Infarction in Korea – Interim Analysis of the Korea Acute Myocardial Infarction Registry-National Institutes of Health Registry –. Circulation Journal, 2016, 80, 1427-1436. | 0.7 | 166 |
| 192 | Incidence, Implications, and Predictors of Stent Thrombosis in Acute Myocardial Infarction. American Journal of Cardiology, 2016, 117, 1562-1568. | 0.7 | 25 |
| 193 | Predictors of reversible severe functional tricuspid regurgitation in patients with atrial fibrillation. Journal of Cardiology, 2016, 68, 419-425. | 0.8 | 7 |
| 194 | Effects of combination therapy of statin and N-acetylcysteine for the prevention of contrast–induced nephropathy in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. International Journal of Cardiology, 2016, 212, 100-106. | 0.8 | 16 |
| 195 | Non-contrast cardiac CT immediately after percutaneous coronary intervention: does it predict the risk of left ventricular remodeling in patients with ST-elevation myocardial infarction?. International Journal of Cardiovascular Imaging, 2016, 32, 147-154. | 0.7 | 0 |
| 196 | Comparison of short-term clinical outcomes between ticagrelor versus clopidogrel in patients with acute myocardial infarction undergoing successful revascularization; from Korea Acute Myocardial Infarction Registryâ€"National Institute of Health. International Journal of Cardiology, 2016, 215, 193-200. | 0.8 | 70 |
| 197 | Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in Patients With ST-Segment–Elevation Myocardial Infarction. Circulation: Cardiovascular Interventions, 2016, 9, . | 1.4 | 41 |
| 198 | A novel polymer-free drug-eluting stent coated with everolimus using nitrogen-doped titanium dioxide film deposition in a porcine coronary restenosis model. International Journal of Cardiology, 2016, 222, 436-440. | 0.8 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Effect of fixedâ€dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRSâ€ROZE (Multicenter Randomized Study of ROsuvastatin and eZEtimibe). Cardiovascular Therapeutics, 2016, 34, 371-382. | 1.1 | 45 |
| 200 | Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. International Journal of Cardiology, 2016, 221, 90-96. | 0.8 | 13 |
| 201 | Clinical impact of immediate invasive strategy in patients with non-ST-segment elevation myocardial infarction. International Journal of Cardiology, 2016, 221, 937-943. | 0.8 | 9 |
| 202 | Natural product derivative BIO promotes recovery after myocardial infarction via unique modulation of the cardiac microenvironment. Scientific Reports, 2016, 6, 30726. | 1.6 | 34 |
| 203 | Clinical outcomes of the intra-aortic balloon pump for resuscitated patients with acute myocardial infarction complicated by cardiac arrest. Journal of Cardiology, 2016, 67, 57-63. | 0.8 | 8 |
| 204 | Benefit of statin therapy in patients with coronary spasm-induced acute myocardial infarction. Journal of Cardiology, 2016, 68, 7-12. | 0.8 | 22 |
| 205 | Impact of Percutaneous Coronary Intervention for Chronic Total Occlusion in Non–Infarct-Related Arteries in Patients With Acute Myocardial Infarction (from the COREA-AMI Registry). American Journal of Cardiology, 2016, 117, 1039-1046. | 0.7 | 25 |
| 206 | Comparison of transradial and transfemoral coronary intervention in octogenarians with acute myocardial infarction. International Journal of Cardiology, 2016, 202, 419-424. | 0.8 | 9 |
| 207 | Long-term Clinical Outcomes in Acute Myocardial Infarction Patients with Left Ventricular Dysfunction. Journal of Lipid and Atherosclerosis, 2016, 5, 37. | 1.1 | 1 |
| 208 | 5-Azacytidine modulates interferon regulatory factor 1 in macrophages to exert a cardioprotective effect. Scientific Reports, 2015 , 5 , 15768 . | 1.6 | 37 |
| 209 | Mortality Trends of Cardiovascular Disease in Korea; Big Challenges in Ischemic Heart Disease. Korean Circulation Journal, 2015, 45, 192. | 0.7 | 8 |
| 210 | Percutaneous Retrieval of Embolized Amplatzer Septal Occluder after Treatment of Double Atrial Septal Defect: A Case Report. Journal of Korean Medical Science, 2015, 30, 1361. | 1.1 | 6 |
| 211 | Impact of Smoking on Clinical Outcomes in Female Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2015, 45, 22. | 0.7 | 11 |
| 212 | Coronary Artery Fistula with Giant Aneurysm and Coronary Stenosis Treated by Transcatheter Embolization and Stent. Korean Circulation Journal, 2015, 45, 245. | 0.7 | 7 |
| 213 | Cardioprotective Effect of Fimasartan, a New Angiotensin Receptor Blocker, in a Porcine Model of Acute Myocardial Infarction. Journal of Korean Medical Science, 2015, 30, 34. | 1.1 | 10 |
| 214 | Impaired Diastolic Recovery after Acute Myocardial Infarction as a Predictor of Adverse Events. Journal of Cardiovascular Imaging, 2015, 23, 150. | 0.8 | 11 |
| 215 | The Prognostic Value of the Left Ventricular Ejection Fraction Is Dependent upon the Severity of Mitral Regurgitation in Patients with Acute Myocardial Infarction. Journal of Korean Medical Science, 2015, 30, 903. | 1.1 | 4 |
| 216 | Predictors of Plaque Progression in Hypertensive Angina Patients with Achieved Low-Density Lipoprotein Cholesterol Less Than 70 mg/dL after Rosuvastatin Treatment. Chonnam Medical Journal, 2015, 51, 120. | 0.5 | 1 |

| # | Article | IF | Citations |
|-----|---|------------|------------------------|
| 217 | Effects of Age on Arterial Stiffness and Blood Pressure Variables in Patients with Newly Diagnosed Untreated Hypertension. Korean Circulation Journal, 2015, 45, 44. | 0.7 | 12 |
| 218 | Effect of Pretreatment of Ezetimibe/Simvastatin on Arterial Healing and Endothelialization after Drug-Eluting Stent Implantation in a Porcine Coronary Restenosis Model. Korean Circulation Journal, 2015, 45, 110. | 0.7 | 2 |
| 219 | Clinical Characteristics and Outcomes of Acute ST-Segment Elevation Myocardial Infarction in Younger Korean Adults. Korean Circulation Journal, 2015, 45, 275. | 0.7 | 18 |
| 220 | The Relationship among N-Terminal Pro-B-Type Natriuretic Peptide, High-Sensitivity C-Reactive Protein and Infarct Size in Patients with Acute ST-Elevation Myocardial Infarction. Korean Circulation Journal, 2015, 45, 285. | 0.7 | 8 |
| 221 | Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. Drug Design, Development and Therapy, 2015, 9, 2847. | 2.0 | 11 |
| 222 | Additive Beneficial Effects of Valsartan Combined with Rosuvastatin in the Treatment of Hypercholesterolemic Hypertensive Patients. Korean Circulation Journal, 2015, 45, 225. | 0.7 | 23 |
| 223 | Pik3ip1 Modulates Cardiac Hypertrophy by Inhibiting PI3K Pathway. PLoS ONE, 2015, 10, e0122251. | 1.1 | 42 |
| 224 | Cardiac Involvement of Churg-Strauss Syndrome as a Reversible Cause of Dilated Cardiomyopathy. Journal of Cardiovascular Imaging, 2015, 23, 40. | 0.8 | 14 |
| 225 | Impact of renal function on changes of plaque characteristics in non-intervened coronary segments after rosuvastatin treatment in patients with angina pectoris and hypertension. International Journal of Cardiology, 2015, 187, 286-287. | 0.8 | 3 |
| 226 | Clinical impacts of high-sensitivity C-reactive protein reduction for secondary prevention in Asian patients with one-year survivor after acute myocardial infarction. International Journal of Cardiology, 2015, 193, 20-22. | 0.8 | 5 |
| 227 | Comparison of non-vitamin K antagonist oral anticoagulants and warfarin on clinical outcomes in atrial fibrillation patients with renal dysfunction. Europace, 2015, 17, ii69-ii75. | 0.7 | 21 |
| 228 | Red cell distribution width as a novel predictor for clinical outcomes in patients with paroxysmal atrial fibrillation. Europace, 2015, 17, ii83-ii88. | 0.7 | 33 |
| 229 | IDH2 deficiency promotes mitochondrial dysfunction and cardiac hypertrophy in mice. Free Radical Biology and Medicine, 2015, 80, 84-92. | 1.3 | 64 |
| 230 | Involvement of miR-34c in high glucose-insulted mesenchymal stem cells leads to inefficient therapeutic effect on myocardial infarction. Cellular Signalling, 2015, 27, 2241-2251. | 1.7 | 25 |
| 231 | Supermoon-like Thrombus at the Mitral Valve: Struggle between the Bad and the Worse. Heart Lung and Circulation, 2015, 24, e139-e140. | 0.2 | 0 |
| 232 | The 24-Month Prognosis of Patients With Positive or Intermediate Results in the Intracoronary Ergonovine Provocation Test. JACC: Cardiovascular Interventions, 2015, 8, 914-923. | 1.1 | 54 |
| 233 | Efficacy of cliostazol on inhibition of platelet aggregation, inflammation and myonecrosis in acute coronary syndrome patients undergoing percutaneous coronary intervention: The ACCEL-LOADING-ACS (ACCELerated Inhibition of Platelet Aggregation, Inflammation and Myonecrosis by) Tj ETQ | q 10180.78 | 43 12 4 rgBT /C |
| 234 | Comparative Effectiveness of Angiotensin II Receptor Blockers Versus Angiotensin-Converting Enzyme Inhibitors Following Contemporary Treatments in Patients with Acute Myocardial Infarction: Results from the Korean Working Group in Myocardial Infarction (KorMI) Registry. American Journal of Cardiovascular Drugs, 2015, 15, 439-449. | 1.0 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 235 | Culprit or multivessel revascularisation in ST-elevation myocardial infarction with cardiogenic shock. Heart, 2015, 101, 1225-1232. | 1.2 | 52 |
| 236 | A multicenter, non-comparative study to evaluate the efficacy and safety of fixed-dose olmesartan/amlodipine in Korean patients with hypertension who are naÃ-ve or non-responders to anti-hypertensive monotherapy (ACE-HY study). Clinical and Experimental Hypertension, 2015, 37, 482-489. | 0.5 | 5 |
| 237 | Graphene Potentiates the Myocardial Repair Efficacy of Mesenchymal Stem Cells by Stimulating the Expression of Angiogenic Growth Factors and Gap Junction Protein. Advanced Functional Materials, 2015, 25, 2590-2600. | 7.8 | 114 |
| 238 | Comparison of the effects of two low-density lipoprotein cholesterol goals for secondary prevention after acute myocardial infarction in real-world practice: â%¥50% reduction from baseline versus <70mg/dL. International Journal of Cardiology, 2015, 187, 478-485. | 0.8 | 12 |
| 239 | A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. Clinical Therapeutics, 2015, 37, 2581-2596.e3. | 1.1 | 13 |
| 240 | Prognostic Significance of Presenting Blood Pressure in Patients With ST-Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention. American Journal of Hypertension, 2015, 28, 797-805. | 1.0 | 11 |
| 241 | Impact of Postdischarge Statin Withdrawal on Long-Term Outcomes in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 2015, 115, 1-7. | 0.7 | 23 |
| 242 | The Impacts of Living Alone in in-Hospital and One-Year Clinical Outcomes after Acute Myocardial Infarction in Korean Patients. Journal of Lipid and Atherosclerosis, 2015, 4, 115. | 1.1 | 0 |
| 243 | Relationship between Neutrophil-to-Lymphocyte Ratio and Plaque Components in Patients with Coronary Artery Disease: Virtual Histology Intravascular Ultrasound Analysis. Journal of Korean Medical Science, 2014, 29, 950. | 1.1 | 19 |
| 244 | Genistein Promotes Endothelial Colony-Forming Cell (ECFC) Bioactivities and Cardiac Regeneration in Myocardial Infarction. PLoS ONE, 2014, 9, e96155. | 1.1 | 40 |
| 245 | The Association of Socioeconomic Status with Three-Year Clinical Outcomes in Patients with Acute Myocardial Infarction Who Underwent Percutaneous Coronary Intervention. Journal of Korean Medical Science, 2014, 29, 536. | 1.1 | 13 |
| 246 | miR-18a-5p MicroRNA Increases Vascular Smooth Muscle Cell Differentiation by Downregulating Syndecan4. Korean Circulation Journal, 2014, 44, 255. | 0.7 | 39 |
| 247 | Pheochromocytoma as a Rare Hidden Cause of Inverted Stress Cardiomyopathy. Journal of Cardiovascular Imaging, 2014, 22, 80. | 0.8 | 4 |
| 248 | Characteristics, In-Hospital and Long-Term Clinical Outcomes of Nonagenarian Compared with Octogenarian Acute Myocardial Infarction Patients. Journal of Korean Medical Science, 2014, 29, 527. | 1.1 | 11 |
| 249 | Successful Endovascular Aneurysm Repair for Abdominal Aortic Aneurysm in a Patient with Severe Coronary Artery Disease Undergoing Off-Pump Coronary Artery Bypass Grafting. Chonnam Medical Journal, 2014, 50, 31. | 0.5 | 2 |
| 250 | Current Status of Coronary Intervention in Patients with ST-Segment Elevation Myocardial Infarction and Multivessel Coronary Artery Disease. Korean Circulation Journal, 2014, 44, 131. | 0.7 | 4 |
| 251 | Angiopoietin-Like 4 Is Involved in the Poor Angiogenic Potential of High Glucose-Insulted Bone Marrow Stem Cells. Korean Circulation Journal, 2014, 44, 177. | 0.7 | 12 |
| 252 | Mesenchymal stem cells reciprocally regulate the M1/M2 balance in mouse bone marrow-derived macrophages. Experimental and Molecular Medicine, 2014, 46, e70-e70. | 3.2 | 395 |

| # | Article | IF | Citations |
|-----|--|------------------|-------------|
| 253 | Comparison of second-generation drug-eluting versus bare-metal stents in octogenarian patients with ST-segment elevation myocardial infarction. International Journal of Cardiology, 2014, 177, 1081-1084. | 0.8 | 6 |
| 254 | Gallic acid inhibits vascular calcification through the blockade of BMP2–Smad1/5/8 signaling pathway. Vascular Pharmacology, 2014, 63, 71-78. | 1.0 | 40 |
| 255 | Impact of Non–Chest Pain Complaint as a Presenting Symptom on Door-To-Balloon Time and Clinical Outcomes in Patients With Acute ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2014, 114, 1801-1809. | 0.7 | 4 |
| 256 | Protective role of 5â€azacytidine on myocardial infarction is associated with modulation of macrophage phenotype and inhibition of fibrosis. Journal of Cellular and Molecular Medicine, 2014, 18, 1018-1027. | 1.6 | 46 |
| 257 | A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure (<scp>KorAHF</scp>) registry. European Journal of Heart Failure, 2014, 16, 700-708. | 2.9 | 145 |
| 258 | Small Heterodimer Partner Blocks Cardiac Hypertrophy by Interfering With GATA6 Signaling. Circulation Research, 2014, 115, 493-503. | 2.0 | 17 |
| 259 | Predictors of recurrent sudden cardiac death in patients associated with coronary vasospasm. International Journal of Cardiology, 2014, 172, 460-461. | 0.8 | 11 |
| 260 | CHA2DS2-VASc scoring system as an initial method for screening high-risk patients in acute myocardial infarction. International Journal of Cardiology, 2014, 174, 777-780. | 0.8 | 7 |
| 261 | Regulation of MMP/TIMP by HUVEC transplantation attenuates ventricular remodeling in response to myocardial infarction. Life Sciences, 2014, 101, 15-26. | 2.0 | 15 |
| 262 | Piceatannol attenuates cardiac hypertrophy in an animal model through regulation of the expression and binding of the transcription factor GATA binding factor 6. FEBS Letters, 2014, 588, 1529-1536. | 1.3 | 15 |
| 263 | Comparison of peri-procedural platelet inhibition with prasugrel versus adjunctive cilostazol to dual anti-platelet therapy in patients with ST segment elevation myocardial infarction. Journal of Cardiology, 2014, 63, 99-105. | 0.8 | 10 |
| 264 | Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. American Journal of Cardiology, 2014, 114, 1658-1662. | 0.7 | 30 |
| 265 | Current Trend of Acute Myocardial Infarction in Korea (from the Korea Acute Myocardial Infarction) Tj ETQq1 1 0. | .784314 r 0.7 | gBŢ_/Overlo |
| 266 | Benefit of \hat{l}^2 -blocker treatment for patients with acute myocardial infarction and preserved systolic function after percutaneous coronary intervention. Heart, 2014, 100, 492-499. | 1.2 | 59 |
| 267 | Hypoglycemia at Admission in Patients With Acute Myocardial Infarction Predicts a Higher 30-Day Mortality in Patients With Poorly Controlled Type 2 Diabetes Than in Well-Controlled Patients. Diabetes Care, 2014, 37, 2366-2373. | 4.3 | 38 |
| 268 | Three-year clinical outcomes of staged, ad hoc and culprit-only percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction and multivessel disease. International Journal of Cardiology, 2014, 176, 505-507. | 0.8 | 14 |
| 269 | Impact of high admission blood pressure without history of hypertension on clinical outcomes of patients with acute myocardial infarction: From Korea Acute Myocardial Infarction Registry. International Journal of Cardiology, 2014, 172, e54-e58. | 0.8 | 7 |
| 270 | Comparison of sirolimus loaded PLGA-PEG Co-polymer coronary stent and bare metal stent in a porcine coronary restenosis model. Macromolecular Research, 2014, 22, 639-646. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | QRS morphology and ventricular dyssynchrony in patients with chronic right ventricular pacing. International Journal of Cardiology, 2014, 176, 962-968. | 0.8 | 11 |
| 272 | Clinical outcomes of everolimus- and zotarolimus-eluting stents in patients with acute myocardial infarction for small coronary artery disease. Journal of Cardiology, 2014, 63, 409-417. | 0.8 | 6 |
| 273 | Clinical impact of early intervention in octogenarians with non-ST-elevation myocardial infarction. International Journal of Cardiology, 2014, 172, 462-464. | 0.8 | 7 |
| 274 | Successful 13N-ammonia positron emission tomography-guided percutaneous coronary intervention in a patent with single coronary artery ostium suffering acute myocardial infarction. International Journal of Cardiology, 2014, 174, e81-e83. | 0.8 | 0 |
| 275 | Comparative assessment of angiotensin ii type 1 receptor blockers in the treatment of acute myocardial infarction: surmountable vs. insurmountable antagonist. International Journal of Cardiology, 2014, 170, 291-297. | 0.8 | 18 |
| 276 | Spironolactone lowers the rate of repeat revascularization in acute myocardial infarction patients treated with percutaneous coronary intervention. American Heart Journal, 2014, 168, 346-353.e3. | 1.2 | 5 |
| 277 | Effect of polymer-free TiO2 stent coated with abciximab or alpha lipoic acid in porcine coronary restenosis model. Journal of Cardiology, 2014, 64, 409-418. | 0.8 | 21 |
| 278 | Relation between renal function and neointimal tissue characteristics after drug-eluting stent implantation: Virtual histology-intravascular ultrasound analysis. Journal of Cardiology, 2014, 64, 98-104. | 0.8 | 6 |
| 279 | Determinants of quality of life in patients with atrial fibrillation. International Journal of Cardiology, 2014, 172, e300-e302. | 0.8 | 6 |
| 280 | Comparison of zotarolimus- and everolimus-eluting stents in patients with ST-elevation myocardial infarction and chronic kidney disease undergoing primary percutaneous coronary intervention. Journal of Cardiology, 2014, 64, 273-278. | 0.8 | 9 |
| 281 | Comparing High-Intensity Versus Low-to Moderate-Intensity Statin Therapy in Korean Patients with Acute Myocardial Infarction. Journal of Lipid and Atherosclerosis, 2014, 3, 97. | 1.1 | 6 |
| 282 | A case of myocardial involvement in lung cancer that mimics ST segment elevation in myocardial infarction. Korean Journal of Internal Medicine, 2014, 29, 525. | 0.7 | 5 |
| 283 | The scientific achievements of the decades in Korean Acute Myocardial Infarction Registry. Korean Journal of Internal Medicine, 2014, 29, 703. | 0.7 | 19 |
| 284 | Effects of Valsartan on Carotid Arterial Stiffness in Patients with Newly Diagnosed Hypertension: A Comparative Study with Global Arterial Stiffness. Journal of the Korean Society of Hypertension, 2014, 20, 21. | 0.2 | 1 |
| 285 | Comparison of Coronary Plaque and Stenosis Between Coronary Computed Tomography Angiography and Virtual Histology-Intravascular Ultrasound in Asymptomatic Patients with Risk Factors for Coronary Artery Disease. Journal of Lipid and Atherosclerosis, 2014, 3, 79. | 1.1 | 0 |
| 286 | Acute right heart failure caused by iatrogenic brachiocephalic arteriovenous fistula following orthopedic surgery. Korean Journal of Internal Medicine, 2014, 29, 529. | 0.7 | 0 |
| 287 | An optimal cardiothoracic ratio cut-off to predict clinical outcomes in patients with acute myocardial infarction. International Journal of Cardiovascular Imaging, 2013, 29, 1889-1897. | 0.7 | 5 |
| 288 | Clinical outcomes of low-dose aspirin administration in patients with variant angina pectoris. International Journal of Cardiology, 2013, 167, 2333-2334. | 0.8 | 19 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 289 | Different impact of mitral regurgitation on clinical outcomes according to timing of percutaneous coronary intervention in patients with non-ST segment elevation myocardial infarction. International Journal of Cardiology, 2013, 168, 4872-4874. | 0.8 | 5 |
| 290 | The impact of triple anti-platelet therapy for endothelialization and inflammatory response at overlapping bioabsorbable polymer coated drug-eluting stents in a porcine coronary model. International Journal of Cardiology, 2013, 168, 1853-1858. | 0.8 | 7 |
| 291 | The efficacy and safety of drug-eluting stents in patients with acute myocardial infarction: Results from Korea Acute Myocardial Infarction (KAMIR). International Journal of Cardiology, 2013, 163, 1-4. | 0.8 | 21 |
| 292 | Restoration of angiogenic capacity of diabetes-insulted mesenchymal stem cells by oxytocin. BMC Cell Biology, 2013, 14, 38. | 3.0 | 37 |
| 293 | Effect of Atorvastatin-Eluting Stents in a Rabbit Iliac Artery Restenosis Model. Chonnam Medical Journal, 2013, 49, 118. | 0.5 | 7 |
| 294 | A Bumpy and Winding but Right Path to Domestic Drug-Eluting Coronary Stents. Korean Circulation Journal, 2013, 43, 645. | 0.7 | 4 |
| 295 | Successful Percutaneous Coronary Intervention in a Young Male Systemic Lupus Erythematosus Patient with Acute Myocardial Infarction. Journal of Lipid and Atherosclerosis, 2013, 2, 91. | 1.1 | 0 |
| 296 | Successful Endovascular Aortic Repair in a Young Female with Takayasu's Arteritis Presenting with Uncontrolled Hypertension. Journal of Lipid and Atherosclerosis, 2013, 2, 97. | 1.1 | 0 |
| 297 | Progressive Dilation of the Left Atrium and Ventricle after Acute Myocardial Infarction Is Associated with High Mortality. Korean Circulation Journal, 2013, 43, 731. | 0.7 | 15 |
| 298 | Histopathological Comparison among Biolimus, Zotarolimus and Everolimus-Eluting Stents in Porcine Coronary Restenosis Model. Korean Circulation Journal, 2013, 43, 744. | 0.7 | 10 |
| 299 | New Horizons of Acute Myocardial Infarction: From the Korea Acute Myocardial Infarction Registry. Journal of Korean Medical Science, 2013, 28, 173. | 1.1 | 18 |
| 300 | The Impact of Vascular Access for In-Hospital Major Bleeding in Patients with Acute Coronary Syndrome at Moderate- to Very High-Bleeding Risk. Journal of Korean Medical Science, 2013, 28, 1307. | 1.1 | 7 |
| 301 | Single coronary artery originating from the right aortic sinus without a left anterior descending and circumflex artery in conventional swine. Laboratory Animal Research, 2013, 29, 226. | 1.1 | 0 |
| 302 | Can Pulse Pressure Predict the White-Coat Effect in Treated Hypertensive Patients?. Clinical and Experimental Hypertension, 2012, 34, 555-560. | 0.5 | 8 |
| 303 | Priming of Mesenchymal Stem Cells with Oxytocin Enhances the Cardiac Repair in Ischemia/Reperfusion Injury. Cells Tissues Organs, 2012, 195, 428-442. | 1.3 | 69 |
| 304 | Unusual cause of heart failure: Mitral stenosis and pulmonary venous obstructions caused by the direct invasion of primary cardiac sarcoma. Journal of Cardiology Cases, 2012, 6, e150-e153. | 0.2 | 2 |
| 305 | N-cadherin Determines Individual Variations in the Therapeutic Efficacy of Human Umbilical Cord Blood-derived Mesenchymal Stem Cells in a Rat Model of Myocardial Infarction. Molecular Therapy, 2012, 20, 155-167. | 3.7 | 50 |
| 306 | A Long Road for Stem Cells to Cure Sick Hearts: Update on Recent Clinical Trials. Korean Circulation Journal, 2012, 42, 71. | 0.7 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 307 | Clinical impact of thrombus aspiration during primary percutaneous coronary intervention: Results from Korea Acute Myocardial Infarction Registry. Journal of Cardiology, 2012, 59, 249-257. | 0.8 | 22 |
| 308 | Different Impact of Diabetes Mellitus on In-Hospital and 1-Year Mortality in Patients with Acute Myocardial Infarction Who Underwent Successful Percutaneous Coronary Intervention: Results from the Korean Acute Myocardial Infarction Registry. Korean Journal of Internal Medicine, 2012, 27, 180. | 0.7 | 27 |
| 309 | Comparison of Clinical Outcomes between ST-Segment Elevation Myocardial Infarction and Non-ST-Segment Elevation Myocardial Infarction in Patients Younger Than 40 Years Who Underwent Percutaneous Coronary Artery Intervention. Korean Journal of Medicine, 2012, 82, 175. | 0.1 | 2 |
| 310 | Recurrent Stent Thrombosis and Pulmonary Thromboembolism Associated with Hyperhomocysteinemia. Journal of Lipid and Atherosclerosis, 2012, 1, 95. | 1.1 | 0 |
| 311 | A Rapid Improvement of Heart Failure after Treatment of Hyperthyroidism. Journal of Lipid and Atherosclerosis, 2012, 1, 101. | 1.1 | 0 |
| 312 | Benefit of Early Statin Therapy in Patients With Acute Myocardial Infarction Who Have Extremely Low Low-Density Lipoprotein Cholesterol. Journal of the American College of Cardiology, 2011, 58, 1664-1671. | 1.2 | 99 |
| 313 | What is optimal revascularization strategy in patients with multivessel coronary artery disease in non-ST-elevation myocardial infarction? Multivessel or culprit-only revascularization. International Journal of Cardiology, 2011, 153, 148-153. | 0.8 | 49 |
| 314 | Effects of sildenafil in combination with angiotensin-converting enzyme inhibitor on limiting infarct expansion in a porcine model of acute myocardial infarction. International Journal of Cardiology, 2011, 146, 459-460. | 0.8 | 5 |
| 315 | Early Statin Therapy Within 48 Hours Decreased One-Year Major Adverse Cardiac Events in Patients With Acute Myocardial Infarction. International Heart Journal, 2011, 52, 1-6. | 0.5 | 12 |
| 316 | Effectiveness of Drug-Eluting Stents versus Bare-Metal Stents in Large Coronary Arteries in Patients with Acute Myocardial Infarction. Journal of Korean Medical Science, 2011, 26, 521. | 1.1 | 23 |
| 317 | Characteristics, Outcomes and Predictors of Long-Term Mortality for Patients Hospitalized for Acute Heart Failure: A Report From the Korean Heart Failure Registry. Korean Circulation Journal, 2011, 41, 363. | 0.7 | 105 |
| 318 | Value of Early Risk Stratification Using Hemoglobin Level and Neutrophil-to-Lymphocyte Ratio in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2011, 107, 849-856. | 0.7 | 89 |
| 319 | Hospital Discharge Risk Score System for the Assessment of Clinical Outcomes in Patients With Acute Myocardial Infarction (Korea Acute Myocardial Infarction Registry [KAMIR] Score). American Journal of Cardiology, 2011, 107, 965-971.e1. | 0.7 | 35 |
| 320 | Role of Intravascular Ultrasound in Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. American Journal of Cardiology, 2011, 108, 8-14. | 0.7 | 37 |
| 321 | The role of 64-slice multi-detector computed tomography in the detection of subclinical atherosclerosis of the coronary artery. International Journal of Cardiovascular Imaging, 2010, 26, 253-259. | 0.7 | 2 |
| 322 | Low-Density Lipoprotein Cholesterol Level in Patients With Acute Myocardial Infarction Having Percutaneous Coronary Intervention (the Cholesterol Paradox). American Journal of Cardiology, 2010, 106, 1061-1068. | 0.7 | 62 |
| 323 | Successful management of huge floating thrombus within aortic arch in a patient with old myocardial infarction. Journal of Cardiology Cases, 2010, 2, e1-e3. | 0.2 | 1 |
| 324 | A case of asymptomatic giant coronary aneurysm with atrioventricular fistula. Journal of Cardiology Cases, 2010, 2, e71-e73. | 0.2 | 1 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 325 | Promigratory Activity of Oxytocin on Umbilical Cord Bloodâ€Derived Mesenchymal Stem Cells. Artificial Organs, 2010, 34, 453-461. | 1.0 | 29 |
| 326 | A new risk score system for the assessment of clinical outcomes in patients with non-ST-segment elevation myocardial infarction. International Journal of Cardiology, 2010, 145, 450-454. | 0.8 | 30 |
| 327 | Early Initiation of Statin Treatment Immediately after Acute Myocardial Infarction Improves Clinical Outcomes. Chonnam Medical Journal, 2010, 46, 25. | 0.1 | 0 |
| 328 | TNF-alpha enhances engraftment of mesenchymal stem cells into infarcted myocardium. Frontiers in Bioscience - Landmark, 2009, Volume, 2845. | 3.0 | 48 |
| 329 | Inhibitory Effect of Double Coating with Echinomycin and Hydrophobic Heparin in a Porcine Coronary In-Stent Restenosis Model. Chonnam Medical Journal, 2009, 45, 87. | 0.1 | 0 |
| 330 | Enhanced angiogenesis mediated by vascular endothelial growth factor plasmid-loaded thermo-responsive amphiphilic polymer in a rat myocardial infarction model. Journal of Controlled Release, 2009, 138, 168-176. | 4.8 | 31 |
| 331 | Safety and Benefit of Early Elective Percutaneous Coronary Intervention After Successful Thrombolytic Therapy for Acute Myocardial Infarction. American Journal of Cardiology, 2009, 103, 1333-1338. | 0.7 | 12 |
| 332 | Randomized Comparison of Cilostazol vs Clopidogrel After Drug-Eluting Stenting in Diabetic Patients Clilostazol for Diabetic Patients in Drug-Eluting Stent (CIDES) Trial. Circulation Journal, 2008, 72, 35-39. | 0.7 | 46 |
| 333 | Anti-inflammatory Effect of Abciximab-Coated Stent in a Porcine Coronary Restenosis Model. Journal of Korean Medical Science, 2007, 22, 802. | 1.1 | 17 |
| 334 | The Frequency, Treatment and Clinical Outcomes of Stent Thrombosis after Use of TAXUSâ,, \$\text{\$\text{Stent}}\$. Korean Circulation Journal, 2007, 37, 641. | 0.7 | 3 |
| 335 | The Role of Nuclear Factor Kappa B Activation in Atherosclerosis and Ischemic Cardiac Injury. Korean Circulation Journal, 2006, 36, 245. | 0.7 | 5 |
| 336 | Curcumin Attenuates Nuclear Factor-lºB, c-Jun N-Terminal Kinase and p38 in Tumor Necrosis Factor-l±-Stimulated Endothelial Cells. Korean Circulation Journal, 2006, 36, 482. | 0.7 | 8 |
| 337 | Clinical Features and Long-Term Clinical Outcomes of Adult Atrial Septal Defects. Korean Circulation Journal, 2006, 36, 695. | 0.7 | 2 |
| 338 | In vivo bioluminescence imaging of cord blood derived mesenchymal stem cell transplantation into rat myocardium. Annals of Nuclear Medicine, 2006, 20, 165-170. | 1.2 | 46 |
| 339 | The effects of mesenchymal stem cells transduced with Akt in a porcine myocardial infarction model. Cardiovascular Research, 2006, 70, 530-542. | 1.8 | 149 |
| 340 | Changing paradigm for neointimal cell origin: Is restenosis a blood-borne disease?. Catheterization and Cardiovascular Interventions, 2005, 64, 468-470. | 0.7 | 1 |
| 341 | Rapid progression from hypertrophic cardiomyopathy to heart failure in a patient with Becker's muscular dystrophy. European Journal of Heart Failure, 2005, 7, 684-688. | 2.9 | 13 |
| 342 | Carvedilol Inhibits Expressions of Vascular Cell Adhesion Molecule-1, Intercellular Adhesion Molecule-1, Monocyte Chemoattractant-1, and Interleukin-8 via NF-kappaB Inhibition in Human Endothelial Cells. Korean Circulation Journal, 2005, 35, 576. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Pacemaker Lead Endocarditis Caused by Achromobacter xylosoxidans. Journal of Korean Medical Science, 2004, 19, 291. | 1.1 | 21 |
| 344 | Is Cilostazol Effective in the Prevention of Coronary Stent Restenosis?. Sunhwan'gi, 2004, 34, 441. | 0.3 | 0 |
| 345 | Characteristics of Patients with Vasospastic Angina in Korea: Data from a Large Cohort (VA-KOREA). Cardiovascular Prevention and Pharmacotherapy, 0, 3, . | 0.0 | 0 |