

Tania S Douglas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8150373/tania-s-douglas-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

1,076
citations

18
h-index

28
g-index

125
ext. papers

1,297
ext. citations

2.7
avg, IF

4.56
L-index

#	Paper	IF	Citations
106	Critical elements in the design, development and use of medical devices. A systemic perspective of orthopedic devices landscape in low- and middle-income countries. <i>Health Policy and Technology</i> , 2022 , 11, 100593	4.8	3
105	Engaging Communities on Health Innovation: Experiences in Implementing Design Thinking. <i>International Quarterly of Community Health Education</i> , 2020 , 41, 101-114	1	7
104	A Gaussian Process Model Based Generative Framework for Data Augmentation of Multi-modal 3D Image Volumes. <i>Lecture Notes in Computer Science</i> , 2020 , 90-100	0.9	3
103	Dynamic Multi-object Gaussian Process Models. <i>Lecture Notes in Computer Science</i> , 2020 , 755-764	0.9	2
102	A user-centred design framework for mHealth. <i>PLoS ONE</i> , 2020 , 15, e0237910	3.7	22
101	Learning by solving as a pedagogical approach to inclusive health innovation. <i>Development Southern Africa</i> , 2020 , 37, 418-431	1.4	1
100	A user-centred design framework for mHealth 2020 , 15, e0237910		
99	A user-centred design framework for mHealth 2020 , 15, e0237910		
98	A user-centred design framework for mHealth 2020 , 15, e0237910		
97	A user-centred design framework for mHealth 2020 , 15, e0237910		
96	A user-centred design framework for mHealth 2020 , 15, e0237910		
95	A user-centred design framework for mHealth 2020 , 15, e0237910		
94	Design Thinking as a Complement to Human Factors Engineering for Enhancing Medical Device Usability. <i>Engineering Studies</i> , 2019 , 11, 34-50	1.5	5
93	The scientific base for orthopaedic device development in South Africa: spatial and sectoral evolution of knowledge development. <i>Scientometrics</i> , 2019 , 119, 31-54	3	2
92	MEDICAL DEVICE INNOVATION IN SOUTH AFRICA: EVOLUTION OF COLLABORATION NETWORKS (2001-2013). <i>South African Journal of Industrial Engineering</i> , 2019 , 30,	1.7	3
91	Natural ventilation as a means of airborne tuberculosis infection control in minibus taxis. <i>South African Journal of Science</i> , 2019 , 115,	1.3	1
90	Statistical shape-kinematics models of the skeletal joints: Application to the shoulder complex. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 4815-4818	0.9	2

89	Review of 2-D/3-D Reconstruction Using Statistical Shape and Intensity Models and X-Ray Image Synthesis: Toward a Unified Framework. <i>IEEE Reviews in Biomedical Engineering</i> , 2019 , 12, 269-286	6.4	17
88	Towards the socialization of science, technology and innovation for African development. <i>African Journal of Science, Technology, Innovation and Development</i> , 2018 , 10, 110-113	0.7	2
87	Open source modular ptosis crutch for the treatment of myasthenia gravis. <i>Expert Review of Medical Devices</i> , 2018 , 15, 137-143	3.5	3
86	Medical device regulation in South Africa: The Medicines and Related Substances Amendment Act 14 of 2015. <i>South African Medical Journal</i> , 2018 , 108, 168-170	1.5	4
85	Nanomedicine for drug delivery in South Africa: a protocol for systematic review. <i>Systematic Reviews</i> , 2018 , 7, 154	3	4
84	2018 ,		1
83	Mobile phone-based evaluation of latent tuberculosis infection: Proof of concept for an integrated image capture and analysis system. <i>Computers in Biology and Medicine</i> , 2018 , 98, 76-84	7	9
82	Architecture of a village small cell network for mobile health 2018 ,		1
81	A modified stakeholder participation assessment framework for design thinking in health innovation. <i>Healthcare</i> , 2018 , 6, 191-196	1.8	21
80	The sociology of space as a catalyst for innovation in the health sector. <i>Social Science and Medicine</i> , 2017 , 180, 36-44	5.1	5
79	A statistical shape model of the skull developed from a South African population. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 333-336	0.9	1
78	The medical device development landscape in South Africa: Institutions, sectors and collaboration. <i>South African Journal of Science</i> , 2017 , 113,	1.3	3
77	Detecting Breast Cancer with a Dual-Modality Device. <i>Diagnostics</i> , 2017 , 7,	3.8	2
76	Towards understanding the drivers of policy change: a case study of infection control policies for multi-drug resistant tuberculosis in South Africa. <i>Health Research Policy and Systems</i> , 2017 , 15, 41	3.7	11
75	Interactive patient-specific 3D approximation of scapula bone shape from 2D X-ray images using landmark-constrained statistical shape model fitting. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 1816-1819	0.9	1
74	Measurement of Skin Induration Size Using Smartphone Images and Photogrammetric Reconstruction: Pilot Study. <i>JMIR Biomedical Engineering</i> , 2017 , 2, e3	1.3	7
73	The Impact of mHealth Interventions on Breast Cancer Awareness and Screening: Systematic Review Protocol. <i>JMIR Research Protocols</i> , 2017 , 6, e246	2	8
72	Does the DHET research output subsidy model penalise high-citation publication? A case study. <i>South African Journal of Science</i> , 2016 , Volume 112,	1.3	3

71	Testing a dual-modality system that combines full-field digital mammography and automated breast ultrasound. <i>Clinical Imaging</i> , 2016 , 40, 498-505	2.7	10
70	Femoral neck anteversion measurement using linear slot scanning radiography. <i>Medical Engineering and Physics</i> , 2016 , 38, 187-91	2.4	3
69	Monte-Carlo simulation of a slot-scanning X-ray imaging system. <i>Physica Medica</i> , 2016 , 32, 284-9	2.7	5
68	Monte-Carlo simulation of a slot-scanning digital mammography system for tomosynthesis. <i>Journal of X-Ray Science and Technology</i> , 2016 , 24, 191-206	2.1	1
67	The impact of mHealth interventions on health systems: a systematic review protocol. <i>Systematic Reviews</i> , 2016 , 5, 200	3	14
66	Minimally invasive transcatheter aortic valve implantation for the treatment of rheumatic heart disease in developing countries. <i>Expert Review of Medical Devices</i> , 2016 , 13, 979-985	3.5	3
65	Dual-Energy X-Ray Absorptiometry for Measurement of Phalangeal Bone Mineral Density on a Slot-Scanning Digital Radiography System. <i>IEEE Transactions on Biomedical Engineering</i> , 2015 , 62, 2850-95		7
64	Sectoral collaboration networks for cardiovascular medical device development in South Africa. <i>Scientometrics</i> , 2015 , 105, 1721-1741	3	8
63	A review of cellphone microscopy for disease detection. <i>Journal of Microscopy</i> , 2015 , 260, 248-59	1.9	16
62	Focus areas of cardiovascular medical device research in South Africa. <i>South African Medical Journal</i> , 2015 , 106, 55-6	1.5	
61	Filtration to reduce paediatric dose for a linear slot-scanning digital X-ray machine. <i>Radiation Protection Dosimetry</i> , 2015 , 167, 552-61	0.9	2
60	Computed digital absorptiometry for measurement of phalangeal bone mineral mass on a slot-scanning digital radiography system. <i>Osteoporosis International</i> , 2014 , 25, 2625-30	5.3	3
59	Computer assisted detection of abnormal airway variation in CT scans related to paediatric tuberculosis. <i>Medical Image Analysis</i> , 2014 , 18, 963-76	15.4	5
58	Automated Fluorescence Microscope for Tuberculosis Detection1. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2014 , 8,	1.3	4
57	Additive manufacturing: From implants to organs. <i>South African Medical Journal</i> , 2014 , 104, 408-9	1.5	6
56	Image-based analysis of droplets in microfluidics. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 1776-9	0.9	2
55	Automated detection of malaria in Giemsa-stained thin blood smears. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 3698-701	0.9	18
54	Comparison of image fusion and focus function-based techniques for autofocusing in fluorescence microscopy for tuberculosis screening. <i>International Journal of Medical Engineering and Informatics</i> , 2013 , 5, 177	0.5	1

53	Effect of aluminium filtration on dose and image quality in paediatric slot-scanning radiography. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2013, 2013, 2332-5</i>	0.9	
52	Model-based segmentation of the middle phalanx in digital radiographic images of the hand. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2013, 2013, 3702-5</i>	0.9	4
51	Contextual innovation and social engagement: From impact factor to impact. <i>South African Journal of Science, 2013, 109, 1-2</i>	1.3	3
50	Are linear measurements and computerized volumetric ratios determined from axial MRI useful for diagnosing hydrocephalus in children with tuberculous meningitis?. <i>Childs Nervous System, 2012, 28, 79-85</i>	1.7	6
49	Creating a virtual slide map from sputum smear images for region-of-interest localisation in automated microscopy. <i>Computer Methods and Programs in Biomedicine, 2012, 108, 38-52</i>	6.9	6
48	Interactive segmentation of airways from chest X-ray images using active shape models. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 2012, 1498-501</i>	0.9	
47	Radiological findings at a South African forensic pathology laboratory in cases of sudden unexpected death in infants. <i>South African Journal of Radiology, 2012, 16, 4-6</i>	0.6	
46	Biomedical engineering at UCT - challenges and opportunities. <i>South African Medical Journal, 2012, 102, 456</i>	1.5	
45	. <i>IEEE Technology and Society Magazine, 2012, 31, 51-57</i>	0.8	2
44	Drivers and restrainers of relevance in graduate BME education - a South African study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 2012, 5054-7</i>	0.9	
43	Measurement of prevertebral cervical soft tissue thickness on lateral digital radiographs. <i>Journal of Pediatric Orthopaedics, 2012, 32, 249-52</i>	2.4	2
42	Hierarchical information-based clustering for connectivity-based cortex parcellation. <i>Frontiers in Neuroinformatics, 2011, 5, 18</i>	3.9	28
41	Precision assessment of stereo-photogrammetrically derived facial landmarks in infants. <i>Annals of Anatomy, 2011, 193, 100-5</i>	2.9	8
40	Improved red blood cell counting in thin blood smears 2011,		18
39	Image fusion for autofocusing in fluorescence microscopy for tuberculosis screening 2011,		1
38	Creating a virtual slide map of sputum smears by auto-stitching. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2011, 2011, 5088-91</i>	0.9	1
37	Biomedical engineering education in developing countries: research synthesis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2011, 2011, 3628-30</i>	0.9	4
36	Automated focusing in bright-field microscopy for tuberculosis detection. <i>Journal of Microscopy, 2010, 240, 155-63</i>	1.9	52

35	Automated detection of tuberculosis in Ziehl-Neelsen-stained sputum smears using two one-class classifiers. <i>Journal of Microscopy</i> , 2010 , 237, 96-102	1.9	31
34	Motion artifact removal for functional near infrared spectroscopy: a comparison of methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2010 , 57, 1377-87	5	94
33	Classification of Mycobacterium tuberculosis in images of ZN-stained sputum smears. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2010 , 14, 949-57		66
32	Morphometric analysis and classification of the facial phenotype associated with fetal alcohol syndrome in 5- and 12-year-old children. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 32-41	2.5	19
31	A review of facial image analysis for delineation of the facial phenotype associated with fetal alcohol syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 528-36	2.5	20
30	Computer-aided detection of pulmonary pathology in pediatric chest radiographs. <i>Lecture Notes in Computer Science</i> , 2010 , 13, 619-25	0.9	7
29	2009 ,		7
28	Modeling, validation and application of a mathematical tissue-equivalent breast phantom for linear slot-scanning digital mammography. <i>Physics in Medicine and Biology</i> , 2009 , 54, 1533-53	3.8	5
27	Digital radiographic measurement of the main bronchi: a pilot study. <i>Annals of Tropical Paediatrics</i> , 2009 , 29, 209-16		5
26	Design, construction, and testing of a stereo-photogrammetric tool for the diagnosis of fetal alcohol syndrome in infants. <i>IEEE Transactions on Medical Imaging</i> , 2009 , 28, 1448-58	11.7	14
25	The use of the Statscan digital X-ray unit in paediatric polytrauma. <i>Pediatric Radiology</i> , 2009 , 39, 433-7	2.8	16
24	A pilot study evaluating erect chest imaging in children, using the Lodox Statscan digital X-ray machine. <i>South African Journal of Radiology</i> , 2009 , 13, 80	0.6	2
23	Radiation dose from a linear slit scanning X-ray machine with full-body imaging capabilities. <i>Radiation Protection Dosimetry</i> , 2008 , 130, 482-9	0.9	20
22	Early detection of fractures with low-dose digital X-ray images in a pediatric trauma unit. <i>Journal of Trauma</i> , 2008 , 65, E4-7		10
21	A pilot study evaluating the "STATSCAN" digital X-ray machine in paediatric polytrauma. <i>Emergency Radiology</i> , 2008 , 15, 35-42	3	21
20	Fuzzy clustering to detect tuberculous meningitis-associated hyperdensity in CT images. <i>Computers in Biology and Medicine</i> , 2008 , 38, 165-70	7	13
19	Stereo image matching for facial feature measurement to aid in fetal alcohol syndrome screening. <i>Medical Engineering and Physics</i> , 2007 , 29, 459-64	2.4	9
18	Morphometric analysis of facial landmark data to characterize the facial phenotype associated with fetal alcohol syndrome. <i>Journal of Anatomy</i> , 2007 , 210, 209-20	2.9	31

17	Evaluation of autofocus algorithms for tuberculosis microscopy. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 3489-92		13
16	Digital radiographic measurement of the atlantodental interval in children. <i>Journal of Pediatric Orthopaedics</i> , 2007 , 27, 23-6	2.4	17
15	Eye measurements in 7-year-old black South African children. <i>Annals of Human Biology</i> , 2006 , 33, 241-54	1.7	13
14	Causes and distribution of facial fractures in a group of South African children and the value of computed tomography in their assessment. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2006 , 35, 903-6	2.9	15
13	Multiple injuries diagnosed using full-body digital x-ray. <i>Journal of Pediatric Surgery</i> , 2006 , 41, e25-8	2.6	3
12	Short emergency department length of stay attributed to full-body digital radiography--a review of 3 paediatric cases. <i>South African Medical Journal</i> , 2006 , 96, 613-4	1.5	6
11	Fuzzy clustering of CT images for the measurement of hydrocephalus associated with tuberculous meningitis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2005 , 2005, 4014-6		2
10	Three-dimensional point localisation in low-dose X-ray images using stereo-photogrammetry. <i>Medical and Biological Engineering and Computing</i> , 2004 , 42, 37-43	3.1	8
9	Image processing for craniofacial landmark identification and measurement: a review of photogrammetry and cephalometry. <i>Computerized Medical Imaging and Graphics</i> , 2004 , 28, 401-9	7.6	62
8	Eye feature extraction for diagnosing the facial phenotype associated with fetal alcohol syndrome. <i>Medical and Biological Engineering and Computing</i> , 2003 , 41, 101-6	3.1	30
7	Role of depth in eye distance measurements: comparison of single and stereo-photogrammetry. <i>American Journal of Human Biology</i> , 2003 , 15, 573-8	2.7	14
6	Ultrasound image matching using genetic algorithms. <i>Medical and Biological Engineering and Computing</i> , 2002 , 40, 168-72	3.1	3
5	A stereo-photogrammetric method to measure the facial dysmorphology of children in the diagnosis of fetal alcohol syndrome. <i>Medical Engineering and Physics</i> , 2002 , 24, 683-9	2.4	40
4	Ultrasound imaging in lower limb prosthetics. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2002 , 10, 11-21	4.8	29
3	Evaluation of Preoperative Patient Education and Computer-Assisted Patient Instruction. <i>Journal of Spinal Disorders</i> , 1998 , 11, 29-35		6
2	Automatic segmentation of magnetic resonance images of the trans-femoral residual limb. <i>Medical Engineering and Physics</i> , 1998 , 20, 756-63	2.4	9
1	Automatic boundary extraction from magnetic resonance images of the residual limb of a trans-femoral amputee		1