

Michelle Mh Hall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8150412/publications.pdf>

Version: 2024-02-01

74
papers

1,552
citations

331670
21
h-index

345221
36
g-index

77
all docs

77
docs citations

77
times ranked

1929
citing authors

#	ARTICLE	IF	CITATIONS
1	How does hip osteoarthritis differ from knee osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 32-41.	1.3	54
2	Feasibility of personalised hip load modification using real-time biofeedback in hip osteoarthritis: A pilot study. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100230.	2.0	6
3	Quadriceps muscle strength at 2Âyears following anterior cruciate ligament reconstruction is associated with tibiofemoral joint cartilage volume. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1949-1957.	4.2	5
4	Walking-related knee contact forces and associations with knee pain across people with mild, moderate and severe radiographic knee osteoarthritis: a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 832-842.	1.3	5
5	Effects of adding a diet intervention to exercise on hip osteoarthritis pain: protocol for the ECHO randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 215.	1.9	2
6	Effects of adding aerobic physical activity to strengthening exercise on hip osteoarthritis symptoms: protocol for the PHOENIX randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 361.	1.9	1
7	Muscle Forces during Weightbearing Exercises in Medial Knee Osteoarthritis and Varus Malalignment: A Cross-sectional Study. <i>Medicine and Science in Sports and Exercise</i> , 2022, Publish Ahead of Print, .	0.4	2
8	What is real change in submaximal cardiorespiratory fitness in older adults? Retrospective analysis of a clinical trial. <i>Sports Medicine - Open</i> , 2022, 8, 59.	3.1	0
9	Effect of a valgus brace on medial tibiofemoral joint contact force in knee osteoarthritis with varus malalignment: A within-participant cross-over randomised study with an uncontrolled observational longitudinal follow-up. <i>PLoS ONE</i> , 2022, 17, e0257171.	2.5	3
10	Tibiofemoral contact force differences between flat flexible and stable supportive walking shoes in people with varus-malaligned medial knee osteoarthritis: A randomized cross-over study. <i>PLoS ONE</i> , 2022, 17, e0269331.	2.5	3
11	The Impact of Financial Incentives on Physical Activity: A Systematic Review and Meta-Analysis. <i>American Journal of Health Promotion</i> , 2021, 35, 236-249.	1.7	19
12	Trunk, pelvis and lower limb walking biomechanics are similarly altered in those with femoroacetabular impingement syndrome regardless of cam morphology size. <i>Gait and Posture</i> , 2021, 83, 26-34.	1.4	23
13	Multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapist-led care for femoroacetabular impingement (FAI) syndrome on hip cartilage metabolism: the Australian FASHIoN trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 697.	1.9	30
14	Comparative effectiveness of exercise programs for psychological well-being in knee osteoarthritis: A systematic review and network meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 1023-1032.	3.4	16
15	A most painful knee does not induce interlimb differences in knee and hip moments during gait in patients with knee osteoarthritis. <i>Clinical Biomechanics</i> , 2021, 89, 105455.	1.2	2
16	How do middle-aged and older adults with chronic hip pain view their health problem and its care? A protocol for a systematic review and qualitative evidence synthesis. <i>BMJ Open</i> , 2021, 11, e053084.	1.9	1
17	Editorial: Neuromechanics of Hip Osteoarthritis. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 788263.	1.8	1
18	Running-related muscle activation patterns and tibial acceleration across puberty. <i>Journal of Electromyography and Kinesiology</i> , 2020, 50, 102381.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Effect of exercise on pain processing and motor output in people with knee osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1501-1513.	1.3	19
20	Footwear and Cadence Affect Gait Variability in Runners with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1354-1360.	0.4	7
21	Effect of exercise on knee joint contact forces in people following medial partial meniscectomy: A secondary analysis of a randomised controlled trial. <i>Gait and Posture</i> , 2020, 79, 203-209.	1.4	9
22	Alterations in medial-lateral postural control after anterior cruciate ligament reconstruction during stair use. <i>Gait and Posture</i> , 2020, 77, 283-287.	1.4	3
23	Hip joint kinematics and segment coordination variability according to pain and structural disease severity in hip osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1836-1844.	2.3	6
24	Effect of gait retraining on segment coordination and joint variability in individuals with patellofemoral pain. <i>Clinical Biomechanics</i> , 2020, 80, 105179.	1.2	7
25	Diet-induced weight loss alone or combined with exercise in overweight or obese people with knee osteoarthritis: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 765-777.	3.4	71
26	The effects of behavioural counselling on the determinants of health behaviour change in adults with chronic musculoskeletal conditions making lifestyle changes: A systematic review and meta-analysis. <i>Musculoskeletal Care</i> , 2019, 17, 170-197.	1.4	11
27	Does baseline and change in lower extremity lean and fat composition over 5 years predict the incidence of radiographic knee osteoarthritis in women?. <i>Osteoarthritis and Cartilage</i> , 2019, 27, S466-S467.	1.3	0
28	Hip joint moments in symptomatic vs. asymptomatic people with mild radiographic hip osteoarthritis. <i>Journal of Biomechanics</i> , 2019, 96, 109347.	2.1	7
29	Contemporary Non-Surgical Considerations in the Management of People with Extra- and Intra-Articular Hip Pathologies. , 2019, , .		1
30	Immediate effects of valgus knee bracing on tibiofemoral contact forces and knee muscle forces. <i>Gait and Posture</i> , 2019, 68, 55-62.	1.4	22
31	Effects of long-term exercise therapy on knee joint structure in people with knee osteoarthritis: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 941-949.	3.4	29
32	Body weight support through a walking cane in inexperienced users with knee osteoarthritis. <i>Gait and Posture</i> , 2019, 67, 50-56.	1.4	4
33	Hip joint moments during walking in people with hip osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1415-1424.	1.3	23
34	Trunk, pelvis and hip biomechanics in individuals with femoroacetabular impingement syndrome: Strategies for step ascent. <i>Gait and Posture</i> , 2018, 61, 176-182.	1.4	24
35	Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics. <i>Gait and Posture</i> , 2018, 61, 459-465.	1.4	12
36	Knee extensor strength gains mediate symptom improvement in knee osteoarthritis: secondary analysis of a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 495-500.	1.3	54

#	ARTICLE	IF	CITATIONS
37	The role of skeletal muscle in the pathophysiology and management of knee osteoarthritis. <i>Rheumatology</i> , 2018, 57, iv22-iv33.	1.9	33
38	The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 574-578.	1.3	41
39	Gait retraining versus foot orthoses for patellofemoral pain: a pilot randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 457-461.	1.3	31
40	Frontal plane hip joint loading according to pain severity in people with hip osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1637-1644.	2.3	8
41	Factors Influencing Cane Use for the Management of Knee Osteoarthritis: A Cross-sectional Survey. <i>Arthritis Care and Research</i> , 2018, 70, 1455-1460.	3.4	4
42	Poor knee function after ACL reconstruction is associated with attenuated landing force and knee flexion moment during running. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 391-398.	4.2	17
43	Sex-specific walking kinematics and kinetics in individuals with unilateral, symptomatic hip osteoarthritis: A cross sectional study. <i>Gait and Posture</i> , 2018, 65, 234-239.	1.4	12
44	Does frontal knee kinematics predict treatment outcomes? Exploratory analyses from the Intensive Diet and Exercise for Arthritis (IDEA) trial. <i>Gait and Posture</i> , 2018, 63, 139-144.	1.4	3
45	The impact of financial incentives on physical activity in adults: a systematic review protocol. <i>Systematic Reviews</i> , 2018, 7, 21.	5.3	4
46	Knee Biomechanics During Jogging After Arthroscopic Partial Meniscectomy: A Longitudinal Study. <i>American Journal of Sports Medicine</i> , 2017, 45, 1872-1880.	4.2	5
47	Reliability and measurement error of the Osteoarthritis Research Society International (OARSI) recommended performance-based tests of physical function in people with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1792-1796.	1.3	95
48	Hip biomechanics during stair ascent and descent in people with and without hip osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1505-1514.	2.3	15
49	Cross-sectional association between muscle strength and self-reported physical function in 195 hip osteoarthritis patients. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 387-394.	3.4	17
50	The knee adduction moment and knee osteoarthritis symptoms: relationships according to radiographic disease severity. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 34-41.	1.3	77
51	Is the relationship between increased knee muscle strength and improved physical function following exercise dependent on baseline physical function status?. <i>Arthritis Research and Therapy</i> , 2017, 19, 271.	3.5	18
52	No abatement of steroid injections for tennis elbow in Australian General Practice: A 15-year observational study with random general practitioner sampling. <i>PLoS ONE</i> , 2017, 12, e0181631.	2.5	5
53	Protocol for a multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapy-led care for femoroacetabular impingement (FAI): the Australian FASHIoN trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 406.	1.9	23
54	Immediate effect of valgus bracing on knee joint moments in meniscectomised patients: An exploratory study. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 964-969.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Does meniscal pathology alter gait knee biomechanics and strength post-ACL reconstruction?. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1501-1509.	4.2	18
56	Osteoarthritis year in review 2015: rehabilitation and outcomes. Osteoarthritis and Cartilage, 2016, 24, 58-70.	1.3	54
57	Do Moments and Strength Predict Cartilage Changes after Partial Meniscectomy?. Medicine and Science in Sports and Exercise, 2015, 47, 1549-1556.	0.4	34
58	Neuromuscular Exercise post Partial Medial Meniscectomy. Medicine and Science in Sports and Exercise, 2015, 47, 1557-1566.	0.4	14
59	Mechanisms underpinning the peak knee flexion moment increase over 2-years following arthroscopic partial meniscectomy. Clinical Biomechanics, 2015, 30, 1060-1065.	1.2	9
60	Forward lunge knee biomechanics before and after partial meniscectomy. Knee, 2015, 22, 506-509.	1.6	17
61	Muscle activity amplitudes and co-contraction during stair ambulation following anterior cruciate ligament reconstruction. Journal of Electromyography and Kinesiology, 2015, 25, 298-304.	1.7	35
62	Knee Extensor Muscle Strength in Middle-aged and Older Individuals Undergoing Arthroscopic Partial Meniscectomy: A Systematic Review and Meta-analysis. Arthritis Care and Research, 2015, 67, 1289-1296.	3.4	28
63	Prognosis of anterior cruciate ligament reconstruction: a data-driven approach. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2015, 471, 20140526.	2.1	5
64	Data-driven prognosis: a multi-physics approach verified via balloon burst experiment. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2015, 471, 20140525.	2.1	4
65	Knee Muscle Strength After Recent Partial Meniscectomy Does Not Relate to 2-year Change in Knee Adduction Moment. Clinical Orthopaedics and Related Research, 2014, 472, 3114-3120.	1.5	5
66	Mechanisms underpinning longitudinal increases in the knee adduction moment following arthroscopic partial meniscectomy. Clinical Biomechanics, 2014, 29, 892-897.	1.2	11
67	A longitudinal study of impact and early stance loads during gait following arthroscopic partial meniscectomy. Journal of Biomechanics, 2014, 47, 2852-2857.	2.1	11
68	Medial knee joint loading during stair ambulation and walking while carrying loads. Gait and Posture, 2013, 37, 460-462.	1.4	16
69	A Longitudinal Study of Strength and Gait after Arthroscopic Partial Meniscectomy. Medicine and Science in Sports and Exercise, 2013, 45, 2036-2043.	0.4	36
70	Gait analysis post anterior cruciate ligament reconstruction: Knee osteoarthritis perspective. Gait and Posture, 2012, 36, 56-60.	1.4	95
71	Clinimetric properties of observer-assessed impairment tests used to evaluate hip and groin impairments: A systematic review. Arthritis Care and Research, 2012, 64, 1565-1575.	3.4	18
72	The effects of neuromuscular exercise on medial knee joint load post-arthroscopic partial medial meniscectomy: the SCOPEX™ a randomised control trial protocol. BMC Musculoskeletal Disorders, 2012, 13, 233.	1.9	11

#	ARTICLE	IF	CITATIONS
73	Measurement properties of performance-based measures to assess physical function in hip and knee osteoarthritis: a systematic review. Osteoarthritis and Cartilage, 2012, 20, 1548-1562.	1.3	209
74	Medial Longitudinal Arch Deformation during Walking and Stair Navigation While Carrying Loads. Foot and Ankle International, 2011, 32, 623-629.	2.3	12