Naoya Emoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8151286/publications.pdf

Version: 2024-02-01

430442 276539 1,963 63 18 41 citations h-index g-index papers 65 65 65 2443 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Efficacy and Safety of Miglitol- or Repaglinide-Based Combination Therapy with Alogliptin for Drug-Naà ve Patients with Type 2 Diabetes: An Open-Label, Single-Center, Parallel, Randomized Controlled Pilot Study. Journal of Nippon Medical School, 2021, 88, 71-79. | 0.3 | 1 |
| 2 | Effect of sodium-glucose cotransporter 2 inhibitor in patients with non-alcoholic fatty liver disease and type 2 diabetes mellitus: a propensity score-matched analysis of real-world data. Therapeutic Advances in Endocrinology and Metabolism, 2021, 12, 204201882110002. | 1.4 | 21 |
| 3 | Position paper from the Japan Thyroid Association task force on the management of low-risk papillary thyroid microcarcinoma (T1aNOMO) in adults. Endocrine Journal, 2021, 68, 763-780. | 0.7 | 29 |
| 4 | Liver fibrosis is associated with carotid atherosclerosis in patients with liver biopsy-proven nonalcoholic fatty liver disease. Scientific Reports, $2021,11,15938.$ | 1.6 | 21 |
| 5 | Risk Preferences, Rationality of Choices, and Willingness to Pay for Preventive Medicine in Patients with Graves' Thyrotoxicosis. Patient Preference and Adherence, 2021, Volume 15, 1971-1979. | 0.8 | 2 |
| 6 | New-onset graves' disease after the initiation of nivolumab therapy for gastric cancer: a case report. BMC Endocrine Disorders, 2020, 20, 132. | 0.9 | 11 |
| 7 | Irrational Responses to Risk Preference Questionnaires by Patients with Diabetes with or without Retinopathy and Comparison with Those without Diabetes Netabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 4961-4971. | 1.1 | 2 |
| 8 | Factors influencing subclinical atherosclerosis in patients with biopsy-proven nonalcoholic fatty liver disease. PLoS ONE, 2019, 14, e0224184. | 1.1 | 13 |
| 9 | Association of vitamin D levels and vitamin D-related gene polymorphisms with liver fibrosis in patients with biopsy-proven nonalcoholic fatty liver disease. Digestive and Liver Disease, 2019, 51, 1036-1042. | 0.4 | 36 |
| 10 | Painless destructive thyroiditis in a patient with resistance to thyroid hormone: a case report. Thyroid Research, 2019, 12, 8. | 0.7 | 2 |
| 11 | Basal–Bolus Insulin Therapy with Gla-300 During Hospitalization Reduces Nocturnal Hypoglycemia in Patients with Type 2 Diabetes Mellitus: A Randomized Controlled Study. Diabetes Therapy, 2018, 9, 1049-1059. | 1.2 | 4 |
| 12 | Serum <i>Wisteria floribunda</i> agglutininâ€positive Macâ€⊋ binding protein more reliably distinguishes liver fibrosis stages in nonâ€alcoholic fatty liver disease than serum Macâ€⊋ binding protein. Hepatology Research, 2018, 48, 424-432. | 1.8 | 12 |
| 13 | Postprandial Hyperchylomicronemia and Thin-Cap Fibroatheroma in Non-culprit Lesions: a Multivessel Optical Coherence Tomography Study. Atherosclerosis Supplements, 2018, 32, 41-42. | 1.2 | 1 |
| 14 | Postprandial Hyperchylomicronemia and Thin-Cap Fibroatheroma in Nonculprit Lesions. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 1940-1947. | 1.1 | 9 |
| 15 | Statin use and all-cause and cancer mortality: BioBank Japan cohort. Journal of Epidemiology, 2017, 27, S84-S91. | 1.1 | 25 |
| 16 | Cross-sectional analysis of BioBank Japan clinical data: A large cohort of 200,000 patients with 47 common diseases. Journal of Epidemiology, 2017, 27, S9-S21. | 1,1 | 133 |
| 17 | Overview of the BioBank Japan Project: Study design and profile. Journal of Epidemiology, 2017, 27, S2-S8. | 1.1 | 451 |
| 18 | Overview of BioBank Japan follow-up data in 32 diseases. Journal of Epidemiology, 2017, 27, S22-S28. | 1.1 | 47 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Serum glucose, cholesterol and blood pressure levels in Japanese type 1 and 2 diabetic patients: BioBank Japan. Journal of Epidemiology, 2017, 27, S92-S97. | 1.1 | 12 |
| 20 | Preventive effect of ipragliflozin on nocturnal hypoglycemia in patients with type 2 diabetes treated with basalâ€bolus insulin therapy: An openâ€label, singleâ€center, parallel, randomized control study. Journal of Diabetes Investigation, 2017, 8, 341-345. | 1.1 | 10 |
| 21 | Effect of Glycemic Control on Chylomicron Metabolism and Correlation between Postprandial Metabolism of Plasma Glucose and Chylomicron in Patients with Type 2 Diabetes Treated with Basal-bolus Insulin Therapy with or without Vildagliptin. Journal of Atherosclerosis and Thrombosis, 2017, 24, 157-168. | 0.9 | 5 |
| 22 | A socioeconomic and behavioral survey of patients with difficult-to-control type 2 diabetes mellitus reveals an association between diabetic retinopathy and educational attainment. Patient Preference and Adherence, 2016, Volume 10, 2151-2162. | 0.8 | 19 |
| 23 | Behavioral economics survey of patients with type 1 and type 2 diabetes. Patient Preference and Adherence, 2015, 9, 649. | 0.8 | 8 |
| 24 | Acute pericarditis: Unique comorbidity of thyrotoxic crisis with Graves' disease. International Journal of Cardiology, 2014, 171, e129-e130. | 0.8 | 15 |
| 25 | Incidental Detection of Thyroid Nodules at Magnetic Resonance Imaging of the Cervical Spine. Neurologia Medico-Chirurgica, 2013, 53, 77-81. | 1.0 | 7 |
| 26 | Proliferative Effects of Bovine and Porcine Thyroglobulins on Thyroid Epithelial Cells. Endocrine Journal, 2009, 56, 509-519. | 0.7 | 3 |
| 27 | Reduced sulfation of chondroitin sulfate in thyroglobulin derived from human papillary thyroid carcinomas. Cancer Science, 2007, 98, 1577-1581. | 1.7 | 10 |
| 28 | Analysis of the Factors Associated with Tc-99m Pertechnetate Uptake in Thyrotoxicosis and Graves' Disease. Journal of Nippon Medical School, 2006, 73, 10-17. | 0.3 | 20 |
| 29 | Who is in Charge on Glycemic Control of Diabetes in Japan?: General and Area-specific Problems in the Process of Establishing a Diabetes Care Network. Nihon Ika Daigaku Igakkai Zasshi, 2005, 1, 6-11. | 0.0 | 0 |
| 30 | A Subpopulation of Fibroblast Growth Factor-2-Binding Heparan Sulfate is Lost in Human Papillary Thyroid Carcinomas. Thyroid, 2000, 10, 843-849. | 2.4 | 4 |
| 31 | Overexpression of fibroblast growth factor receptor 3 in a human thyroid carcinoma cell line results in overgrowth of the confluent cultures. European Journal of Endocrinology, 1999, 140, 169-173. | 1.9 | 25 |
| 32 | Effect of insulin-like growth factor-I on growth hormone-releasing factor receptor expression in primary rat anterior pituitary cell culture. Neuroscience Letters, 1999, 276, 87-90. | 1.0 | 25 |
| 33 | Growth factors increase pericellular proteoglycans independently of their mitogenic effects on A10 rat vascular smooth muscle cells. International Journal of Biochemistry and Cell Biology, 1998, 30, 47-54. | 1.2 | 19 |
| 34 | Fibroblast Growth Factor-2 Free from Extracellular Matrix Is Increased in Papillary Thyroid Carcinomas and Graves' Thyroids. Thyroid, 1998, 8, 491-497. | 2.4 | 15 |
| 35 | Microinjection of rat GH but not human IGF-I into a defined area of the hypothalamus inhibits endogenous GH secretion in rats. Journal of Endocrinology, 1997, 153, 283-290. | 1.2 | 18 |
| 36 | Oncostatin M: A New Potent Inhibitor of Iodine Metabolism Inhibits Thyroid Peroxidase Gene Expression But Not DNA Synthesis in Porcine Thyroid Cells in Culture. Thyroid, 1997, 7, 71-77. | 2.4 | 11 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cushing's Syndrome due to Bilateral Adrenocortical Adenomas with Different Pathological Features Internal Medicine, 1997, 36, 804-809. | 0.3 | 9 |
| 38 | Increased pituitary growth hormone-releasing factor (GRF) receptor messenger ribonucleic acid expression in food-deprived rats. Brain Research, 1996, 742, 355-358. | 1.1 | 15 |
| 39 | Effects of transforming growth factor \hat{l}^{\pm} (TGF- \hat{l}^{\pm}) on DNA synthesis and thyrotropin-induced iodine metabolism in cultured porcine thyroid cells. European Journal of Endocrinology, 1995, 132, 242-248. | 1.9 | 9 |
| 40 | Degradation of Cell Surface Heparan Sulfates Decreases the High Affinity Binding of Basic FGF to Endothelial Cells, but Not to FRTL-5 Rat Thyroid Cells. Thyroid, 1995, 5, 455-460. | 2.4 | 10 |
| 41 | Interaction of endothelin-1 with porcine thyroid cells in culture: a possible autocrine factor regulating iodine metabolism. Journal of Endocrinology, 1994, 142, 463-470. | 1.2 | 12 |
| 42 | Increased Activity of Insulin-like Growth Factor-binding Protein in Human Thyroid Papillary Cancer Tissue. Japanese Journal of Cancer Research, 1994, 85, 46-52. | 1.7 | 9 |
| 43 | Mechanism of inhibitory actions of minocycline and doxycycline on ascitic fluid production induced by mouse fibrosarcoma cells. Life Sciences, 1994, 54, 703-709. | 2.0 | 6 |
| 44 | Progressively Increased Serum 1,25-Dihydroxyvitamin D2 Concentration in a Hypoparathyroid Patient with Protracted Hypercalcemia due to Vitamin D2 Intoxication Endocrine Journal, 1994, 41, 329-337. | 0.7 | 10 |
| 45 | Basic Fibroblast Growth Factor (FGF-2) In Renal Cell Carcinoma, Which is Indistinguishable From that in Normal Kidney, Is Involved in Renal Cell Carcinoma Growth. Journal of Urology, 1994, 152, 1626-1631. | 0.2 | 31 |
| 46 | lodine Regulation of Endothelin-1 Gene Expression in Cultured Porcine Thyroid Cells: Possible Involvement in Autoregulation of the Thyroid. Thyroid, 1993, 3, 239-244. | 2.4 | 10 |
| 47 | Inhibition of human pancreatic cancer cell (MIA PaCa-2) growth by cholera toxin and 8-chloro-cAMP in vitro. British Journal of Cancer, 1993, 67, 279-283. | 2.9 | 18 |
| 48 | Opposite regulation of deoxyribonucleic acid synthesis and iodide uptake in rat thyroid cells by basic fibroblast growth factor: correlation with opposite regulation of c-fos and thyrotropin receptor gene expression Endocrinology, 1992, 131, 2723-2732. | 1.4 | 26 |
| 49 | Autocrine role of insulin-like growth factor (IGF)-l in a human thyroid cancer cell line. European Journal of Cancer, 1992, 28, 1904-1909. | 1.3 | 46 |
| 50 | An Immunoneutralizing Anti-Basic-FGF Antibody Potentiates the Effect of Basic FGF on the Growth of FRTL-5 Thyroid Cells. Annals of the New York Academy of Sciences, 1991, 638, 456-458. | 1.8 | 3 |
| 51 | Phorbol ester, not growth hormone releasing factor, consistently stimulates growth hormone release from somatotroph adenomas in culture. Clinical Endocrinology, 1991, 34, 377-382. | 1.2 | 10 |
| 52 | Growth Factor-Mediated Regulation of Aromatase Activity in Human Skin Fibroblasts. Experimental Biology and Medicine, 1991, 196, 351-358. | 1.1 | 16 |
| 53 | Methimazole Regulation of Thyroglobulin Biosynthesis and Gene Transcription in Rat FRTL-5 Thyroid Cells*. Endocrinology, 1991, 128, 3113-3121. | 1.4 | 18 |
| 54 | Effects of Retinoids on Iodine Metabolism, Thyroid Peroxidase Gene Expression, and Deoxyribonucleic Acid Synthesis in Porcine Thyroid Cells in Culture*. Endocrinology, 1991, 129, 2827-2833. | 1.4 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Identification and Characterization of Basic Fibroblast Growth Factor in Porcine Thyroids*. Endocrinology, 1991, 128, 58-64. | 1.4 | 43 |
| 56 | Basic Fibroblast Growth Factor (FGF) in the Central Nervous System: Identification of Specific Loci of Basic FGF Expression in the Rat Brain. Growth Factors, 1989, 2, 21-29. | 0.5 | 242 |
| 57 | Complementary DNA cloning and sequencing of rat ovarian basic fibroblast growth factor and tissue distribution study of its mRNA. Biochemical and Biophysical Research Communications, 1988, 157, 256-263. | 1.0 | 209 |
| 58 | The effect of tumor necrosis factor/cachectin on follicle-stimulating hormone-induced aromatase activity in cultured rat granulosa cells. Biochemical and Biophysical Research Communications, 1988, 153, 792-798. | 1.0 | 98 |
| 59 | Biological activities of human growth hormone and its derivatives estimated by measuring DNA synthesis in Nb2 node rat lymphoma cells. European Journal of Endocrinology, 1987, 114, 283-291. | 1.9 | 11 |
| 60 | Effects of tumor promoters (mezerein, teleocidin and palytoxin) on growth hormone secretion from rat anterior pituitary cells cultured in monolayer. Life Sciences, 1987, 41, 691-696. | 2.0 | 1 |
| 61 | Thyroid-Stimulating Antibody Bioassay Using Porcine Thyroid Cells Cultured in Follicles*. Journal of Clinical Endocrinology and Metabolism, 1985, 61, 1105-1111. | 1.8 | 17 |
| 62 | Identification and initial characterization of transforming growth factor-like mitogen(s) in human anterior pituitary. Biochemical and Biophysical Research Communications, 1985, 133, 951-957. | 1.0 | 3 |
| 63 | Triiodothyronine binding immunoglobulin in a euthyroid man without apparent thyroid disease; its properties and effects on triiodothyronine metabolism. European Journal of Endocrinology, 1985, 108, 498-503. | 1.9 | 5 |