

Eleonora d'Orsi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8151628/publications.pdf>

Version: 2024-02-01

114
papers

11,316
citations

172207

29
h-index

32761

100
g-index

143
all docs

143
docs citations

143
times ranked

19048
citing authors

#	ARTICLE	IF	CITATIONS
1	Reassessing the CASP-19 adapted for Brazilian Portuguese: insights from a population-based study. <i>Ageing and Society</i> , 2023, 43, 1351-1366.	1.2	1
2	Muscle Strength Assessed by Handgrip Strength Moderates the Relationship Between Overweight and Obesity With Cardiometabolic Risk Markers Among Adults and Older Adults. <i>Research Quarterly for Exercise and Sport</i> , 2023, 94, 409-417.	0.8	1
3	Does cognitive impairment precede self-reported poor hearing? Results from the English longitudinal study of ageing. <i>International Journal of Audiology</i> , 2023, 62, 787-794.	0.9	3
4	A comprehensive program of cognitive stimulation with digital inclusion, physical activity and social interaction can modify BDNF levels and improve cognition in adults over 50: a randomized controlled pilot study. <i>Ageing and Mental Health</i> , 2022, 26, 1979-1987.	1.5	9
5	Can internet use reduce the incidence of cognitive impairment? Analysis of the EpiFloripa Aging Cohort Study (2009-2019). <i>Preventive Medicine</i> , 2022, 154, 106904.	1.6	7
6	Sintomas depressivos e níveis séricos das vitaminas B12 e folato em idosos de Florianópolis/SC - Estudo EpiFloripa Idoso. <i>Research, Society and Development</i> , 2022, 11, e9811427090.	0.0	0
7	Association between physical activity and vitamin D is partially mediated by adiposity in older adults: EpiFloripa Aging Cohort Study. <i>Nutrition Research</i> , 2022, 103, 11-20.	1.3	2
8	Response of letter to the editor on the validity of the mini-mental state examination and future development of research. <i>Preventive Medicine</i> , 2022, 159, 107041.	1.6	0
9	Is environment perception associated with change in leisure-time physical activity in Brazilian older adults? Results of EpiFloripa Idoso cohort study. <i>Cadernos De Saude Publica</i> , 2022, 38, .	0.4	1
10	Vitamin B12, Folate and Cognitive Function in Older Adults from Southern Brazil. <i>Ageing International</i> , 2021, 46, 311-323.	0.6	0
11	Associations of Mutually Exclusive Categories of Physical Activity and Sedentary Time With Metabolic Syndrome in Older Adults: An Isotemporal Substitution Approach. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-9.	0.5	3
12	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41
13	O efeito da utilização de computadores e Internet na função cognitiva de idosos. <i>Lecturas Educacion Física Y Deportes</i> , 2021, 26, 179-195.	0.0	0
14	Muscle strength cut-points for metabolic syndrome detection among adults and the elderly from Brazil. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 379-388.	0.9	5
15	Depressive symptoms as an independent risk factor for mortality. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 247-253.	0.9	10
16	Agrupamentos de Fatores de Risco Cardiometabólicos e sua Associação com Aterosclerose e Inflamação Crônica em Adultos e Idosos em Florianópolis, Sul do Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 39-48.	0.3	6
17	Physical activity and sedentary behavior as multimorbidity discriminators among elderly Brazilians: a cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2021, 139, 372-379.	0.4	3
18	Are Changes in Walking for Transportation in Brazilian Older Adults Associated With Attributes of the Neighborhood Environment?. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 686-694.	0.5	4

#	ARTICLE	IF	CITATIONS
19	Individual and Combined Association Between Healthy Lifestyle Habits With Muscle Strength According to Cardiovascular Health Status in Adults and Older Adults. <i>Journal of Physical Activity and Health</i> , 2021, 18, 973-980.	1.0	1
20	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
21	Impact of common cardio-metabolic risk factors on fatal and non-fatal cardiovascular disease in Latin America and the Caribbean: an individual-level pooled analysis of 31 cohort studies. <i>The Lancet Regional Health Americas</i> , 2021, 4, 100068.	1.5	1
22	Clustering of Physical Activity and Sedentary Behavior Associated With Body Composition in Brazilian Older Adults. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-7.	0.5	1
23	Association between lower serum vitamin D (25-hydroxy-cholecalciferol) concentrations and cognitive impairment in older adults – Data from a population-based cohort study in a middle income-country. <i>Public Health Nutrition</i> , 2021, , 1-25.	1.1	1
24	Association between deficient and insufficient 25(OH)D serum concentrations and cardiometabolic risk factors: Findings of a population-based study with older adults of southern Brazil. <i>Preventive Medicine Reports</i> , 2021, 24, 101587.	0.8	0
25	Loneliness, Social Integration, and Incident Dementia Over 6 Years: Prospective Findings From the English Longitudinal Study of Ageing. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 114-124.	2.4	157
26	Influence of instrumental activities of daily living on the cognitive impairment: EpiFloripa study. <i>Aging and Mental Health</i> , 2020, 24, 382-386.	1.5	8
27	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020, 8, e123-e133.	2.9	73
28	Psychological determinants of walking in a Brazilian sample: An application of the Theory of Planned Behavior. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2020, 73, 391-398.	1.8	29
29	Lower serum 25-hydroxycholecalciferol is associated with depressive symptoms in older adults in Southern Brazil. <i>Nutrition Journal</i> , 2020, 19, 123.	1.5	14
30	Association between different cutoff points for objectively measured moderate-to-vigorous physical activity and cardiometabolic markers in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104238.	1.4	6
31	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
32	Osteopenia/Osteoporosis and Its Association with Sarcopenia: EpiFloripa Aging Study 2013/2014. <i>Portuguese Journal of Public Health</i> , 2020, 38, 15-22.	1.7	3
33	Education and Income Levels are Associated With Energy and Micronutrient Intake. <i>International Journal for Vitamin and Nutrition Research</i> , 2020, 90, 228-238.	0.6	9
34	Risk factors associated with mortality in young and long-lived older adults in Florianópolis, SC, Brazil. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 2031-2040.	0.1	2
35	Association between chronic diseases, multimorbidity and insufficient physical activity among older adults in southern Brazil: a cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2020, 138, 545-553.	0.4	9
36	Sarcopenia, bone mineral density, and vitamin D: EpiFloripa aging study 2013/2014. <i>Geriatrics Gerontology and Aging</i> , 2020, 14, 282-289.	0.3	0

#	ARTICLE	IF	CITATIONS
37	Obesity and 25(OH)D Serum Concentration Are More Important than Vitamin D Intake for Changes in Nutritional Status Indicators: A Population-Based Longitudinal Study in a State Capital City in Southern Brazil. <i>Nutrients</i> , 2019, 11, 2366.	1.7	6
38	Prevalence of spontaneous, induced labour or planned caesarean section and factors associated with caesarean section in low-risk women in southern Brazil. <i>Midwifery</i> , 2019, 79, 102530.	1.0	3
39	Association of objectively measured sedentary behavior and physical activity with cardiometabolic risk markers in older adults. <i>PLoS ONE</i> , 2019, 14, e0210861.	1.1	28
40	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	13.7	469
41	Contextual income and incidence of disability. <i>Revista De Saude Publica</i> , 2019, 53, 11.	0.7	5
42	Mobilidade urbana ativa de adultos com perda auditiva e a percepção sobre o ambiente: um estudo multicêntrico. <i>Cadernos De Saude Publica</i> , 2019, 35, e00209418.	0.4	3
43	Quality of life associated with handgrip strength and sarcopenia: EpiFloripa Aging Study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 81, 234-239.	1.4	31
44	Physical activity pre- and post-dementia: English Longitudinal Study of Ageing. <i>Aging and Mental Health</i> , 2019, 23, 15-21.	1.5	29
45	Incidence and prevalence of diabetes self-reported on elderly in south of Brazil: results of EpiFloripa Ageing Study. <i>Ciencia E Saude Coletiva</i> , 2019, 24, 4191-4200.	0.1	3
46	Estudo Longitudinal EpiFloripa Idoso – Rotinas de organização e protocolos referentes à coleta, análise e armazenamento de material biológico, exames de imagem e capacidade físico-funcional. <i>Cadernos Saude Coletiva</i> , 2019, 27, 210-224.	0.2	9
47	Dimensions of Violence against the Elderly and Health Conditions: a Population-based Study in Southern Brazil. <i>Research on Ageing and Social Policy</i> , 2019, 7, 426.	0.1	2
48	PROPORÇÃO DE CESARIANAS SEGUNDO COR DA PELE E ESCOLARIDADE MATERNA NAS DIFERENTES REGIÕES DO BRASIL: TENDÊNCIA TEMPORAL DE 2007 A 2016. <i>Revista UniVap</i> , 2019, 25, 116.	0.1	1
49	Indicators of healthy food consumption among older adults with diabetes and/or hypertension are similar to healthy older adults: results from a population based study in Southern Brazil. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 331-338.	0.8	1
50	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
51	Is use of the internet in midlife associated with lower dementia incidence? Results from the English Longitudinal Study of Ageing. <i>Aging and Mental Health</i> , 2018, 22, 1525-1533.	1.5	27
52	Associação entre uso de internet e manter-se ativo no lazer, estudo longitudinal EpiFloripa Idoso. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2018, 20, 134-145.	0.5	2
53	Factors associated with handgrip strength in older adults residents in Florianópolis, Brazil: EpiFloripa Aging Study. <i>Revista De Nutricao</i> , 2018, 31, 385-395.	0.4	3
54	Fatores associados à manutenção do uso da internet, estudo longitudinal EpiFloripa Idoso. <i>Revista De Saude Publica</i> , 2018, 52, 37.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Sarcopenia e sua associaÃ§Ã£o com mudanÃ§as nos fatores socioeconÃmicos, comportamentais e de saÃde: Estudo EpiFloripa Idoso. Cadernos De Saude Publica, 2018, 34, e00164917.	0.4	12
56	Accelerometer-Measured Physical Activity and Sedentary Behavior: A Cross-Sectional Study of Brazilian Older Adults. Journal of Physical Activity and Health, 2018, 15, 811-818.	1.0	16
57	Association between built environment and the incidence of disability in basic and instrumental activities of daily living in the older adults: Results of a cohort study in southern Brazil. Preventive Medicine, 2018, 115, 119-125.	1.6	15
58	Fatores sociodemogrÃficos, comportamentais e de saÃde associados Ã autopercepÃÃo de saÃde positiva de idosos longevos residentes em FlorianÃpolis, Santa Catarina. Revista Brasileira De Epidemiologia, 2018, 21, e180004.	0.3	6
59	Ambiente construÃdo, renda contextual e obesidade em idosos: evidÃncias de um estudo de base populacional. Cadernos De Saude Publica, 2018, 34, e00060217.	0.4	8
60	Exploring Associations Between Perceived Measures of the Environment and Walking Among Brazilian Older Adults. Journal of Aging and Health, 2017, 29, 45-67.	0.9	33
61	Severe obesity increases the prevalence but not the incidence of depressive symptoms in the elderly-population-based cohort in Southern Brazil. International Psychogeriatrics, 2017, 29, 1307-1316.	0.6	6
62	Do sociodemographic, behavioral or health status variables affect longitudinal anthropometric changes in older adults? Population-based cohort study in Southern Brazil. Geriatrics and Gerontology International, 2017, 17, 2074-2082.	0.7	2
63	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	6.3	5,010
64	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. Lancet, The, 2017, 389, 37-55.	6.3	1,667
65	Anthropometric indicators as a screening tool for sarcopenia in older adults from FlorianÃpolis, Santa Catarina: EpiFloripa Ageing study. Revista De Nutricao, 2017, 30, 287-296.	0.4	16
66	EpiFloripa Aging cohort study: methods, operational aspects, and follow-up strategies. Revista De Saude Publica, 2017, 51, 104.	0.7	34
67	Cognitive cooperation groups mediated by computers and internet present significant improvement of cognitive status in older adults with memory complaints: a controlled prospective study. Arquivos De Neuro-Psiquiatria, 2017, 75, 228-233.	0.3	8
68	CondiÃÃes de vida e saÃde de idosos: resultados do estudo de coorte EpiFloripa Idoso*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2017, 26, 305-317.	0.3	43
69	FATORES ASSOCIADOS AO ESTADO NUTRICIONAL EM IDOSOS PARTICIPANTES DO ESTUDO "EPIFLORIPA IDOSO" DEMETRA: AlimentarÃo, NutriÃÃo & SaÃde, 2017, 11, .	0.2	2
70	Positive self-perceived health of octogenarians participating in community groups. Revista Brasileira De Atividade FÃsica E SaÃde, 2017, 22, 35-45.	0.1	0
71	Impact of the diagnosis of diabetes and/or hypertension on healthy food consumption indicators: a longitudinal study of elderly persons. Revista Brasileira De Geriatria E Gerontologia, 2017, 20, 33-44.	0.1	0
72	ComparaÃÃo do perfil socioeconÃmico e condiÃÃes de saÃde de idosos residentes em Ãreas predominantemente rural e urbana da Grande FlorianÃpolis, Sul do Brasil. Cadernos Saude Coletiva, 2016, 24, 330-338.	0.2	5

#	ARTICLE	IF	CITATIONS
73	Effects of neighborhood socioeconomic status on blood pressure in older adults. <i>Revista De Saude Publica</i> , 2016, 50, 78.	0.7	13
74	Quality of life and its association with work, the Internet, participation in groups and physical activity among the elderly from the EpiFloripa survey, Florianópolis, Santa Catarina State, Brazil. <i>Cadernos De Saude Publica</i> , 2016, 32, e00143615.	0.4	25
75	Is cognitive decline in the elderly associated with contextual income? Results of a population-based study in southern Brazil. <i>Cadernos De Saude Publica</i> , 2016, 32, e00112715.	0.4	12
76	Cognition and Indicators of Dietary Habits in Older Adults from Southern Brazil. <i>PLoS ONE</i> , 2016, 11, e0147820.	1.1	7
77	Waist circumference, body mass index and waist-height ratio: Are two indices better than one for identifying hypertension risk in older adults?. <i>Preventive Medicine</i> , 2016, 93, 76-81.	1.6	27
78	Cognitive and functional impairment in an older community population from Brazil: The intriguing association with frequent pain. <i>Archives of Gerontology and Geriatrics</i> , 2016, 66, 134-139.	1.4	8
79	Built Environment and Walking Behavior Among Brazilian Older Adults: A Population-Based Study. <i>Journal of Physical Activity and Health</i> , 2016, 13, 617-624.	1.0	41
80	Fetal Deaths in Brazil: Historical Series Descriptive Analysis 1996–2012. <i>Maternal and Child Health Journal</i> , 2016, 20, 1634-1650.	0.7	18
81	Paid Work and Physical Activity Preserve Functional Capacity in Elderly People. <i>Gerontology and Geriatric Medicine</i> , 2015, 1, 233372141560802.	0.8	3
82	Demographic, health conditions, and lifestyle factors associated with urinary incontinence in elderly from Florianópolis, Santa Catarina, Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 595-606.	0.3	36
83	Prevalência de dor crônica e sua associação com a situação sociodemográfica e atividade física no lazer em idosos de Florianópolis, Santa Catarina: estudo de base populacional. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 234-247.	0.3	20
84	Gender differences in the association between tooth loss and obesity among older adults in Brazil. <i>Revista De Saude Publica</i> , 2015, 49, 1-9.	0.7	8
85	Autopercepção positiva de saúde em idosos: estudo populacional no Sul do Brasil. <i>Cadernos De Saude Publica</i> , 2015, 31, 1049-1060.	0.4	45
86	Mortality caused by accidental falls among the elderly: a time series analysis. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2015, 18, 769-778.	0.1	16
87	Tooth loss is associated with severe cognitive impairment among older people: findings from a population-based study in Brazil. <i>Aging and Mental Health</i> , 2015, 19, 876-884.	1.5	28
88	A Stimulation and rehabilitation program: Oficina da Lembrança. <i>Revista Brasileira De Atividade Física E Saúde</i> , 2015, 20, 534.	0.1	5
89	Desigualdades sociais e satisfação das mulheres com o atendimento ao parto no Brasil: estudo nacional de base hospitalar. <i>Cadernos De Saude Publica</i> , 2014, 30, S154-S168.	0.4	65
90	Implementação da presença de acompanhantes durante a internação para o parto: dados da pesquisa nacional Nascer no Brasil. <i>Cadernos De Saude Publica</i> , 2014, 30, S140-S153.	0.4	72

#	ARTICLE	IF	CITATIONS
91	Socioeconomic profile of the elderly in Florianópolis: Comparative analysis studies Perfil do Idoso 2002 and EpiFloripa Idoso 2009. Revista Brasileira De Epidemiologia, 2014, 17, 189-202.	0.3	3
92	Factors associated to medical consultations by elderly adults in southern Brazil: a population based study. Revista Brasileira De Epidemiologia, 2014, 17, 692-704.	0.3	5
93	Socioeconomic and Lifestyle Factors Related to Instrumental Activity of Daily Living Dynamics: Results from the English Longitudinal Study of Ageing. Journal of the American Geriatrics Society, 2014, 62, 1630-1639.	1.3	66
94	English Longitudinal Study of Aging: Can Internet/E-mail Use Reduce Cognitive Decline?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 1117-1121.	1.7	77
95	Internet Use and Cancer-Preventive Behaviors in Older Adults: Findings from a Longitudinal Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2066-2074.	1.1	53
96	Fatores associados aos sintomas depressivos em idosos: estudo EpiFloripa. Revista De Saude Publica, 2013, 47, 701-710.	0.7	38
97	Knowledge about mammography and associated factors: population surveys with female adults and elderly. Revista Brasileira De Epidemiologia, 2013, 16, 930-942.	0.3	14
98	Circunstâncias e consequências das quedas em idosos de Florianópolis. Epi Floripa Idoso 2009*. Revista Brasileira De Epidemiologia, 2013, 16, 469-481.	0.3	23
99	Medo de queda recorrente e fatores associados em idosos de Florianópolis, Santa Catarina, Brasil. Cadernos De Saude Publica, 2013, 29, 758-768.	0.4	18
100	Birth in Brazil: national survey into labour and birth. Reproductive Health, 2012, 9, 15.	1.2	145
101	Inclusão digital e capacidade funcional de idosos residentes em Florianópolis, Santa Catarina, Brasil (EpiFloripa 2009-2010). Revista Brasileira De Epidemiologia, 2012, 15, 106-122.	0.3	24
102	Atividade física e percepção do ambiente em idosos: estudo populacional em Florianópolis. Revista De Saude Publica, 2012, 46, 516-525.	0.7	24
103	Atividade física e percepção do ambiente em idosos: estudo populacional em Florianópolis. Revista De Saude Publica, 2012, 46, 516-525.	0.7	14
104	Trabalho, suporte social e lazer protegem idosos da perda funcional: estudo epidioso. Revista De Saude Publica, 2011, 45, 685-692.	0.7	64
105	Perception of environmental obstacles to commuting physical activity in Brazilian elderly. Preventive Medicine, 2011, 53, 289-292.	1.6	53
106	Perfil epidemiológico dos cidadãos de Florianópolis quanto à exposição solar. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2011, 20, 459-469.	0.3	5
107	Orientação temporal e funções executivas na predição de mortalidade entre idosos: estudo Epidioso. Revista De Saude Publica, 2010, 44, 148-158.	0.7	12
108	Factors associated with cesarean sections in a public hospital in Rio de Janeiro, Brazil. Cadernos De Saude Publica, 2006, 22, 2067-2078.	0.4	37

#	ARTICLE	IF	CITATIONS
109	Similarity between neonatal profile and socioeconomic index: a spatial approach. <i>Cadernos De Saude Publica</i> , 2005, 21, 786-794.	0.4	14
110	Differential trends in mortality from AIDS in men and women in Brazil (1984â€“1995). <i>Aids</i> , 2000, 14, 1269-1273.	1.0	25
111	Perfil de nascimentos no MunicÃpio do Rio de Janeiro: uma anÃlise espacial. <i>Cadernos De Saude Publica</i> , 1998, 14, 367-379.	0.4	25
112	Programa intergeracional de estimulaÃo cognitiva: BenefÃcios relatados por idosos e monitores participantes. <i>Psicologia: Teoria E Pesquisa</i> , 0, 35, .	0.1	4
113	Neighborhood environmental characteristics and sedentary behavior in later life: the EpiFloripa Study. <i>Revista Brasileira De Atividade FÃsica E SaÃde</i> , 0, 23, 1-7.	0.1	3
114	Metabolic syndrome and its association with changes in modifiable risk factors: Epifloripa aging study. <i>Journal of Diabetes and Metabolic Disorders</i> , 0, , 1.	0.8	0