

# Daniela Saes Sartorelli

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8152188/daniela-saes-sartorelli-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

964  
citations

16  
h-index

29  
g-index

73  
ext. papers

1,191  
ext. citations

3.4  
avg, IF

4.08  
L-index

#	Paper	IF	Citations
59	Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidemiologique aupres des femmes de la Mutuelle Generale de l'Education Nationale-European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 517-23	7	178
58	The costs of type 2 diabetes mellitus outpatient care in the Brazilian public health system. <i>Value in Health</i> , <b>2011</b> , 14, S137-40	3.3	74
57	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 1002-12	7	64
56	Validation of a food frequency questionnaire for assessing dietary nutrients in Brazilian children 5 to 10 years of age. <i>Nutrition</i> , <b>2008</b> , 24, 427-32	4.8	51
55	High intake of fruits and vegetables predicts weight loss in Brazilian overweight adults. <i>Nutrition Research</i> , <b>2008</b> , 28, 233-8	4	40
54	Beneficial effects of short-term nutritional counselling at the primary health-care level among Brazilian adults. <i>Public Health Nutrition</i> , <b>2005</b> , 8, 820-5	3.3	40
53	Indices of dietary fat quality during midpregnancy is associated with gestational diabetes. <i>Nutrition</i> , <b>2016</b> , 32, 656-61	4.8	27
52	Dietary polyunsaturated fatty acid intake during late pregnancy affects fatty acid composition of mature breast milk. <i>Nutrition</i> , <b>2014</b> , 30, 685-9	4.8	27
51	Relative validation of a quantitative FFQ for use in Brazilian pregnant women. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 1419-26	3.3	25
50	Primary prevention of type 2 diabetes through nutritional counseling. <i>Diabetes Care</i> , <b>2004</b> , 27, 3019	14.6	24
49	Relationship between minimally and ultra-processed food intake during pregnancy with obesity and gestational diabetes mellitus. <i>Cadernos De Saude Publica</i> , <b>2019</b> , 35, e00049318	3.2	23
48	Breast milk fatty acid composition of women living far from the coastal area in Brazil. <i>Jornal De Pediatria</i> , <b>2013</b> , 89, 263-8	2.6	22
47	Validation of a food frequency questionnaire to assess food group intake by pregnant women. <i>Journal of Human Nutrition and Dietetics</i> , <b>2015</b> , 28 Suppl 1, 38-44	3.1	22
46	Dietary fructose, fruits, fruit juices and glucose tolerance status in Japanese-Brazilians. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2009</b> , 19, 77-83	4.5	20
45	Prevalence of metabolic syndrome in the Brazilian Xavante indigenous population. <i>Diabetology and Metabolic Syndrome</i> , <b>2015</b> , 7, 105	5.6	18
44	High prevalence of type 2 diabetes mellitus in Xavante Indians from Mato Grosso, Brazil. <i>Ethnicity and Disease</i> , <b>2014</b> , 24, 35-40	1.8	16
43	Randomized, controlled trial promotes physical activity and reduces consumption of sweets and sodium among overweight and obese adults. <i>Nutrition Research</i> , <b>2010</b> , 30, 541-9	4	15

42	Dietary fiber and glucose tolerance in Japanese Brazilians. <i>Diabetes Care</i> , <b>2005</b> , 28, 2240-2	14.6	14
41	Fried food intake estimated by the multiple source method is associated with gestational weight gain. <i>Nutrition Research</i> , <b>2014</b> , 34, 667-73	4	12
40	Daily meal frequency and associated variables in children and adolescents. <i>Jornal De Pediatria</i> , <b>2017</b> , 93, 79-86	2.6	11
39	Dietary omega-3 fatty acid and omega-3: omega-6 fatty acid ratio predict improvement in glucose disturbances in Japanese Brazilians. <i>Nutrition</i> , <b>2010</b> , 26, 184-91	4.8	11
38	The role of food processing in the inflammatory potential of diet during pregnancy. <i>Revista De Saude Publica</i> , <b>2019</b> , 53, 113	2.4	11
37	Dietary glycemic load, glycemic index, and refined grains intake are associated with reduced beta-cell function in prediabetic Japanese migrants. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , <b>2009</b> , 53, 429-34		9
36	Validation of a FFQ for estimating EB, E6 and trans fatty acid intake during pregnancy using mature breast milk and food recalls. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 1259-64	5.2	8
35	Dietary patterns during pregnancy derived by reduced-rank regression and their association with gestational diabetes mellitus. <i>Nutrition</i> , <b>2019</b> , 60, 191-196	4.8	8
34	Cross-sectional study showed that breakfast consumption was associated with demographic, clinical and biochemical factors in children and adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2018</b> , 107, 1562	3.1	7
33	Dietary patterns of pregnant women, maternal excessive body weight and gestational diabetes. <i>Revista De Saude Publica</i> , <b>2019</b> , 53, 52	2.4	7
32	Calibration of the food list and portion sizes of a food frequency questionnaire applied to free-living elderly people. <i>Nutrition</i> , <b>2013</b> , 29, 760-4	4.8	7
31	Prevalence of overweight and obesity in the adult indigenous population in Brazil: A systematic review with meta-analysis. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , <b>2019</b> , 13, 1705-1715	8.9	6
30	Impact of a 2-year intervention program on cardiometabolic profile according to the number of goals achieved. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2010</b> , 43, 1088-94	2.8	6
29	Performance of glycated haemoglobin (HbA1c) as a screening test for diabetes and impaired glucose tolerance (IGT) in a high risk population--the Brazilian Xavante Indians. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 106, 337-42	7.4	5
28	Nutritional assessment and lipid profile in HIV-infected children and adolescents treated with highly active antiretroviral therapy. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , <b>2011</b> , 44, 274-81 <sup>1.5</sup>		5
27	Nutritional intervention programme among a Japanese-Brazilian community: procedures and results according to gender. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1453-61	3.3	5
26	Predictive factors of non-deterioration of glucose tolerance following a 2-year behavioral intervention. <i>Diabetology and Metabolic Syndrome</i> , <b>2010</b> , 2, 52	5.6	5
25	Associated factors of malnutrition among African children under five years old, Bom Jesus, Angola. <i>Revista De Nutricao</i> , <b>2017</b> , 30, 33-44	1.8	4

24	Cardiovascular Risk in Xavante Indigenous Population. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2018</b> , 110, 542-550	1.2	4
23	Dietary total antioxidant capacity during pregnancy and birth outcomes. <i>European Journal of Nutrition</i> , <b>2021</b> , 60, 357-367	5.2	4
22	The relationship of flavonoid intake during pregnancy with excess body weight and gestational diabetes mellitus. <i>Archives of Endocrinology and Metabolism</i> , <b>2019</b> , 63, 241-249	2.2	3
21	Recognition of taste in patients during antineoplastic therapy with platinum drugs. <i>Nutrition</i> , <b>2019</b> , 67-68, 110520	4.8	3
20	Association between the Diet Quality Index Adapted for Pregnant Women (IQDAG) and excess maternal body weight. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2019</b> , 19, 275-283	0.3	3
19	A influência da escolaridade na reprodutibilidade de um questionário quantitativo de frequência alimentar para gestantes. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2013</b> , 13, 23-28	0.3	3
18	Factors associated with stages of change for red meat and vegetable intake by Japanese-Brazilians. <i>Cadernos De Saude Publica</i> , <b>2009</b> , 25, 1466-74	3.2	3
17	Do Lifestyle Interventions in Pregnant Women with Overweight or Obesity Have an Effect on Neonatal Adiposity? A Systematic Review with Meta-Analysis. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
16	Percentage of energy contribution according to the degree of industrial food processing and associated factors in adolescents (EVA-JF study, Brazil). <i>Public Health Nutrition</i> , <b>2021</b> , 24, 4220-4229	3.3	3
15	Impacto de um programa de intervenção sobre o estilo de vida nos perfis metabólico, antropométrico e dietético em nipo-brasileiros com e sem síndrome metabólica. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , <b>2011</b> , 55, 134-145		2
14	Association of dietary patterns and degree of food processing with feelings of depression in pregnancy. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2019</b> , 19, 581-590	0.3	2
13	Relationship between the quality of the pregnant woman's diet and birth weight: a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , <b>2021</b> , 75, 1819-1828	5.2	2
12	Breast milk fatty acid composition of women living far from the coastal area in Brazil. <i>Jornal De Pediatria (Versão Em Português)</i> , <b>2013</b> , 89, 263-268	0.2	1
11	Prevalence of nutritional deficits among children under five years of age in Angola. <i>Revista De Saude Publica</i> , <b>2013</b> , 47, 817-20	2.4	1
10	Fatores associados ao consumo de frutas, verduras e legumes em Nipo-Brasileiros. <i>Revista Brasileira De Epidemiologia</i> , <b>2009</b> , 12, 436-445	1.3	1
9	Pro-inflammatory diet during pregnancy is associated with large-for-gestational-age infants.. <i>Nutrition Research</i> , <b>2022</b> , 100, 47-57	4	1
8	Study Protocol effectiveness of a nutritional intervention based on encouraging the consumption of unprocessed and minimally processed foods and the practice of physical activities for appropriate weight gain in overweight, adult, pregnant women: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2020</b> , 20, 24	3.2	1
7	Reprodutibilidade de questões acerca da percepção do ambiente alimentar e acerca do consumo de frutas e hortaliças entre gestantes. <i>Revista De Nutricao</i> , <b>2013</b> , 26, 727-735	1.8	0

6	Behavior of pregnant women regarding physical activity in gestational diabetes mellitus: secondary analysis of a descriptive cross-sectional study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-6	2	0
5	A better quality of maternal dietary fat reduces the chance of large-for-gestational-age infants: A prospective cohort study. <i>Nutrition</i> , <b>2021</b> , 91-92, 111367	4.8	0
4	Daily meal frequency and associated variables in children and adolescents. <i>Jornal De Pediatria (Versão Em Português)</i> , <b>2017</b> , 93, 79-86	0.2	
3	Número de replicações de inquéritos dietéticos para estimativa da ingestão de nutrientes em gestantes brasileiras. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2014</b> , 14, 441-445	0.3	
2	Folate inadequacy in the diet of pregnant women. <i>Revista De Nutricao</i> , <b>2014</b> , 27, 321-327	1.8	
1	Estimate of Dietary Total Antioxidant Capacity of Pregnant Women and Associated Factors.. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2022</b> , 44, 91-99	1.1	