

Nobuhiko Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8152296/publications.pdf>

Version: 2024-02-01

46
papers

2,476
citations

448610

19
h-index

286692

43
g-index

47
all docs

47
docs citations

47
times ranked

3916
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of coagulation factor antibody levels is useful for diagnosis and determining therapeutic efficacy in hemorrhagic patients with autoantibodies to coagulation factor VIII and factor V: results from a single center in Japan. <i>International Journal of Hematology</i> , 2022, 115, 11-20.	0.7	6
2	Lupus anticoagulant-hypoproaccelerin (factor V) syndrome (LAHPS-V): a new hemorrhagic condition associated with lupus anticoagulant. <i>International Journal of Hematology</i> , 2022, 116, 152-154.	0.7	1
3	Characterization of fibrin/fibrinogen degradation products reagents and their utility in critical care patients with enhanced fibrinolysis. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 813-820.	0.7	2
4	Comparative evaluation of reagents for measuring protein S activity: possibility of harmonization. <i>International Journal of Hematology</i> , 2021, 113, 530-536.	0.7	1
5	Novel assay based on diluted prothrombin time reflects anticoagulant effects of direct oral factor Xa inhibitors: Results of multicenter study in Japan. <i>Thrombosis Research</i> , 2020, 195, 158-164.	0.8	6
6	The antiphosphatidylserine/prothrombin detection in solid phase assay is largely dependent on the type of samples. <i>International Journal of Laboratory Hematology</i> , 2020, 42, e177-e179.	0.7	0
7	Knockdown of long noncoding RNA dreh facilitates cell surface GLUT4 expression and glucose uptake through the involvement of vimentin in 3T3-L1 adipocytes. <i>Gene</i> , 2020, 735, 144404.	1.0	6
8	Dreh, a long noncoding RNA repressed by metformin, regulates glucose transport in C2C12 skeletal muscle cells. <i>Life Sciences</i> , 2019, 236, 116906.	2.0	10
9	Lupus anticoagulant-hypoprothrombinemia syndrome and similar diseases: experiences at a single center in Japan. <i>International Journal of Hematology</i> , 2019, 110, 197-204.	0.7	15
10	A novel testis-specific long noncoding RNA, <i>Tesra</i> , activates the <i>Prss42/Tessp-2</i> gene during mouse spermatogenesis. <i>Biology of Reproduction</i> , 2019, 100, 833-848.	1.2	19
11	Basic Evaluation of the Newly Developed "Lias Auto P-FDP" Assay and the Influence of Plasmin \pm 2 Plasmin Inhibitor Complex Values on Discrepancy in the Comparison with "Lias Auto D-Dimer Neo" Assay. <i>Clinical Laboratory</i> , 2018, 64, 433-442.	0.2	2
12	Sarcolipin expression is repressed by endoplasmic reticulum stress in C2C12 myotubes. <i>Journal of Physiology and Biochemistry</i> , 2017, 73, 531-538.	1.3	7
13	New formulas for mixing test to discriminate between lupus anticoagulant and acquired hemophilia A. <i>Thrombosis Research</i> , 2016, 143, 53-57.	0.8	6
14	Profiles of direct oral anticoagulants and clinical usage—dosage and dose regimen differences. <i>Journal of Intensive Care</i> , 2016, 4, 19.	1.3	36
15	An NA-deficient 2009 pandemic H1N1 influenza virus mutant can efficiently replicate in cultured cells. <i>Archives of Virology</i> , 2014, 159, 797-800.	0.9	2
16	Verification of the guidelines for lupus anticoagulant detection: Usefulness of index for circulating anticoagulant in APTT mixing test. <i>Thrombosis Research</i> , 2014, 134, 503-509.	0.8	12
17	Lupus Anticoagulant Diagnosis in Activated Partial Thromboplastin Time Mixing Test: Optimization of the Index of Circulating Anticoagulant Cut-Off Value. <i>Clinical Laboratory</i> , 2014, 60, 2115-8.	0.2	6
18	Endoplasmic reticulum stress suppresses lipin-1 expression in 3T3-L1 adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2013, 431, 25-30.	1.0	5

#	ARTICLE	IF	CITATIONS
19	Analysis of vanin-1 upregulation and lipid accumulation in hepatocytes in response to a high-fat diet and free fatty acids. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2012, 51, 163-169.	0.6	14
20	Phylogenetic analyses of pandemic influenza A (H1N1) virus in university students at Tobetsu, Hokkaido, Japan. <i>Microbiology and Immunology</i> , 2012, 56, 273-279.	0.7	5
21	Suppression of lipin-1 expression increases monocyte chemoattractant protein-1 expression in 3T3-L1 adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2011, 415, 200-205.	1.0	13
22	Hereditary protein C deficiency caused by the compound heterozygous mutations, Gly 282 Ser and Met 364 Ile ; Contribution of each protein C mutation on pathogenesis of thrombosis. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 2011, 22, 87-99.	0.1	0
23	Octreotide-Treated Diabetes Accompanied by Endogenous Hyperinsulinemic Hypoglycemia and Protein-Losing Gastroenteropathy. <i>Case Reports in Medicine</i> , 2011, 2011, 1-8.	0.3	2
24	A Jak2 inhibitor, AG490, reverses lipin-1 suppression by TNF- α in 3T3-L1 adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 348-352.	1.0	20
25	A diacylglycerol kinase inhibitor, R59022, stimulates glucose transport through a MKK3/6-p38 signaling pathway in skeletal muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 244-250.	1.0	11
26	Lipopolysaccharide induces adipose differentiation-related protein expression and lipid accumulation in the liver through inhibition of fatty acid oxidation in mice. <i>Journal of Gastroenterology</i> , 2007, 42, 969-978.	2.3	44
27	A selective orexin-1 receptor antagonist, SB334867, blocks 2-DG-induced gastric acid secretion in rats. <i>Neuroscience Letters</i> , 2005, 376, 137-142.	1.0	34
28	Involvement of MEK-ERK signaling pathway in the inhibition of cell growth by troglitazone in human pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 332, 89-94.	1.0	38
29	Increased expression of PPAR γ in high fat diet-induced liver steatosis in mice. <i>Biochemical and Biophysical Research Communications</i> , 2005, 336, 215-222.	1.0	326
30	Regulation of Resistin Expression and Circulating Levels in Obesity, Diabetes, and Fasting. <i>Diabetes</i> , 2004, 53, 1671-1679.	0.3	300
31	Adiponectin acts in the brain to decrease body weight. <i>Nature Medicine</i> , 2004, 10, 524-529.	15.2	722
32	Inhibition of cell invasion and morphological change by troglitazone in human pancreatic cancer cells. <i>Journal of Gastroenterology</i> , 2004, 39, 461-468.	2.3	34
33	Growth arrest by troglitazone is mediated by p27Kip1 accumulation, which results from dual inhibition of proteasome activity and Skp2 expression in human hepatocellular carcinoma cells. <i>International Journal of Cancer</i> , 2004, 108, 41-46.	2.3	59
34	A novel aminosterol reverses diabetes and fatty liver disease in obese mice. <i>Journal of Hepatology</i> , 2004, 41, 391-398.	1.8	34
35	PPAR γ ligand-induced apoptosis through a p53-dependent mechanism in human gastric cancer cells. <i>Cancer Science</i> , 2003, 94, 338-343.	1.7	59
36	Appetite Suppression and Weight Reduction by a Centrally Active Aminosterol. <i>Diabetes</i> , 2002, 51, 2099-2104.	0.3	51

#	ARTICLE	IF	CITATIONS
37	Troglitazone Induces G1 Arrest by p27Kip1 Induction That Is Mediated by Inhibition of Proteasome in Human Gastric Cancer Cells. Japanese Journal of Cancer Research, 2002, 93, 774-782.	1.7	24
38	Increased serum leptin by cholecystitis in a diabetic patient. Digestive Diseases and Sciences, 2000, 45, 933-936.	1.1	0
39	An inverse correlation between serum leptin levels and hemoglobin A1c in patients with non-insulin dependent diabetes mellitus. Diabetes Research and Clinical Practice, 1999, 43, 187-191.	1.1	29
40	Activation of PPAR γ inhibits cell growth and induces apoptosis in human gastric cancer cells. FEBS Letters, 1999, 455, 135-139.	1.3	220
41	Stimulation of Gastric Acid Secretion by Centrally Administered Orexin-A in Conscious Rats. Biochemical and Biophysical Research Communications, 1999, 254, 623-627.	1.0	187
42	Delayed gastric emptying by Helicobacter pylori lipopolysaccharide in conscious rats. Digestive Diseases and Sciences, 1998, 43, 90-94.	1.1	49
43	A disrupted cholecystokinin A receptor gene induces diabetes in obese rats synergistically with ODB1 gene. American Journal of Physiology - Endocrinology and Metabolism, 1998, 274, E265-E270.	1.8	18
44	Helicobacter Pylori Lipopolysaccharide Inhibits Acid Secretion in Pylorus-Ligated Conscious Rats. Biochemical and Biophysical Research Communications, 1997, 236, 532-537.	1.0	11
45	Gastric emptying in OLETF rats not expressing CCK-A receptor gene. Digestive Diseases and Sciences, 1997, 42, 915-919.	1.1	27
46	Intracisternal Injection of Basic Fibroblast Growth Factor Reduces the Severity of Gastric Mucosal Lesions Evoked by Ethanol in Rats.. The Japanese Journal of Physiology, 1997, 47, 231-233.	0.9	2