

Enrique Poblet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/815251/publications.pdf>

Version: 2024-02-01

19
papers

830
citations

758635

12
h-index

794141

19
g-index

20
all docs

20
docs citations

20
times ranked

723
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The utility of a gross dissection anatomical model for simulation-based learning in pathology. Revista Espanola De Patologia, 2022, , . | 0.6 | 1 |
| 2 | Comparison of muscle activity while using different input devices in digital pathology. Revista Espanola De Patologia, 2021, 55, 19-25. | 0.6 | 0 |
| 3 | Preclinical evidence that the <sc>PPAR</sc> ^γ modulator, <i>N</i>-acetyl-<sc>GED</sc> may protect human hair follicle epithelial stem cells against lichen planopilaris-associated damage. Journal of the European Academy of Dermatology and Venereology, 2020, 34, e195-e197. | 1.3 | 12 |
| 4 | Profiling the human hair follicle immune system in lichen planopilaris and frontal fibrosing alopecia: can macrophage polarization differentiate these two conditions microscopically?. British Journal of Dermatology, 2020, 183, 537-547. | 1.4 | 22 |
| 5 | A novel simulator model and standardized assessment tools for fine needle aspiration cytology training. Diagnostic Cytopathology, 2019, 47, 297-301. | 0.5 | 15 |
| 6 | Eccrine sweat glands associate with the human hair follicle within a defined compartment of dermal white adipose tissue. British Journal of Dermatology, 2018, 178, 1163-1172. | 1.4 | 37 |
| 7 | Lichen Planopilaris and Frontal Fibrosing Alopecia as Model Epithelial Stem Cell Diseases. Trends in Molecular Medicine, 2018, 24, 435-448. | 3.5 | 89 |
| 8 | An efficient method for eccrine gland isolation from human scalp. Experimental Dermatology, 2018, 27, 678-681. | 1.4 | 5 |
| 9 | A technique for more precise distinction between catagen and telogen human hair follicles ex vivo. Journal of the American Academy of Dermatology, 2018, 79, 558-559. | 0.6 | 9 |
| 10 | Epithelial-to-Mesenchymal Stem Cell Transition in a Human Organ: Lessons from Lichen Planopilaris. Journal of Investigative Dermatology, 2018, 138, 511-519. | 0.3 | 58 |
| 11 | Characterisation of cell cycle arrest and terminal differentiation in a maximally proliferative human epithelial tissue: Lessons from the human hair follicle matrix. European Journal of Cell Biology, 2017, 96, 632-641. | 1.6 | 31 |
| 12 | Hair follicle-containing punch grafts accelerate chronic ulcer healing: A randomized controlled trial. Journal of the American Academy of Dermatology, 2016, 75, 1007-1014. | 0.6 | 65 |
| 13 | Frontal fibrosing alopecia: a disease fascinating for the researcher, disappointing for the clinician and distressing for the patient. Experimental Dermatology, 2016, 25, 853-854. | 1.4 | 6 |
| 14 | Is the eccrine gland an integral, functionally important component of the human scalp pilosebaceous unit?. Experimental Dermatology, 2016, 25, 149-150. | 1.4 | 18 |
| 15 | Reflections on how wound healing-promoting effects of the hair follicle can be translated into clinical practice. Experimental Dermatology, 2015, 24, 91-94. | 1.4 | 46 |
| 16 | Lichen planopilaris is characterized by immune privilege collapse of the hair follicle's epithelial stem cell niche. Journal of Pathology, 2013, 231, 236-247. | 2.1 | 201 |
| 17 | Frontal fibrosing alopecia versus lichen planopilaris: a clinicopathological study. International Journal of Dermatology, 2006, 45, 375-380. | 0.5 | 134 |
| 18 | The contribution of the arrector pili muscle and sebaceous glands to the follicular unit structure. Journal of the American Academy of Dermatology, 2004, 51, 217-222. | 0.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Arrector Pili Muscle and the Follicular Unit of the Scalp: A Microscopic Anatomy Study. Dermatologic Surgery, 2002, 28, 800-803. | 0.4 | 44 |