

Kristina Norman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8152945/kristina-norman-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118 papers	5,523 citations	33 h-index	73 g-index
135 ext. papers	6,952 ext. citations	4.2 avg, IF	5.69 L-index

#	Paper	IF	Citations
118	Muscle Mass and Inflammation in Older Adults: Impact of the Metabolic Syndrome.. <i>Gerontology</i> , 2022 , 1-10	5.5	3
117	Dietary Inflammatory Index and Cross-Sectional Associations with Inflammation, Muscle Mass and Function in Healthy Old Adults.. <i>Journal of Nutrition, Health and Aging</i> , 2022 , 26, 346-351	5.2	1
116	Cardiovascular Inflammaging: Mechanisms and Translational Aspects.. <i>Cells</i> , 2022 , 11,	7.9	4
115	Guidance for assessment of the muscle mass phenotypic criterion for the Global Leadership Initiative on Malnutrition diagnosis of malnutrition.. <i>Journal of Parenteral and Enteral Nutrition</i> , 2022 ,	4.2	1
114	Financial Impact of Sarcopenia 2021 , 421-431		
113	Vitamin D insufficiency is associated with metabolic syndrome independent of insulin resistance and obesity in young adults - The Berlin Aging Study II. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3457	7.5	4
112	Dietary supplement use in ambulatory cancer patients: a survey on prevalence, motivation and attitudes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1917-1925	4.9	4
111	Association between meal-specific daily protein intake and lean mass in older adults: results of the cross-sectional BASE-II study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1141-1147	7	
110	Postprandial dynamics and response of fibroblast growth factor 21 in older adults. <i>Clinical Nutrition</i> , 2021 , 40, 3765-3771	5.9	4
109	The prognostic impact of BIA-derived fat-free mass index in patients with cancer. <i>Clinical Nutrition</i> , 2021 , 40, 3901-3907	5.9	5
108	Associations Between Serum GDF15 Concentrations, Muscle Mass, and Strength Show Sex-Specific Differences in Older Hospital Patients. <i>Rejuvenation Research</i> , 2021 , 24, 14-19	2.6	12
107	Validation of a new prognostic body composition parameter in cancer patients. <i>Clinical Nutrition</i> , 2021 , 40, 615-623	5.9	5
106	Age-related fatigue is associated with reduced mitochondrial function in peripheral blood mononuclear cells. <i>Experimental Gerontology</i> , 2021 , 144, 111177	4.5	3
105	Underweight in Nursing Homes: Differences between Men and Women. <i>Gerontology</i> , 2021 , 67, 211-219	5.5	0
104	Fehl- und Mangelernährung Prävalenz, Bedeutung und Implikationen für die Prävention und Gesundheitsförderung. <i>The Springer Reference Pflege/Therapie, Gesundheit</i> , 2021 , 411-421	0.2	
103	Malnutrition in Older Adults-Recent Advances and Remaining Challenges. <i>Nutrients</i> , 2021 , 13,	6.7	23
102	Altered Adiponectin Response in Older Women Following Dextrose and High-Fat Dietary Challenges. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100487	5.9	1

101	Muscle weakness as an additional criterion for grading sarcopenia-related prognosis in patients with cancer. <i>Cancer Medicine</i> , 2021 ,	4.8	1
100	Relationship between Lipoprotein (a) and cognitive function - Results from the Berlin Aging Study II. <i>Scientific Reports</i> , 2020 , 10, 10636	4.9	4
99	Plasma carotenoids, tocopherols and retinol - Association with age in the Berlin Aging Study II. <i>Redox Biology</i> , 2020 , 32, 101461	11.3	6
98	Fehl- und Mangelernährung (Prävalenz, Bedeutung und Implikationen für die Prävention und Gesundheitsförderung. <i>The Springer Reference Pflegerapie, Gesundheit</i> , 2020 , 1-11	0.2	
97	Response to the Letter to the Editor: Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. <i>Archives of Rheumatology</i> , 2020 , 35, 460-461	0.9	
96	Veganism, aging and longevity: new insight into old concepts. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2020 , 23, 145-150	3.8	10
95	Association of phase angle and running performance. <i>Clinical Nutrition ESPEN</i> , 2020 , 37, 65-68	1.3	3
94	Problematic drinking in the old and its association with muscle mass and muscle function in type II diabetes. <i>Scientific Reports</i> , 2019 , 9, 12005	4.9	6
93	Anti-Inflammatory Diets and Fatigue. <i>Nutrients</i> , 2019 , 11,	6.7	28
92	Body weight changes and incidence of cachexia after stroke. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 611-620	10.3	20
91	Is a Single 24-hour Dietary Recall per Person Sufficient to Estimate the Population Distribution of Usual Dietary Intake?. <i>Journal of Nutrition</i> , 2019 , 149, 1491-1492	4.1	9
90	Influence of nutritional tyrosine on cognition and functional connectivity in healthy old humans. <i>NeuroImage</i> , 2019 , 193, 139-145	7.9	7
89	Tri-country translation, cultural adaptation, and validity confirmation of the Scored Patient-Generated Subjective Global Assessment. <i>Supportive Care in Cancer</i> , 2019 , 27, 3499-3507	3.9	12
88	Diets and Diet Therapy: Oral Nutritional Supplements 2019 , 113-118		
87	Sarkopene Adipositas und Inflammation. <i>Diabetologe</i> , 2019 , 15, 311-317	0.2	0
86	Development of a Model on Determinants of Malnutrition in Aged Persons: A MaNuEL Project. <i>Gerontology and Geriatric Medicine</i> , 2019 , 5, 2333721419858438	2.3	29
85	Economic Challenges in Nutritional Management. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
84	Management of Malnutrition in Older Patients-Current Approaches, Evidence and Open Questions. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	45

83	Clinical Value of Muscle Mass Assessment in Clinical Conditions Associated with Malnutrition. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
82	Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. <i>Archives of Rheumatology</i> , 2019 , 34, 253-261	0.9	7
81	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 240	2.3	8
80	Severe Weight Loss and Its Association with Fatigue in Old Patients at Discharge from a Geriatric Hospital. <i>Nutrients</i> , 2019 , 11,	6.7	5
79	Sex-specific differences in the association of vitamin D with low lean mass and frailty: Results from the Berlin Aging Study II. <i>Nutrition</i> , 2019 , 62, 1-6	4.8	11
78	The Underappreciated Role of Low Muscle Mass in the Management of Malnutrition. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 22-27	5.9	78
77	Higher serum levels of fibroblast growth factor 21 in old patients with cachexia. <i>Nutrition</i> , 2019 , 63-64, 81-86	4.8	11
76	Impact of sarcopenia on 1-year mortality in older patients with cancer. <i>Age and Ageing</i> , 2019 , 48, 413-418		26
75	Ethnic differences in fat and muscle mass and their implication for interpretation of bioelectrical impedance vector analysis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019 , 44, 619-626	3	24
74	Financial impact of sarcopenia or low muscle mass - A short review. <i>Clinical Nutrition</i> , 2019 , 38, 1489-1495	5.9	34
73	Food for thought: association between dietary tyrosine and cognitive performance in younger and older adults. <i>Psychological Research</i> , 2019 , 83, 1097-1106	2.5	12
72	The impact of malnutrition on quality of life in patients with systemic sclerosis. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 504-510	5.2	13
71	Feeling older, walking slower-but only if someone's watching. Subjective age is associated with walking speed in the laboratory, but not in real life. <i>European Journal of Ageing</i> , 2018 , 15, 425-433	3.6	6
70	ESPEN guidelines on nutritional support for polymorbid internal medicine patients. <i>Clinical Nutrition</i> , 2018 , 37, 336-353	5.9	134
69	Prevalence of sarcopenia in systemic sclerosis: assessing body composition and functional disability in patients with systemic sclerosis. <i>Nutrition</i> , 2018 , 55-56, 51-55	4.8	23
68	Body composition and cardiometabolic health: the need for novel concepts. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 638-644	5.2	19
67	Historical trends in modifiable indicators of cardiovascular health and self-rated health among older adults: Cohort differences over 20 years between the Berlin Aging Study (BASE) and the Berlin Aging Study II (BASE-II). <i>PLoS ONE</i> , 2018 , 13, e0191699	3.7	15
66	Validation of a single factor representing the indicators of metabolic syndrome as a continuous measure of metabolic load and its association with health and cognitive function. <i>PLoS ONE</i> , 2018 , 13, e0208231	3.7	5

65	Abdominal fat distribution differently affects muscle strength of the upper and lower extremities in women. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 372-376	5.2	11
64	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 97-105	18.1	225
63	Polypharmacy as a Risk Factor for Clinically Relevant Sarcopenia: Results From the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 73, 117-122	6.4	48
62	Zinc Deficiency Is associated With Depressive Symptoms-Results From the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1149-1154	6.4	16
61	Bioimpedance-Derived Phase Angle and Mortality Among Older People. <i>Rejuvenation Research</i> , 2017 , 20, 118-124	2.6	30
60	Ernährung und Mangelernährung im Alter. <i>Klinikerzt</i> , 2017 , 46, 620-623	0	
59	Sarkopenie. <i>Klinikerzt</i> , 2017 , 46, 624-629	0	1
58	Bericht über die neue ESPEN-Leitlinie zur Ernährung von polymorbiden, internistischen Patienten. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2017 , 42, 461-469	0.3	0
57	Association between lipoprotein(a) level and type 2 diabetes: no evidence for a causal role of lipoprotein(a) and insulin. <i>Acta Diabetologica</i> , 2017 , 54, 1031-1038	3.9	11
56	Identifying Sarcopenia in Metabolic Syndrome: Data from the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 265-72	6.4	18
55	Prevalence and definition of sarcopenia in community dwelling older people. Data from the Berlin aging study II (BASE-II). <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2016 , 49, 94-9	2.7	23
54	Genetic Burden Analyses of Phenotypes Relevant to Aging in the Berlin Aging Study II (BASE-II). <i>Gerontology</i> , 2016 , 62, 316-22	5.5	4
53	Association between Metabolic Syndrome and Bone Mineral Density--Data from the Berlin Aging Study II (BASE-II). <i>Gerontology</i> , 2016 , 62, 337-44	5.5	14
52	No strong correlations between serum cytokine levels, CMV serostatus and hand-grip strength in older subjects in the Berlin BASE-II cohort. <i>Biogerontology</i> , 2016 , 17, 189-98	4.5	18
51	Exercise at Different Ages and Appendicular Lean Mass and Strength in Later Life: Results From the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 515-20	6.4	14
50	Detection and treatment of medical inpatients with or at-risk of malnutrition: Suggested procedures based on validated guidelines. <i>Nutrition</i> , 2016 , 32, 790-8	4.8	62
49	Leukocyte telomere length is related to appendicular lean mass: cross-sectional data from the Berlin Aging Study II (BASE-II). <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 178-83	7	28
48	A systematic review of the cost and cost effectiveness of using standard oral nutritional supplements in community and care home settings. <i>Clinical Nutrition</i> , 2016 , 35, 125-137	5.9	74

47	Sleep, Muscle Mass and Muscle Function in Older People. <i>Deutsches A&#x0308;rzteblatt International</i> , 2016 , 113, 253-60	2.5	30
46	Adherence to a Mediterranean-Style Diet and Appendicular Lean Mass in Community-Dwelling Older People: Results From the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1315-21	6.4	13
45	Angiotensin-Converting Enzyme Inhibitors and Parameters of Sarcopenia: Relation to Muscle Mass, Strength and Function: Data from the Berlin Aging Study-II (BASE-II). <i>Drugs and Aging</i> , 2016 , 33, 829-837	4.7	18
44	The view of European experts regarding health economics for medical nutrition in disease-related malnutrition. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 539-45	5.2	12
43	Higher Lipoprotein (a) Levels Are Associated with Better Pulmonary Function in Community-Dwelling Older People - Data from the Berlin Aging Study II. <i>PLoS ONE</i> , 2015 , 10, e0139040	3.7	4
42	Association of Low Lean Mass With Frailty and Physical Performance: A Comparison Between Two Operational Definitions of Sarcopenia-Data From the Berlin Aging Study II (BASE-II). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 779-84	6.4	48
41	Low Recent Protein Intake Predicts Cancer-Related Fatigue and Increased Mortality in Patients with Advanced Tumor Disease Undergoing Chemotherapy. <i>Nutrition and Cancer</i> , 2015 , 67, 818-24	2.8	28
40	Lung function in elderly subjects with metabolic syndrome and type II diabetes : Data from the Berlin Aging Study II. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2015 , 1	2.7	6
39	The bioimpedance phase angle predicts low muscle strength, impaired quality of life, and increased mortality in old patients with cancer. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 173.e17-22	5.9	78
38	Sports and Exercise at Different Ages and Leukocyte Telomere Length in Later Life--Data from the Berlin Aging Study II (BASE-II). <i>PLoS ONE</i> , 2015 , 10, e0142131	3.7	26
37	Effect of inflammation on handgrip strength in the non-critically ill is independent from age, gender and body composition. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 155-8	5.2	38
36	Discrepancy between body surface area and body composition in cancer. <i>Nutrition and Cancer</i> , 2013 , 65, 1151-6	2.8	6
35	Food Fortification and Frail Elderly Nursing Home Residents 2013 , 171-177		
34	Increased intestinal permeability in malnourished patients with liver cirrhosis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1116-9	5.2	38
33	Bioelectrical phase angle and impedance vector analysis--clinical relevance and applicability of impedance parameters. <i>Clinical Nutrition</i> , 2012 , 31, 854-61	5.9	420
32	Effect of sexual dimorphism on muscle strength in cachexia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2012 , 3, 111-6	10.3	29
31	The impact of self-perceived masticatory function on nutrition and gastrointestinal complaints in the elderly. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 175-8	5.2	18
30	Determinants of bioelectrical phase angle in disease. <i>British Journal of Nutrition</i> , 2012 , 107, 1217-20	3.6	80

29	Cost-effectiveness of a 3-month intervention with oral nutritional supplements in disease-related malnutrition: a randomised controlled pilot study. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 735-42	5.2	51
28	Hand grip strength: outcome predictor and marker of nutritional status. <i>Clinical Nutrition</i> , 2011 , 30, 135-42	5.2	537
27	Bestimmung des Ernährungszustands: moderne Standards. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2011 , 36, 248-264	0.3	3
26	Cutoff percentiles of bioelectrical phase angle predict functionality, quality of life, and mortality in patients with cancer. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 612-9	7	200
25	Phasenwinkel und Bioelektrische Impedanzvektoranalyse [Klinische Anwendbarkeit der Impedanzparameter. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2010 , 35, 124-130	0.3	7
24	Determinants of hand grip strength, knee extension strength and functional status in cancer patients. <i>Clinical Nutrition</i> , 2010 , 29, 586-91	5.9	75
23	Messung der Muskelkraft als ernährungsmedizinische Zielgröße. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2009 , 34, 263-268	0.3	5
22	Bedeutung der Proteinzufuhr bei der Entstehung und Behandlung der Sarkopenie. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2009 , 34, 171-177	0.3	1
21	Circulating adipokines and the protective effects of hyperinsulinemia in inflammatory bowel disease. <i>Nutrition</i> , 2009 , 25, 172-81	4.8	90
20	Association between intestinal tight junction permeability and whole-body electrical resistance in healthy individuals: a hypothesis. <i>Nutrition</i> , 2009 , 25, 706-14	4.8	10
19	Bioimpedance vector analysis as a measure of muscle function. <i>Clinical Nutrition</i> , 2009 , 28, 78-82	5.9	60
18	Malnutrition and depression in the institutionalised elderly. <i>British Journal of Nutrition</i> , 2009 , 102, 1663-7	3.6	96
17	Malnutrition In Liver Cirrhosis 2009 , 217-229		
16	Three month intervention with protein and energy rich supplements improve muscle function and quality of life in malnourished patients with non-neoplastic gastrointestinal disease--a randomized controlled trial. <i>Clinical Nutrition</i> , 2008 , 27, 48-56	5.9	106
15	Prognostic impact of disease-related malnutrition. <i>Clinical Nutrition</i> , 2008 , 27, 5-15	5.9	823
14	Malnutrition and impaired muscle strength in patients with Crohn's disease and ulcerative colitis in remission. <i>Nutrition</i> , 2008 , 24, 694-702	4.8	132
13	Effects of food fortification on nutritional and functional status in frail elderly nursing home residents at risk of malnutrition. <i>Nutrition</i> , 2008 , 24, 1139-44	4.8	112
12	Disease-related malnutrition but not underweight by BMI is reflected by disturbed electric tissue properties in the bioelectrical impedance vector analysis. <i>British Journal of Nutrition</i> , 2008 , 100, 590-5	3.6	36

11	Severe weight loss caused by chewing gum. <i>BMJ, The</i> , 2008 , 336, 96-7	5.9	28
10	Gastrointestinal tract in liver disease: which organ is sick?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008 , 11, 613-9	3.8	39
9	Is bioelectrical impedance vector analysis of value in the elderly with malnutrition and impaired functionality?. <i>Nutrition</i> , 2007 , 23, 564-9	4.8	74
8	Effects of creatine supplementation on nutritional status, muscle function and quality of life in patients with colorectal cancer--a double blind randomised controlled trial. <i>Clinical Nutrition</i> , 2006 , 25, 596-605	5.9	32
7	The German hospital malnutrition study. <i>Clinical Nutrition</i> , 2006 , 25, 563-72	5.9	462
6	Role of intestinal function in cachexia. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006 , 9, 603-6	3.8	18
5	Malnutrition affects quality of life in gastroenterology patients. <i>World Journal of Gastroenterology</i> , 2006 , 12, 3380	5.6	36
4	Malnutrition affects quality of life in gastroenterology patients. <i>World Journal of Gastroenterology</i> , 2006 , 12, 3380-5	5.6	100
3	The Subjective Global Assessment reliably identifies malnutrition-related muscle dysfunction. <i>Clinical Nutrition</i> , 2005 , 24, 143-50	5.9	105
2	Nutritional assessment and management in hospitalised patients: implication for DRG-based reimbursement and health care quality. <i>Clinical Nutrition</i> , 2005 , 24, 913-9	5.9	82
1	Malnutrition als prognostischer Faktor. <i>Visceral Medicine</i> , 2004 , 20, 175-180	2.4	2