## **Onur** Tasar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8153173/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Optical coherence tomography-verified longer balloon inflation time may provide better stent apposition and optimal index parameters. Herz, 2020, 45, 369-374.	1.1	0
2	Evaluation of Left Atrial Functions by 2â€dimensional Speckleâ€Tracking Echocardiography During Healthy Pregnancy. Journal of Ultrasound in Medicine, 2019, 38, 2981-2988.	1.7	11
3	Predictors and outcomes of no-reflow phenomenon in patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. Coronary Artery Disease, 2019, 30, 270-276.	0.7	23
4	Rationale, design and methodology of the EPIC (Epidemiology of Polypharmacy and potential) Tj ETQq0 0 0 rgBT 391-398.	/Overlock 0.5	10 Tf 50 62 0
5	One-Year Outcomes of Femoropopliteal Chronic Total Occlusions Treated With Percutaneous Provisional Approach: A Single Center Experience (Percutaneous Treatment of Femoropopliteal CTO). European Journal of Therapeutics, 2019, 25, 289-294.	0.1	0
6	Association between BNP levels and new-onset atrial fibrillation. Herz, 2018, 43, 548-554.	1.1	10
7	Optical coherence tomography guided successful fibrinolytic treatment without the need for percutaneous coronary intervention in aÂpatient with acute ST-segment elevation myocardial infarction. Postepy W Kardiologii Interwencyjnej, 2018, 14, 199-201.	0.2	0
8	Assessment of the relationship between reperfusion success and T-peak to T-end interval in patients with ST elevation myocardial infarction treated with percutaneous coronary intervention. Anatolian Journal of Cardiology, 2018, 19, 50-57.	0.9	4
9	Confounding Factors About Microvolt T-wave Alternans Testing And Life Threatening Ventricular Arrhytmias. Anatolian Journal of Cardiology, 2018, 21, 51-52.	0.9	0
10	Guideline-adherent therapy for stroke prevention in atrial fibrillation in different health care settings: Results from RAMSES study. European Journal of Internal Medicine, 2017, 40, 50-55.	2.2	9
11	Realâ€world stroke prevention strategies in nonvalvular atrial fibrillation in patients with renal impairment. European Journal of Clinical Investigation, 2017, 47, 428-438.	3.4	5
12	Multimodality imaging of a left ventricular aneurysm in a patient with normal coronary arteries: Unusual localization. Echocardiography, 2017, 34, 1110-1111.	0.9	4
13	P wave peak time; a novel electrocardiographic parameter in the assessment of coronary no-reflow. Journal of Electrocardiology, 2017, 50, 584-590.	0.9	21
14	Relationship between R-wave peak time and no-reflow in ST elevation myocardial infarction treated with a primary percutaneous coronary intervention. Coronary Artery Disease, 2017, 28, 326-331.	0.7	10
15	Impact of valvular heart disease on oral anticoagulant therapy in non-valvular atrial fibrillation: results from the RAMSES study. Journal of Thrombosis and Thrombolysis, 2017, 43, 157-165.	2.1	3
16	Gender-Related Differences in Presentation and Treatment of Patients With Non-Valvular Atrial Fibrillation: Results from RAMSES study. Turk Kardiyoloji Dernegi Arsivi, 2017, 45, 16-25.	0.5	1
17	Coronary artery disease in outpatients with nonvalvular atrial fibrillation. Coronary Artery Disease, 2016, 27, 497-503.	0.7	2
18	Suboptimal use of non-vitamin K antagonist oral anticoagulants. Medicine (United States), 2016, 95, e4672.	1.0	28

ONUR TASAR

#	Article	IF	CITATIONS
19	Real-life use of digoxin in patients with non-valvular atrial fibrillation: data from the RAMSES study. Journal of Clinical Pharmacy and Therapeutics, 2016, 41, 711-717.	1.5	6
20	ReAl-life Multicenter Survey Evaluating Stroke prevention strategies in non-valvular atrial fibrillation (RAMSES study). Anatolian Journal of Cardiology, 2016, 16, 734-741.	0.9	17
21	Predictive role of left atrial and ventricular mechanical function in postoperative atrial fibrillation: a two-dimensional speckle-tracking echocardiography study. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 45-52.	0.5	13
22	Early Detection of Bi-ventricular and Atrial Mechanical Dysfunction Using Two-Dimensional Speckle Tracking Echocardiography in Patients with Sarcoidosis. Lung, 2015, 193, 669-675.	3.3	30
23	Predictors of coronary artery aneurysm after stent implantation in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. International Journal of Cardiovascular Imaging, 2014, 30, 1435-1444.	1.5	2
24	"Rescue administration―of intracoronary thrombolytic therapy for drug-eluting stent thrombosis. Herz, 2014, 39, 647-650.	1.1	0
25	Baseline SYNTAX score and long term outcomes in patients treated with primary percutaneous coronary intervention. European Heart Journal, 2013, 34, P2217-P2217.	2.2	0
26	An interesting diastolic jet in left ventricle. Anatolian Journal of Cardiology, 2013, 13, 399, 413.	0.4	0
27	Baseline red cell distribution width and long term clinical outcomes in patients treated with primary percutaneous coronary intervention. European Heart Journal, 2013, 34, P427-P427.	2.2	0
28	Evaluation of aneurysm after coronary stent implantation by optical coherence tomography. Kardiologia Polska, 2013, 71, 659-659.	0.6	1
29	New and important guide in acute coronary syndrome: optical coherence tomography. Anatolian Journal of Cardiology, 2012, 13, 190.	0.4	0
30	A successful percutaneous closure of ventricular septal defect following septal myectomy in patients with hypertrophic obstructive cardiomyopathy. Perfusion (United Kingdom), 2012, 27, 253-255.	1.0	6