

Adil Bashir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8153430/publications.pdf>

Version: 2024-02-01

21
papers

779
citations

687363

13
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

1039
citing authors

#	ARTICLE	IF	CITATIONS
1	Myocardial glucose and fatty acid metabolism is altered and associated with lower cardiac function in young adults with Barth syndrome. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1649-1659.	2.1	21
2	Simultaneous Measurement of Perfusion and T2* in Calf Muscle at 7T with Submaximal Exercise using Radial Acquisition. <i>Scientific Reports</i> , 2020, 10, 6342.	3.3	3
3	Creatine kinase rate constant in the human heart at 7T with 1D-ISIS/2D CSI localization. <i>PLoS ONE</i> , 2020, 15, e0229933.	2.5	4
4	Blunted fat oxidation upon submaximal exercise is partially compensated by enhanced glucose metabolism in children, adolescents, and young adults with Barth syndrome. <i>Journal of Inherited Metabolic Disease</i> , 2019, 42, 480-493.	3.6	24
5	Bariatric Surgeryâ€œInduced Cardiac and Lipidomic Changes in Obesityâ€œRelated Heart Failure with Preserved Ejection Fraction. <i>Obesity</i> , 2018, 26, 284-290.	3.0	68
6	Peak oxygen uptake (VO ₂ peak) across childhood, adolescence and young adulthood in Barth syndrome: Data from cross-sectional and longitudinal studies. <i>PLoS ONE</i> , 2018, 13, e0197776.	2.5	13
7	Impaired cardiac and skeletal muscle bioenergetics in children, adolescents, and young adults with Barth syndrome. <i>Physiological Reports</i> , 2017, 5, e13130.	1.7	33
8	A Diet Rich in Medium-Chain Fatty Acids Improves Systolic Function and Alters the Lipidomic Profile in Patients With Type 2 Diabetes: A Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 504-512.	3.6	39
9	Absolute Quantification of Human Liver Phosphorus-Containing Metabolites In Vivo Using an Inhomogeneous Spoiling Magnetic Field Gradient. <i>PLoS ONE</i> , 2015, 10, e0143239.	2.5	4
10	In vivo creatine kinase reaction kinetics at rest and stress in type II diabetic rat heart. <i>Physiological Reports</i> , 2015, 3, e12248.	1.7	10
11	Noncontrast skeletal muscle oximetry. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 318-325.	3.0	34
12	Reproducibility of creatine kinase reaction kinetics in human heart: a ³¹ P time-dependent saturation transfer spectroscopy study. <i>NMR in Biomedicine</i> , 2014, 27, 663-671.	2.8	19
13	Intramyocardial triglyceride quantification by magnetic resonance spectroscopy: In vivo and ex vivo correlation in human subjects. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1234-1238.	3.0	29
14	¹ Hâ€œMagnetic Resonance Spectroscopy for Quantifying Myocardial Lipid Content in Humans With the Cardiometabolic Syndrome. <i>Journal of Clinical Hypertension</i> , 2009, 11, 528-532.	2.0	7
15	Calibration of RF transmitter voltages for hyperpolarized gas MRI. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 239-243.	3.0	14
16	Translation of Myocardial Metabolic Imaging Concepts into the Clinics. <i>Cardiology Clinics</i> , 2009, 27, 291-310.	2.2	5
17	Magnetic Resonance Imaging for Quantifying Regional Adipose Tissue in Human Immunodeficiency Virusâ€œInfected Persons With the Cardiometabolic Syndrome. <i>Journal of the Cardiometabolic Syndrome</i> , 2008, 3, 115-118.	1.7	7
18	Hyperpolarized ³ He MR Imaging: Physiologic Monitoring Observations and Safety Considerations in 100 Consecutive Subjects. <i>Radiology</i> , 2008, 248, 655-661.	7.3	74

#	ARTICLE	IF	CITATIONS
19	Natural linewidth chemical shift imaging (NL-CSI). <i>Magnetic Resonance in Medicine</i> , 2006, 56, 7-18.	3.0	32
20	Magnetic Resonance Imaging of Relative Glycosaminoglycan Distribution in Patients with Autologous Chondrocyte Transplants. <i>Investigative Radiology</i> , 2001, 36, 743-748.	6.2	128
21	MRI Techniques in Early Stages of Cartilage Disease. <i>Investigative Radiology</i> , 2000, 35, 622-638.	6.2	211