

# Diego G Bassani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/815474/publications.pdf>

Version: 2024-02-01

108  
papers

6,112  
citations

109137

35  
h-index

74018

75  
g-index

116  
all docs

116  
docs citations

116  
times ranked

8094  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of maternal excess weight before pregnancy on breast-feeding and weaning: pooled analyses of four population-based cohorts born between 1982 and 2015. <i>British Journal of Nutrition</i> , 2022, 128, 124-130.	1.2	1
2	Direct financial assistance for improved maternal and child health data: a pilot study supporting the health management information system in Malawi. <i>BMC Health Services Research</i> , 2022, 22, 305.	0.9	0
3	Growth delay: an alternative measure of population health based on child height distributions. <i>Annals of Human Biology</i> , 2022, 49, 100-108.	0.4	1
4	Relationship of Patent Ductus Arteriosus Echocardiographic Markers With Descending Aorta Diastolic Flow. <i>Journal of Ultrasound in Medicine</i> , 2021, 40, 1505-1514.	0.8	6
5	Maternal perinatal depression and infant sleep problems at 1 year of age: Subjective and actigraphy data from a population-based birth cohort study. <i>Journal of Sleep Research</i> , 2021, 30, e13047.	1.7	18
6	Effect of Correcting the Postnatal Age of Preterm-Born Children on Measures of Associations Between Infant Length-for-Age z Scores and Mid-Childhood Outcomes. <i>American Journal of Epidemiology</i> , 2021, 190, 477-486.	1.6	5
7	A novel development indicator based on population-average height trajectories of children aged 0-5 years modelled using 145 surveys in 64 countries, 2000-2018. <i>BMJ Global Health</i> , 2021, 6, e004107.	2.0	3
8	Combined Clinical Audits and Low-Dose, High-frequency, In-service Training of Health Care Providers and Community Health Workers to Improve Maternal and Newborn Health in Mali: Protocol for a Pragmatic Cluster Randomized Trial. <i>JMIR Research Protocols</i> , 2021, 10, e28644.	0.5	0
9	Tools for measuring gender equality and women's empowerment (GEWE) indicators in humanitarian settings. <i>Conflict and Health</i> , 2021, 15, 39.	1.0	7
10	Behavioural characteristics and abdominal obesity among Brazilian shift working women. <i>Public Health Nutrition</i> , 2021, 24, 253-259.	1.1	6
11	Adolescents' experiences with group antenatal care: Insights from a mixed-methods study in Senegal. <i>Tropical Medicine and International Health</i> , 2021, 26, 1700-1708.	1.0	3
12	Stunting: prevalence and prevention. , 2021, , .		0
13	Prevalence, mortality and risk factors associated with very low birth weight preterm infants: an analysis of 33 years. <i>Jornal De Pediatria</i> , 2020, 96, 327-332.	0.9	28
14	Anthropometric data quality assessment in multisurvey studies of child growth. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 806S-815S.	2.2	23
15	Growth Delay and Height-Age: Alternative Indicators of Population Health Based on Child Height Distributions. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa053_070.	0.1	1
16	Discrepant Inferences When Modeling Associations Between Time-Varying Exposures and Linear Growth Trajectories in Infancy Using Length-For-Age Z Scores Versus Raw Length. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa054_131.	0.1	0
17	Effect of an integrated neonatal care kit on cause-specific neonatal mortality in rural Pakistan. <i>Global Health Action</i> , 2020, 13, 1802952.	0.7	3
18	Linear growth and mid-childhood cognitive outcomes in three birth cohorts of term-born children: an approach to integrating three growth models to explore critical windows. <i>BMJ Open</i> , 2020, 10, e036850.	0.8	2

#	ARTICLE	IF	CITATIONS
19	&lt;p&gt;Adequacy of Prenatal Care in Northeast Brazil: Pilot Data Comparing Attainment of Standard Care Criteria for First-Time Adolescent and Adult Pregnant Women&lt;/p&gt;. International Journal of Women's Health, 2020, Volume 12, 1023-1031.	1.1	5
20	Evaluating Health Literacy among Adolescent and Young Adult Pregnant Women from a Low-Income Area of Northeast Brazil. International Journal of Environmental Research and Public Health, 2020, 17, 8806.	1.2	8
21	Feasibility and preliminary effectiveness of group antenatal care in Senegalese health posts: a pilot implementation trial. Health Policy and Planning, 2020, 35, 587-599.	1.0	7
22	Câ€™est vraiment compliquÃ©: a case study on the delivery of maternal and child health and nutrition interventions in the conflict-affected regions of Mali. Conflict and Health, 2020, 14, 36.	1.0	15
23	Female infants are more susceptible to the effects of maternal antenatal depression; findings from the Pelotas (Brazil) Birth Cohort Study. Journal of Affective Disorders, 2020, 267, 315-324.	2.0	2
24	Validity of the Brief Infant Sleep Questionnaire (BISQ) in Brazilian children. Sleep Medicine, 2020, 69, 65-70.	0.8	11
25	Associations of acetaminophen use during pregnancy and the first year of life with neurodevelopment in early childhood. Paediatric and Perinatal Epidemiology, 2020, 34, 267-277.	0.8	17
26	Use of Medications by Breastfeeding Women in the 2015 Pelotas (Brazil) Birth Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 568.	1.2	6
27	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€™2015. International Journal of Epidemiology, 2019, 48, i46-i53.	0.9	38
28	Agreement of antenatal care indicators from self-reported questionnaire and the antenatal care card of women in the 2015 Pelotas birth cohort, Rio Grande do Sul, Brazil. BMC Pregnancy and Childbirth, 2019, 19, 410.	0.9	6
29	Fetal, neonatal, and post-neonatal mortality in the 2015 Pelotas (Brazil) birth cohort and associated factors. Cadernos De Saude Publica, 2019, 35, e00072918.	0.4	6
30	Breastfeeding and maternal cardiovascular risk factors: 1982 Pelotas Birth Cohort. Scientific Reports, 2019, 9, 13092.	1.6	5
31	Alternative Metrics of Linear Growth for Tracking Global Progress in Child Undernutrition (P10-001-19). Current Developments in Nutrition, 2019, 3, nzz034.P10-001-19.	0.1	0
32	The association between disrespect and abuse of women during childbirth and postpartum depression: Findings from the 2015 Pelotas birth cohort study. Journal of Affective Disorders, 2019, 256, 441-447.	2.0	49
33	Effect of an integrated neonatal care kit on neonatal health outcomes: a cluster randomised controlled trial in rural Pakistan. BMJ Global Health, 2019, 4, e001393.	2.0	7
34	National, regional, and state-level all-cause and cause-specific under-5 mortality in India in 2000â€™15: a systematic analysis with implications for the Sustainable Development Goals. The Lancet Global Health, 2019, 7, e721-e734.	2.9	90
35	Setting weights for fifteen CHNRI criteria at the global and regional level using public stakeholders: an Amazon Mechanical Turk study. Journal of Global Health, 2019, 9, 010702.	1.2	2
36	Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€™2015. International Journal of Epidemiology, 2019, 48, i72-i79.	0.9	25

#	ARTICLE	IF	CITATIONS
37	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i54-i62.	0.9	17
38	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i4-i15.	0.9	32
39	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i80-i88.	0.9	23
40	Exploring individual and demographic characteristics and their relation to CHNRI Criteria from an international public stakeholder group: an analysis using random intercept and logistic regression modelling. <i>Journal of Global Health</i> , 2019, 9, 010701.	1.2	1
41	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i37-i45.	0.9	25
42	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. <i>International Journal of Epidemiology</i> , 2019, 48, i63-i71.	0.9	6
43	Strengthening health research capacity to address adolescent fertility in Northeast Brazil. <i>Journal of Global Health</i> , 2019, 9, 010303.	1.2	6
44	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i16-i25.	0.9	10
45	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982â€“2015. <i>International Journal of Epidemiology</i> , 2019, 48, i26-i36.	0.9	22
46	Association of breastfeeding, maternal anthropometry and body composition in women at 30 years of age. <i>Cadernos De Saude Publica</i> , 2019, 35, e00122018.	0.4	3
47	Effect of Parental Counseling on Infantsâ€™ Healthy Sleep Habits in Brazil. <i>JAMA Network Open</i> , 2019, 2, e1918062.	2.8	9
48	Efficacy of Regular Exercise During Pregnancy on the Prevention of Postpartum Depression. <i>JAMA Network Open</i> , 2019, 2, e186861.	2.8	52
49	Data gaps in adolescent fertility surveillance in middle-income countries in Latin America and South Eastern Europe: Barriers to evidence-based health promotion. <i>South Eastern European Journal of Public Health</i> , 2019, 11, .	0.0	1
50	Use and Misuse of Stunting as a Measure of Child Health. <i>Journal of Nutrition</i> , 2018, 148, 311-315.	1.3	92
51	Cohort Profile: The 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Epidemiology</i> , 2018, 47, 1048-1048h.	0.9	125
52	Effect of correcting for gestational age at birth on population prevalence of early childhood undernutrition. <i>Emerging Themes in Epidemiology</i> , 2018, 15, 3.	1.2	12
53	Metrics of early childhood growth in recent epidemiological research: A scoping review. <i>PLoS ONE</i> , 2018, 13, e0194565.	1.1	12
54	Conditional random slope: A new approach for estimating individual child growth velocity in epidemiological research. <i>American Journal of Human Biology</i> , 2017, 29, e23009.	0.8	3

#	ARTICLE	IF	CITATIONS
55	Antenatal depressive symptoms among pregnant women: Evidence from a Southern Brazilian population-based cohort study. <i>Journal of Affective Disorders</i> , 2017, 209, 140-146.	2.0	59
56	Early childhood linear growth faltering in low-income and middle-income countries as a whole-population condition: analysis of 179 Demographic and Health Surveys from 64 countries (1993–2015). <i>The Lancet Global Health</i> , 2017, 5, e1249-e1257.	2.9	69
57	Changes in leisure-time physical activity among Brazilian pregnant women: comparison between two birth cohort studies (2004 – 2015). <i>BMC Public Health</i> , 2017, 17, 119.	1.2	40
58	A randomized controlled trial of exercise during pregnancy on maternal and neonatal outcomes: results from the PAMELA study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 175.	2.0	61
59	Prioritizing research for integrated implementation of early childhood development and maternal, newborn, child and adolescent health and nutrition platforms. <i>Journal of Global Health</i> , 2017, 7, 011002.	1.2	23
60	Effect of provision of an integrated neonatal survival kit and early cognitive stimulation package by community health workers on developmental outcomes of infants in Kwale County, Kenya: study protocol for a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 265.	0.9	7
61	Infant sleep hygiene counseling (sleep trial): protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 307.	1.1	22
62	Physical activity during pregnancy and maternal-child health (PAMELA): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 227.	0.7	27
63	No Female Disadvantage in Anthropometric Status among Children in India. <i>Journal of South Asian Development</i> , 2015, 10, 119-147.	0.6	8
64	Use of wind-up fetal Doppler versus Pinard for fetal heart rate intermittent monitoring in labour: a randomised clinical trial. <i>BMJ Open</i> , 2015, 5, e006867-e006867.	0.8	27
65	WHO Child Growth Standards Are Often Incorrectly Applied to Children Born Preterm in Epidemiologic Research. <i>Journal of Nutrition</i> , 2015, 145, 2429-2439.	1.3	11
66	Local Distributions of Wealth to Describe Health Inequalities in India: A New Approach for Analyzing Nationally Representative Household Survey Data, 1992–2008. <i>PLoS ONE</i> , 2014, 9, e110694.	1.1	21
67	The community-based delivery of an innovative neonatal kit to save newborn lives in rural Pakistan: design of a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 315.	0.9	14
68	Dietary management of childhood diarrhea in low- and middle-income countries: a systematic review. <i>BMC Public Health</i> , 2013, 13, S17.	1.2	37
69	Financial incentives and coverage of child health interventions: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2013, 13, S30.	1.2	108
70	Setting priorities for development of emerging interventions against childhood diarrhoea. <i>Journal of Global Health</i> , 2013, 3, 010302.	1.2	12
71	Association between childhood trauma and loss of functionality in adult women with fibromyalgia. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 46-54.	0.4	10
72	Development and in vitro characterization of a novel prenatal multi-micronutrient powder incorporating differentially microencapsulated calcium carbonate and ferrous fumarate to overcome intra-intestinal calcium-iron interactions. <i>FASEB Journal</i> , 2013, 27, .	0.2	0

#	ARTICLE	IF	CITATIONS
73	Rotavirus mortality in India: estimates based on a nationally representative survey of diarrhoeal deaths. <i>Bulletin of the World Health Organization</i> , 2012, 90, 720-727.	1.5	51
74	Factors Associated with Physician Agreement on Verbal Autopsy of over 11500 Injury Deaths in India. <i>PLoS ONE</i> , 2012, 7, e30336.	1.1	9
75	Factors Associated with Physician Agreement and Coding Choices of Cause of Death Using Verbal Autopsies for 1130 Maternal Deaths in India. <i>PLoS ONE</i> , 2012, 7, e33075.	1.1	9
76	Trends in selective abortions of girls in India: analysis of nationally representative birth histories from 1990 to 2005 and census data from 1991 to 2011. <i>Lancet, The</i> , 2011, 377, 1921-1928.	6.3	224
77	China's progress in neonatal mortality. <i>Lancet, The</i> , 2011, 378, 1446-1447.	6.3	3
78	Racial inequalities in access to women's health care in southern Brazil. <i>Cadernos De Saude Publica</i> , 2011, 27, 2364-2372.	0.4	37
79	Capturing the Context of Maternal Deaths from Verbal Autopsies: A Reliability Study of the Maternal Data Extraction Tool (M-DET). <i>PLoS ONE</i> , 2011, 6, e14637.	1.1	11
80	Unintentional injury deaths among children younger than 5 years of age in India: a nationally representative study. <i>Injury Prevention</i> , 2011, 17, 151-155.	1.2	42
81	Diarrhea, Pneumonia, and Infectious Disease Mortality in Children Aged 5 to 14 Years in India. <i>PLoS ONE</i> , 2011, 6, e20119.	1.1	41
82	Child mortality from solid-fuel use in India: a nationally-representative case-control study. <i>BMC Public Health</i> , 2010, 10, 491.	1.2	51
83	HIV mortality and infection in India: estimates from nationally representative mortality survey of 1.1 million homes. <i>BMJ: British Medical Journal</i> , 2010, 340, c621-c621.	2.4	43
84	Global, regional, and national causes of child mortality in 2008: a systematic analysis. <i>Lancet, The</i> , 2010, 375, 1969-1987.	6.3	2,498
85	Adult and child malaria mortality in India: a nationally representative mortality survey. <i>Lancet, The</i> , 2010, 376, 1768-1774.	6.3	235
86	Causes of neonatal and child mortality in India: a nationally representative mortality survey. <i>Lancet, The</i> , 2010, 376, 1853-1860.	6.3	399
87	Factors Associated with Physician Agreement on Verbal Autopsy of over 27000 Childhood Deaths in India. <i>PLoS ONE</i> , 2010, 5, e9583.	1.1	25
88	Socioeconomic, demographic and lifestyle factors associated with dietary patterns of women living in Southern Brazil. <i>Cadernos De Saude Publica</i> , 2009, 25, 1297-1306.	0.4	44
89	A Case-Control Study of Factors Associated With Multiple Psychiatric Readmissions. <i>Psychiatric Services</i> , 2009, 60, 786-791.	1.1	57
90	Child sexual abuse in southern Brazil and associated factors: a population-based study. <i>BMC Public Health</i> , 2009, 9, 133.	1.2	27

#	ARTICLE	IF	CITATIONS
91	Gender inequity and age-appropriate immunization coverage in India from 1992 to 2006. BMC International Health and Human Rights, 2009, 9, S3.	2.5	82
92	Estimating the number of children exposed to parental psychiatric disorders through a national health survey. Child and Adolescent Psychiatry and Mental Health, 2009, 3, 6.	1.2	36
93	Factor structure of the Multnomah Community Ability Scale – longitudinal analysis. Psychiatry Research, 2009, 167, 178-189.	1.7	9
94	Inadequate Use of Prenatal Services Among Brazilian Women: The Role of Maternal Characteristics. International Perspectives on Sexual and Reproductive Health, 2009, 35, 015-020.	3.8	45
95	Inadequate use of prenatal services among Brazilian women: the role of maternal characteristics. , 2009, 35, 15-20.		31
96	Effect of chewing gums on the production of volatile sulfur compounds (VSC) in vivo. Acta Odontológica Latinoamericana: AOL, 2009, 22, 11-4.	0.1	5
97	Counting children at risk. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 927-935.	1.6	23
98	Impulsivity, age of first alcohol use and substance use disorders among male adolescents: a population based case-control study. Addiction, 2008, 103, 1198-1205.	1.7	76
99	Influence of co-occurring mental and substance use disorders on the prevalence of problem gambling in Canada. Addiction, 2008, 103, 1847-1856.	1.7	48
100	The role of psychosocial, behavioural and emotional factors on self-reported major injuries in Brazilian adolescents: A case-control study. Injury, 2008, 39, 561-569.	0.7	11
101	Prevalence of Co-Occurring Substance Use and other Mental Disorders in the Canadian Population. Canadian Journal of Psychiatry, 2008, 53, 800-809.	0.9	113
102	Perceived Unmet Need for Mental Health Care for Canadians With Co-occurring Mental and Substance Use Disorders. Psychiatric Services, 2008, 59, 283-289.	1.1	91
103	Use of Mental Health Care Services by Canadians With Co-occurring Substance Dependence and Mental Disorders. Psychiatric Services, 2007, 58, 962-969.	1.1	73
104	Using thought mapping and structured stories to decrease HIV risk behaviors among cocaine injectors and crack smokers in the South of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 233-240.	0.9	8
105	Periodontal disease and perinatal outcomes: a case-control study. Journal of Clinical Periodontology, 2007, 34, 31-39.	2.3	81
106	Use of the limits of agreement approach in periodontology. Oral Health & Preventive Dentistry, 2007, 5, 119-24.	0.3	3
107	Validity of the Community Periodontal Index of Treatment Needs' (CPITN) for population periodontitis screening. Cadernos De Saude Publica, 2006, 22, 277-283.	0.4	41
108	Dietary factors and risk of non-Hodgkin lymphoma by histologic subtype: a case-control analysis. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1665-76.	1.1	36