Alain F Kalmar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8156301/publications.pdf

Version: 2024-02-01

345118
36
g-index
1359
citing authors

#	Article	IF	CITATIONS
1	Influence of steep Trendelenburg position and CO2 pneumoperitoneum on cardiovascular, cerebrovascular, and respiratory homeostasis during robotic prostatectomy. British Journal of Anaesthesia, 2010, 104, 433-439.	1.5	200
2	Reversal of Rocuronium-Induced Neuromuscular Block with the Novel Drug Sugammadex Is Equally Effective Under Maintenance Anesthesia with Propofol or Sevoflurane. Anesthesia and Analgesia, 2007, 104, 563-568.	1.1	124
3	Value of Cushing reflex as warning sign for brain ischaemia during neuroendoscopy †â€This work was performed at the Department of Anaesthesia, Ghent University Hospital, Ghent, Belgium British Journal of Anaesthesia, 2005, 94, 791-799.	1.5	66
4	Excessive chest compression rate is associated with insufficient compression depth in prehospital cardiac arrest. Resuscitation, 2012, 83, 1319-1323.	1.3	66
5	Comparison of continuous non-invasive finger arterial pressure monitoring with conventional intermittent automated arm arterial pressure measurement in patients under general anaesthesia. British Journal of Anaesthesia, 2014, 113 , $67-74$.	1.5	65
6	Time course of inhaled anaesthetic drug delivery using a new multifunctional closed-circuit anaesthesia ventilator. In vitro comparison with a classical anaesthesia machine â€. British Journal of Anaesthesia, 2005, 94, 306-317.	1.5	61
7	Accuracy of non-invasive measurement of haemoglobin concentration by pulse co-oximetry during steady-state and dynamic conditions in liver surgery. British Journal of Anaesthesia, 2012, 109, 522-528.	1.5	56
8	Comparison of arterial pressure and plethysmographic waveform-based dynamic preload variables in assessing fluid responsiveness and dynamic arterial tone in patients undergoing major hepatic resection. British Journal of Anaesthesia, 2013, 110, 940-946.	1.5	50
9	Cerebral haemodynamic physiology during steep Trendelenburg position and CO2 pneumoperitoneum. British Journal of Anaesthesia, 2012, 108, 478-484.	1.5	46
10	Phenylephrine increases cardiac output by raising cardiac preload in patients with anesthesia induced hypotension. Journal of Clinical Monitoring and Computing, 2018, 32, 969-976.	0.7	44
11	Accuracy of the Composite Variability Index as a Measure of the Balance Between Nociception and Antinociception During Anesthesia. Anesthesia and Analgesia, 2014, 119, 288-301.	1.1	42
12	Differential effects of phenylephrine and norepinephrine on peripheral tissue oxygenation during general anaesthesia. European Journal of Anaesthesiology, 2015, 32, 571-580.	0.7	39
13	Inhaled Anesthetics: Environmental Role, Occupational Risk, and Clinical Use. Journal of Clinical Medicine, 2021, 10, 1306.	1.0	35
14	Optic Nerve Sheath Diameter Remains Constant during Robot Assisted Laparoscopic Radical Prostatectomy. PLoS ONE, 2014, 9, e111916.	1.1	34
15	Transfer of normal 99mTc-ECD brain SPET databases between different gamma cameras. European Journal of Nuclear Medicine and Molecular Imaging, 2001, 28, 435-449.	2.2	33
16	Noninvasive pulse pressure variation and stroke volume variation to predict fluid responsiveness at multiple thresholds: a prospective observational study. Canadian Journal of Anaesthesia, 2015, 62, 1153-1160.	0.7	33
17	Patients with cardiac arrest are ventilated two times faster than guidelines recommend: An observational prehospital study using tracheal pressure measurement. Resuscitation, 2013, 84, 921-926.	1.3	32
18	Comparisons of Electroencephalographically Derived Measures of Hypnosis and Antinociception in Response to Standardized Stimuli During Target-Controlled Propofol-Remifentanil Anesthesia. Anesthesia and Analgesia, 2016, 122, 382-392.	1.1	28

#	Article	IF	CITATIONS
19	Management practices for postdural puncture headache in obstetrics: a prospective, international, cohort study. British Journal of Anaesthesia, 2020, 125, 1045-1055.	1.5	25
20	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery: a pilot study. BMC Anesthesiology, 2014, 14, 122.	0.7	22
21	Pulmonary gas exchange is well preserved during robot assisted surgery in steep Trendelenburg position. Acta Anaesthesiologica Belgica, 2009, 60, 229-33.	0.0	22
22	A novel method to detect accidental oesophageal intubation based on ventilation pressure waveforms. Resuscitation, 2012, 83, 177-182.	1.3	19
23	Prophylactic atropine administration attenuates the negative haemodynamic effects of induction of anaesthesia with propofol and high-dose remifentanil. European Journal of Anaesthesiology, 2017, 34, 695-701.	0.7	16
24	Exceptional Clinical Observation: Total Brain Ischemia During Normal Intracranial Pressure Readings Caused by Obstruction of the Outflow of a Neuroendoscope. Journal of Neurosurgical Anesthesiology, 2005, 17, 175-176.	0.6	15
25	Anesthetic Considerations for Robotic Surgery in the Steep Trendelenburg Position. Advances in Anesthesia, 2012, 30, 75-96.	0.5	15
26	Bispectral index values and propofol concentrations at loss and return of consciousness in patients with frontal brain tumours and control patients. British Journal of Anaesthesia, 2014, 112, 110-117.	1.5	15
27	Chest compressions during ventilation in out-of-hospital cardiac arrest cause reversed airflow. Resuscitation, 2018, 129, 97-102.	1.3	15
28	A Novel Design for Steerable Instruments Based on Laser-Cut Nitinol. Surgical Innovation, 2014, 21, 303-311.	0.4	14
29	Influence of an increased intracranial pressure on cerebral and systemic haemodynamics during endoscopic neurosurgery: an animal model. British Journal of Anaesthesia, 2009, 102, 361-368.	1.5	13
30	Ventilation and outcomes following robotic-assisted abdominal surgery: an international, multicentre observational study. British Journal of Anaesthesia, 2021, 126, 533-543.	1.5	13
31	The effect of fluid resuscitation on the effective circulating volume in patients undergoing liver surgery: a post-hoc analysis of a randomized controlled trial. Journal of Clinical Monitoring and Computing, 2018, 32, 73-80.	0.7	9
32	Hemodynamics and tissue oxygenation during balanced anesthesia with a high antinociceptive contribution: an observational study. Perioperative Medicine (London, England), 2014, 3, 9.	0.6	8
33	Brain changes due to hypoxia during light anaesthesia can be prevented by deepening anaesthesia; a study in rats. PLoS ONE, 2018, 13, e0193062.	1.1	8
34	Clinical and Radiological Outcomes of Hallux Rigidus Treated With Cheilectomy and a Moberg-Akin Osteotomy. Foot and Ankle International, 2020, 41, 294-302.	1.1	8
35	Long-term pressure monitoring with arterial applanation tonometry: A non-invasive alternative during clinical intervention?. Technology and Health Care, 2008, 16, 183-193.	0.5	6
36	Complete mesocolic excision does not increase short-term complications in laparoscopic left-sided colectomies: a comparative retrospective single-center study. Langenbeck's Archives of Surgery, 2019, 404, 557-564.	0.8	6

3

#	Article	IF	CITATIONS
37	Lower Extremity Near-infrared Spectroscopy After Popliteal Block For Orthopaedic Foot Surgery. The Open Orthopaedics Journal, 2016, 10, 258-263.	0.1	6
38	The use of the trendelenburg position in the surgical treatment of extreme cerebellar slump. British Journal of Neurosurgery, 2016, 30, 115-119.	0.4	5
39	International multicenter observational study on assessment of ventilatory management during general anaesthesia for robotic surgery and its effects on postoperative pulmonary complication (AVATaR): study protocol and statistical analysis plan. BMJ Open, 2018, 8, e021643.	0.8	5
40	Comparison of haemodynamic- and electroencephalographic-monitored effects evoked by four combinations of effect-site concentrations of propofol and remifentanil, yielding a predicted tolerance to laryngoscopy of 90%. Journal of Clinical Monitoring and Computing, 2021, 35, 815-825.	0.7	5
41	Steep Trendelenburg position, intracranial pressure, and dexamethasone. British Journal of Anaesthesia, 2010, 105, 548-549.	1.5	4
42	Pressure monitoring during neuroendoscopy: new insights. British Journal of Anaesthesia, 2011, 107, 218-224.	1,5	4
43	Improved haemodynamic stability and cerebral tissue oxygenation after induction of anaesthesia with sufentanil compared to remifentanil: a randomised controlled trial. BMC Anesthesiology, 2020, 20, 258.	0.7	4
44	Perioperative Calibration of Noninvasive Hemoglobin Monitoring. Anesthesia and Analgesia, 2014, 118, 481.	1.1	3
45	Is the Human Brain Capable of Controlling Seven Degrees of Freedom?. Journal of Surgical Research, 2019, 238, 1-9.	0.8	3
46	Heart rate and the assessment of changes in venous return after phenylephrine. Journal of Applied Physiology, 2013, 114, 1646-1646.	1.2	2
47	Automatic detection of oesophageal intubation based on ventilation pressure waveforms shows high sensitivity and specificity in patients with pulmonary disease. Resuscitation, 2016, 105, 36-40.	1.3	2
48	Articulated Instruments and 3D Visualization: A Synergy? Evaluation of Execution Time, Errors, and Visual Fatigue. Surgical Innovation, 2019, 26, 456-463.	0.4	2
49	Minimizing sevoflurane wastage by sensible use of automated gas control technology in the flow-i workstation: an economic and ecological assessment. Journal of Clinical Monitoring and Computing, 2022, 36, 1601-1610.	0.7	2
50	Long-term pressure monitoring with arterial applanation tonometry: a non-invasive alternative during clinical intervention?. Technology and Health Care, 2008, 16, 183-93.	0.5	2
51	Carbon Footprint of Anesthesia: Comment. Anesthesiology, 2022, , .	1.3	2
52	The Validity of Eadyn in Spontaneously Breathing Patients. Anesthesia and Analgesia, 2015, 121, 1400.	1.1	1
53	A novel hybrid 3D endoscope zooming and repositioning system: Design and feasibility study. International Journal of Medical Robotics and Computer Assisted Surgery, 2020, 16, e2050.	1,2	1
54	Reply from the authors: Are we ready for non-invasive blood pressure monitoring?—reply. British Journal of Anaesthesia, 2015, 115, 130-131.	1,5	0

#	Article	IF	CITATIONS
55	Needle-Assisted Laparoendoscopic Single-Site Radical Prostatectomy Using a New Series of Steerable Instruments: Feasible Option to Overcome Current Limits?. Videourology (New Rochelle, N Y), 2018, 32, .	0.1	0
56	Life cycle assessment of memsorb use. Journal of Clinical Monitoring and Computing, 2022, 36, 1569-1571.	0.7	o