

Ahmed Nadeem

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8157235/ahmed-nadeem-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

3,433
citations

31
h-index

49
g-index

164
ext. papers

4,442
ext. citations

4.7
avg. IF

5.48
L-index

#	Paper	IF	Citations
154	Cathepsin B inhibitor alleviates Th1, Th17, and Th22 transcription factor signaling dysregulation in experimental autoimmune encephalomyelitis.. <i>Experimental Neurology</i> , 2022 , 113997	5.7	0
153	Myricetin (3,3,4,5,5,7-hexahydroxyflavone) prevents ethanol-induced biochemical and inflammatory damage in the liver of Wistar rats.. <i>Human and Experimental Toxicology</i> , 2022 , 41, 96032712341066843	3.4	0
152	Personalized Liver Cancer Risk Prediction Using Big Data Analytics Techniques with Image Processing Segmentation.. <i>Computational Intelligence and Neuroscience</i> , 2022 , 2022, 8154523	3	0
151	CCR1 antagonist ameliorates experimental autoimmune encephalomyelitis by inhibition of Th9/Th22-related markers in the brain and periphery.. <i>Molecular Immunology</i> , 2022 , 144, 127-137	4.3	0
150	Dysregulated Nrf2 signaling in response to di(2-ethylhexyl) phthalate in neutrophils of children with autism.. <i>International Immunopharmacology</i> , 2022 , 106, 108619	5.8	1
149	Acetyl-11-keto- β -Boswellic acid improves clinical symptoms through modulation of Nrf2 and NF- κ B pathways in SJL/J mouse model of experimental autoimmune encephalomyelitis.. <i>International Immunopharmacology</i> , 2022 , 107, 108703	5.8	0
148	Lck signaling inhibition causes improvement in clinical features of psoriatic inflammation through reduction in inflammatory cytokines in CD4+ T cells in imiquimod mouse model.. <i>Cellular Immunology</i> , 2022 , 376, 104531	4.4	1
147	CXCR2 antagonist SB332235 mitigates deficits in social behavior and dysregulation of Th1/Th22 and T regulatory cell-related transcription factor signaling in male BTBR T+ Itpr3tf/J mouse model of autism. <i>Pharmacology Biochemistry and Behavior</i> , 2022 , 173408	3.9	0
146	Imbalance in pro-inflammatory and anti-inflammatory cytokines milieu in B cells of children with autism.. <i>Molecular Immunology</i> , 2021 , 141, 297-304	4.3	5
145	An Integrated Approach for Cancer Survival Prediction Using Data Mining Techniques.. <i>Computational Intelligence and Neuroscience</i> , 2021 , 2021, 6342226	3	5
144	Instantaneous Adsorption of Synthetic Dyes from an Aqueous Environment Using Kaolinite Nanotubes: Equilibrium and Thermodynamic Studies. <i>ACS Omega</i> , 2021 , 6, 845-856	3.9	4
143	Chemokine Receptor 5 Antagonism Causes Reduction in Joint Inflammation in a Collagen-Induced Arthritis Mouse Model. <i>Molecules</i> , 2021 , 26,	4.8	12
142	Pharmacological Inhibition of STAT3 by Stattic Ameliorates Clinical Symptoms and Reduces Autoinflammation in Myeloid, Lymphoid, and Neuronal Tissue Compartments in Relapsing-Remitting Model of Experimental Autoimmune Encephalomyelitis in SJL/J Mice. <i>Frontiers in Immunology</i> , 2021 , 12, 674173	6.4	5
141	Exposure to the plasticizer, Di-(2-ethylhexyl) phthalate during juvenile period exacerbates autism-like behavior in adult BTBR T+ Itpr3tf/J mice due to DNA hypomethylation and enhanced inflammation in brain and systemic immune cells. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110249	5.5	6
140	Methylmercury chloride exposure aggravates proinflammatory mediators and Notch-1 signaling in CD14 and CD40 cells and is associated with imbalance of neuroimmune function in BTBR T Itpr3tf/J mice. <i>NeuroToxicology</i> , 2021 , 82, 9-17	4.4	2
139	Bruton's tyrosine kinase inhibition attenuates oxidative stress in systemic immune cells and renal compartment during sepsis-induced acute kidney injury in mice. <i>International Immunopharmacology</i> , 2021 , 90, 107123	5.8	12
138	The MAP kinase inhibitor PD98059 reduces chromosomal instability in the autoimmune encephalomyelitis SJL/J-mouse model of multiple sclerosis. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2021 , 861-862, 503278	3	1

137	5-Aminoisoquinolinone, a PARP-1 Inhibitor, Ameliorates Immune Abnormalities through Upregulation of Anti-Inflammatory and Downregulation of Inflammatory Parameters in T Cells of BTBR Mouse Model of Autism. <i>Brain Sciences</i> , 2021 , 11,	3.4	3
136	Dysregulation of Ki-67 Expression in T Cells of Children with Autism Spectrum Disorder. <i>Children</i> , 2021 , 8,	2.8	6
135	Aggravation of autism-like behavior in BTBR T+tf/J mice by environmental pollutant, di-(2-ethylhexyl) phthalate: Role of nuclear factor erythroid 2-related factor 2 and oxidative enzymes in innate immune cells and cerebellum. <i>International Immunopharmacology</i> , 2021 , 91, 107323	5.8	11
134	Role of ITK signaling in acute kidney injury in mice: Amelioration of acute kidney injury associated clinical parameters and attenuation of inflammatory transcription factor signaling in CD4+ T cells by ITK inhibition. <i>International Immunopharmacology</i> , 2021 , 99, 108028	5.8	4
133	3-Aminobenzamide alleviates elevated DNA damage and DNA methylation in a BTBR Tlpr3/J mouse model of autism by enhancing repair gene expression. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 199, 173057	3.9	0
132	Elevated expression of toll-like receptor 4 is associated with NADPH oxidase-induced oxidative stress in B cells of children with autism. <i>International Immunopharmacology</i> , 2020 , 84, 106555	5.8	6
131	Systemic TNF- α blockade attenuates anxiety and depressive-like behaviors in mice through downregulation of inflammatory signaling in peripheral immune cells. <i>Saudi Pharmaceutical Journal</i> , 2020 , 28, 621-629	4.4	5
130	Vorinostat is genotoxic and epigenotoxic in the mouse bone marrow cells at the human equivalent doses. <i>Toxicology</i> , 2020 , 441, 152507	4.4	4
129	Blockade of interleukin-2-inducible T-cell kinase signaling attenuates acute lung injury in mice through adjustment of pulmonary Th17/Treg immune responses and reduction of oxidative stress. <i>International Immunopharmacology</i> , 2020 , 83, 106369	5.8	16
128	CXC chemokine receptor 3 antagonist AMG487 shows potent anti-arthritic effects on collagen-induced arthritis by modifying B cell inflammatory profile. <i>Immunology Letters</i> , 2020 , 225, 74-84 ¹	4.1	16
127	Bruton's tyrosine kinase inhibitor suppresses imiquimod-induced psoriasis-like inflammation in mice through regulation of IL-23/IL-17A in innate immune cells. <i>International Immunopharmacology</i> , 2020 , 80, 106215	5.8	16
126	5-aminoisoquinolinone attenuates social behavior deficits and immune abnormalities in the BTBR Tlpr3/J mouse model for autism. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 189, 172859	3.9	8
125	Therapeutic treatment with Ibrutinib attenuates imiquimod-induced psoriasis-like inflammation in mice through downregulation of oxidative and inflammatory mediators in neutrophils and dendritic cells. <i>European Journal of Pharmacology</i> , 2020 , 877, 173088	5.3	23
124	Involvement of CD45 cells in the development of autism spectrum disorder through dysregulation of granulocyte-macrophage colony-stimulating factor, key inflammatory cytokines, and transcription factors. <i>International Immunopharmacology</i> , 2020 , 83, 106466	5.8	7
123	CXCR3 antagonist AMG487 inhibits glucocorticoid-induced tumor necrosis factor-receptor-related protein and inflammatory mediators in CD45 expressing cells in collagen-induced arthritis mouse model. <i>International Immunopharmacology</i> , 2020 , 84, 106494	5.8	10
122	Dysregulation in IL-6 receptors is associated with upregulated IL-17A related signaling in CD4+ T cells of children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 97, 109783	5.5	20
121	Differential regulation of Nrf2 is linked to elevated inflammation and oxidative stress in monocytes of children with autism. <i>Psychoneuroendocrinology</i> , 2020 , 113, 104554	5	26
120	Evaluation of DNA repair efficiency in autistic children by molecular cytogenetic analysis and transcriptome profiling. <i>DNA Repair</i> , 2020 , 85, 102750	4.3	3

119	Inhibition of tyrosine kinase signaling by tyrphostin AG126 downregulates the IL-21/IL-21R and JAK/STAT pathway in the BTBR mouse model of autism. <i>NeuroToxicology</i> , 2020 , 77, 1-11	4.4	6
118	Inhibition of interleukin-2-inducible T-cell kinase causes reduction in imiquimod-induced psoriasisform inflammation through reduction of Th17 cells and enhancement of Treg cells in mice. <i>Biochimie</i> , 2020 , 179, 146-156	4.6	12
117	Synthesis of exfoliate bentonite/cellulose nanocomposite as a delivery system for Oxaliplatin drug with enhanced loading and release properties; cytotoxicity and pharmacokinetic studies. <i>Chemical Physics Letters</i> , 2020 , 755, 137818	2.5	3
116	Ubiquitous plasticizer, Di-(2-ethylhexyl) phthalate enhances existing inflammatory profile in monocytes of children with autism. <i>Toxicology</i> , 2020 , 446, 152597	4.4	7
115	Upregulation of interleukin (IL)-31, a cytokine producing CXCR1 peripheral immune cells, contributes to the immune abnormalities of autism spectrum disorder. <i>Journal of Neuroimmunology</i> , 2020 , 349, 577430	3.5	5
114	Insight into the Loading and Release Properties of an Exfoliated Kaolinite/Cellulose Fiber (EXK/CF) Composite as a Carrier for Oxaliplatin Drug: Cytotoxicity and Release Kinetics. <i>ACS Omega</i> , 2020 , 5, 191639-19173	3.9	15
113	Insight into the role of integrated carbohydrate polymers (starch, chitosan, and Cyclodextrin) with mesoporous silica as carriers for ibuprofen drug; equilibrium and pharmacokinetic properties. <i>International Journal of Biological Macromolecules</i> , 2020 , 156, 537-547	7.9	16
112	Upregulation of enzymatic antioxidants in CD4 T cells of autistic children. <i>Biochimie</i> , 2020 , 171-172, 205-212	4.2	2
111	CXCR3 antagonist AMG487 suppresses rheumatoid arthritis pathogenesis and progression by shifting the Th17/Treg cell balance. <i>Cellular Signalling</i> , 2019 , 64, 109395	4.9	30
110	Inhibition of Bruton's tyrosine kinase and IL-2 inducible T-cell kinase suppresses both neutrophilic and eosinophilic airway inflammation in a cockroach allergen extract-induced mixed granulocytic mouse model of asthma using preventative and therapeutic strategy. <i>Pharmacological Research</i> , 2019 , 146, 105111	10.2	11
109	The histamine-4 receptor antagonist JNJ7777120 prevents immune abnormalities by inhibiting ROR γ /T-bet transcription factor signaling pathways in BTBR T $\text{Ipr}3$ /J mice exposed to gamma rays. <i>Molecular Immunology</i> , 2019 , 114, 561-570	4.3	5
108	DAPTA, a C-C chemokine receptor 5 (CCR5) antagonist attenuates immune aberrations by downregulating Th9/Th17 immune responses in BTBR T $\text{Ipr}3$ /J mice. <i>European Journal of Pharmacology</i> , 2019 , 846, 100-108	5.3	4
107	Sulforaphane treatment reverses corticosteroid resistance in a mixed granulocytic mouse model of asthma by upregulation of antioxidants and attenuation of Th17 immune responses in the airways. <i>European Journal of Pharmacology</i> , 2019 , 855, 276-284	5.3	14
106	Protease activated receptor-2 mediated upregulation of IL-17 receptor signaling on airway epithelial cells is responsible for neutrophilic infiltration during acute exposure of house dust mite allergens in mice. <i>Chemico-Biological Interactions</i> , 2019 , 304, 52-60	5	9
105	Genetic and epigenetic alterations induced by the small-molecule panobinostat: A mechanistic study at the chromosome and gene levels. <i>DNA Repair</i> , 2019 , 78, 70-80	4.3	11
104	Assessment of DNA repair efficiency in the inbred BTBR T $\text{Ipr}3$ /J autism spectrum disorder mouse model exposed to gamma rays and treated with JNJ7777120. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 189-196	5.5	5
103	Nrf2 activator, sulforaphane ameliorates autism-like symptoms through suppression of Th17 related signaling and rectification of oxidant-antioxidant imbalance in periphery and brain of BTBR T $\text{Ipr}3$ /J mice. <i>Behavioural Brain Research</i> , 2019 , 364, 213-224	3.4	36
102	Dysregulated enzymatic antioxidant network in peripheral neutrophils and monocytes in children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 352-359	5.5	22

101	The Stat3 inhibitor, S3I-201, downregulates lymphocyte activation markers, chemokine receptors, and inflammatory cytokines in the BTBR T Itpr3/J mouse model of autism. <i>Brain Research Bulletin</i> , 2019 , 152, 27-34	3.9	6
100	The potent immunomodulatory compound VGX-1027 regulates inflammatory mediators in CD4 T cells, which are concomitant with the prevention of neuroimmune dysregulation in BTBR T Itpr3/J mice. <i>Life Sciences</i> , 2019 , 237, 116930	6.8	7
99	Inhibition of spleen tyrosine kinase attenuates psoriasis-like inflammation in mice through blockade of dendritic cell-Th17 inflammation axis. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 347-358	7.5	18
98	Amelioration of sepsis-induced acute kidney injury through inhibition of inflammatory cytokines and oxidative stress in dendritic cells and neutrophils respectively in mice: Role of spleen tyrosine kinase signaling. <i>Biochimie</i> , 2019 , 158, 102-110	4.6	29
97	Dysregulation of T cell immunoglobulin and mucin domain 3 (TIM-3) signaling in peripheral immune cells is associated with immune dysfunction in autistic children. <i>Molecular Immunology</i> , 2019 , 106, 77-86	4.3	9
96	Oxidative and inflammatory mediators are upregulated in neutrophils of autistic children: Role of IL-17A receptor signaling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 204-211	5.5	22
95	Elevated IL-16 expression is associated with development of immune dysfunction in children with autism. <i>Psychopharmacology</i> , 2019 , 236, 831-838	4.7	10
94	Inhibition of spleen tyrosine kinase signaling protects against acute lung injury through blockade of NADPH oxidase and IL-17A in neutrophils and T cells respectively in mice. <i>International Immunopharmacology</i> , 2019 , 68, 39-47	5.8	11
93	Increased oxidative stress in the cerebellum and peripheral immune cells leads to exaggerated autism-like repetitive behavior due to deficiency of antioxidant response in BTBR T + tf/J mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 245-253	5.5	26
92	Resveratrol Improves Neuroimmune Dysregulation Through the Inhibition of Neuronal Toll-Like Receptors and COX-2 Signaling in BTBR T Itpr3/J Mice. <i>NeuroMolecular Medicine</i> , 2018 , 20, 133-146	4.6	29
91	Resveratrol attenuates pro-inflammatory cytokines and activation of JAK1-STAT3 in BTBR T Itpr3/J autistic mice. <i>European Journal of Pharmacology</i> , 2018 , 829, 70-78	5.3	31
90	Systemic inflammation in asocial BTBR T tf/J mice predisposes them to increased psoriatic inflammation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 83, 8-17	5.5	22
89	Glucose-6-phosphate dehydrogenase inhibition attenuates acute lung injury through reduction in NADPH oxidase-derived reactive oxygen species. <i>Clinical and Experimental Immunology</i> , 2018 , 191, 279-287	6.2	19
88	Downregulation in Helios transcription factor signaling is associated with immune dysfunction in blood leukocytes of autistic children. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 85, 98-104	5.5	9
87	Short chain fatty acid, acetate ameliorates sepsis-induced acute kidney injury by inhibition of NADPH oxidase signaling in T cells. <i>International Immunopharmacology</i> , 2018 , 58, 24-31	5.8	34
86	Plasticizer, di(2-ethylhexyl)phthalate (DEHP) enhances cockroach allergen extract-driven airway inflammation by enhancing pulmonary Th2 as well as Th17 immune responses in mice. <i>Environmental Research</i> , 2018 , 164, 327-339	7.9	18
85	Immune Alterations in CD8 T Cells Are Associated with Neuronal C-C and C-X-C Chemokine Receptor Regulation Through Adenosine A2A Receptor Signaling in a BTBR T Itpr3/J Autistic Mouse Model. <i>Molecular Neurobiology</i> , 2018 , 55, 2603-2616	6.2	11
84	Upregulation of peripheral CXC and CC chemokine receptor expression on CD4 T cells is associated with immune dysregulation in children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 211-220	5.5	16

83	Activation of IL-17 receptor leads to increased oxidative inflammation in peripheral monocytes of autistic children. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 335-344	16.6	47
82	Investigation of belinostat-induced genomic instability by molecular cytogenetic analysis and pathway-focused gene expression profiling. <i>Toxicology and Applied Pharmacology</i> , 2018 , 350, 43-51	4.6	8
81	IL-17A-induced neutrophilic airway inflammation is mediated by oxidant-antioxidant imbalance and inflammatory cytokines in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 107, 1196-1204	7.5	12
80	Dysregulation of the expression of HLA-DR, costimulatory molecule, and chemokine receptors on immune cells in children with autism. <i>International Immunopharmacology</i> , 2018 , 65, 360-365	5.8	6
79	S3I-201, a selective Stat3 inhibitor, restores neuroimmune function through upregulation of Treg signaling in autistic BTBR T Itpr3/J mice. <i>Cellular Signalling</i> , 2018 , 52, 127-136	4.9	8
78	The PPAR δ agonist GW0742 restores neuroimmune function by regulating Tim-3 and Th17/Treg-related signaling in the BTBR autistic mouse model. <i>Neurochemistry International</i> , 2018 , 120, 251-261	4.4	13
77	Protection by tyrosine kinase inhibitor, tyrphostin AG126, through the suppression of IL-17A, ROR γ , and T-bet signaling, in the BTBR mouse model of autism. <i>Brain Research Bulletin</i> , 2018 , 142, 328-337	3.9	9
76	Inhibition of BET bromodomains restores corticosteroid responsiveness in a mixed granulocytic mouse model of asthma. <i>Biochemical Pharmacology</i> , 2018 , 154, 222-233	6	15
75	Toll-like receptor 4 signaling is associated with upregulated NADPH oxidase expression in peripheral T cells of children with autism. <i>Brain, Behavior, and Immunity</i> , 2017 , 61, 146-154	16.6	54
74	Discovery and evaluation of 1H-pyrrolo[2,3-b]pyridine based selective and reversible small molecule BTK inhibitors for the treatment of rheumatoid arthritis. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 1867-1873	2.9	4
73	GPR43 activation enhances psoriasis-like inflammation through epidermal upregulation of IL-6 and dual oxidase 2 signaling in a murine model. <i>Cellular Signalling</i> , 2017 , 33, 59-68	4.9	31
72	Psoriasis-like inflammation leads to renal dysfunction via upregulation of NADPH oxidases and inducible nitric oxide synthase. <i>International Immunopharmacology</i> , 2017 , 46, 1-8	5.8	18
71	Adenosine A2A receptor modulates neuroimmune function through Th17/retinoid-related orphan receptor gamma t (ROR γ) signaling in a BTBR T Itpr3/J mouse model of autism. <i>Cellular Signalling</i> , 2017 , 36, 14-24	4.9	32
70	Activation of adenosine A2A receptor signaling regulates the expression of cytokines associated with immunologic dysfunction in BTBR T Itpr3/J mice. <i>Molecular and Cellular Neurosciences</i> , 2017 , 82, 76-87	4.8	20
69	Acute lung injury leads to depression-like symptoms through upregulation of neutrophilic and neuronal NADPH oxidase signaling in a murine model. <i>International Immunopharmacology</i> , 2017 , 47, 218-226	5.8	11
68	IL-17A causes depression-like symptoms via NFB and p38MAPK signaling pathways in mice: Implications for psoriasis associated depression. <i>Cytokine</i> , 2017 , 97, 14-24	4	58
67	Imbalance between the anti- and pro-inflammatory milieu in blood leukocytes of autistic children. <i>Molecular Immunology</i> , 2017 , 82, 57-65	4.3	39
66	Psoriatic inflammation causes hepatic inflammation with concomitant dysregulation in hepatic metabolism via IL-17A/IL-17 receptor signaling in a murine model. <i>Immunobiology</i> , 2017 , 222, 128-136	3.4	19

65	Psoriatic inflammation enhances allergic airway inflammation through IL-23/STAT3 signaling in a murine model. <i>Biochemical Pharmacology</i> , 2017 , 124, 69-82	6	27
64	Dexrazoxane Averts Idarubicin-Evoked Genomic Damage by Regulating Gene Expression Profiling Associated With the DNA Damage-Signaling Pathway in BALB/c Mice. <i>Toxicological Sciences</i> , 2017 , 160, 161-172	4.4	7
63	Adenosine A2A receptor signaling affects IL-21/IL-22 cytokines and GATA3/T-bet transcription factor expression in CD4 T cells from a BTBR T Itpr3tf/J mouse model of autism. <i>Journal of Neuroimmunology</i> , 2017 , 311, 59-67	3.5	15
62	Upregulation of IL-9 and JAK-STAT signaling pathway in children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 472-480	5.5	30
61	Toll-like receptors, NF- κ B, and IL-27 mediate adenosine A2A receptor signaling in BTBR T Itpr3/J mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 184-191	5.5	22
60	Resveratrol Ameliorates Dysregulation of Th1, Th2, Th17, and T Regulatory Cell-Related Transcription Factor Signaling in a BTBR T Itpr3tf/J Mouse Model of Autism. <i>Molecular Neurobiology</i> , 2017 , 54, 5201-5212	6.2	56
59	STA-21, a STAT-3 inhibitor, attenuates the development and progression of inflammation in collagen antibody-induced arthritis. <i>Immunobiology</i> , 2017 , 222, 206-217	3.4	31
58	Dysregulation of Th1, Th2, Th17, and T regulatory cell-related transcription factor signaling in children with autism. <i>Molecular Neurobiology</i> , 2017 , 54, 4390-4400	6.2	77
57	β 1,3-Glucan reverses aflatoxin B1-mediated suppression of immune responses in mice. <i>Life Sciences</i> , 2016 , 152, 1-13	6.8	16
56	TLR-7 agonist attenuates airway reactivity and inflammation through Nrf2-mediated antioxidant protection in a murine model of allergic asthma. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 73, 53-62	5.6	31
55	Airway oxidative stress causes vascular and hepatic inflammation via upregulation of IL-17A in a murine model of allergic asthma. <i>International Immunopharmacology</i> , 2016 , 34, 173-182	5.8	17
54	Utility of Dexrazoxane for the Attenuation of Epirubicin-Induced Genetic Alterations in Mouse Germ Cells. <i>PLoS ONE</i> , 2016 , 11, e0163703	3.7	1
53	The tyrosine kinase inhibitor tyrphostin AG126 reduces activation of inflammatory cells and increases Foxp3 regulatory T cells during pathogenesis of rheumatoid arthritis. <i>Molecular Immunology</i> , 2016 , 78, 65-78	4.3	24
52	Resveratrol treatment attenuates chemokine receptor expression in the BTBR T Itpr3tf/J mouse model of autism. <i>Molecular and Cellular Neurosciences</i> , 2016 , 77, 1-10	4.8	31
51	Imiquimod-induced psoriasis-like skin inflammation is suppressed by BET bromodomain inhibitor in mice through RORC/IL-17A pathway modulation. <i>Pharmacological Research</i> , 2015 , 99, 248-57	10.2	67
50	Oxidative airway inflammation leads to systemic and vascular oxidative stress in a murine model of allergic asthma. <i>International Immunopharmacology</i> , 2015 , 26, 237-45	5.8	27
49	Design and Synthesis of N-Arylphthalimides as Inhibitors of Glucocorticoid-Induced TNF Receptor-Related Protein, Proinflammatory Mediators, and Cytokines in Carrageenan-Induced Lung Inflammation. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 8850-67	8.3	21
48	Riboflavin attenuates lipopolysaccharide-induced lung injury in rats. <i>Toxicology Mechanisms and Methods</i> , 2015 , 25, 417-23	3.6	14

47	Histamine 4 receptor promotes expression of costimulatory B7.1/B7.2 molecules, CD28 signaling and cytokine production in stress-induced immune responses. <i>Journal of Neuroimmunology</i> , 2015 , 289, 30-42	3.5	23
46	Treatment with aliskiren ameliorates tacrolimus-induced nephrotoxicity in rats. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 1329-36	3	16
45	Proteinase activated receptor-2-mediated dual oxidase-2 up-regulation is involved in enhanced airway reactivity and inflammation in a mouse model of allergic asthma. <i>Immunology</i> , 2015 , 145, 391-403	7.8	34
44	Functional inhibition of PAR2 alleviates allergen-induced airway hyperresponsiveness and inflammation. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 1844-55	4.1	32
43	Regulation of TNF- α and NF- κ B activation through the JAK/STAT signaling pathway downstream of histamine 4 receptor in a rat model of LPS-induced joint inflammation. <i>Immunobiology</i> , 2015 , 220, 889-98	3.4	73
42	Escheriosome-mediated cytosolic delivery of PLK1-specific siRNA: potential in treatment of liver cancer in BALB/c mice. <i>Nanomedicine</i> , 2014 , 9, 407-20	5.6	13
41	Acute glutathione depletion leads to enhancement of airway reactivity and inflammation via p38MAPK-iNOS pathway in allergic mice. <i>International Immunopharmacology</i> , 2014 , 22, 222-9	5.8	15
40	Airway and systemic oxidant-antioxidant dysregulation in asthma: a possible scenario of oxidants spill over from lung into blood. <i>Pulmonary Pharmacology and Therapeutics</i> , 2014 , 29, 31-40	3.5	69
39	Carbon tetrachloride-induced hepatotoxicity in rat is reversed by treatment with riboflavin. <i>International Immunopharmacology</i> , 2014 , 21, 383-8	5.8	37
38	Protection against tacrolimus-induced cardiotoxicity in rats by olmesartan and aliskiren. <i>Toxicology Mechanisms and Methods</i> , 2014 , 24, 697-702	3.6	8
37	Olmesartan attenuates tacrolimus-induced biochemical and ultrastructural changes in rat kidney tissue. <i>BioMed Research International</i> , 2014 , 2014, 607246	3	9
36	Glutathione modulation during sensitization as well as challenge phase regulates airway reactivity and inflammation in mouse model of allergic asthma. <i>Biochimie</i> , 2014 , 103, 61-70	4.6	28
35	Protective effects of phosphodiesterase 2 inhibitor on depression- and anxiety-like behaviors: involvement of antioxidant and anti-apoptotic mechanisms. <i>Behavioural Brain Research</i> , 2014 , 268, 150-158	3.4	52
34	Allergic sensitization enhances anion current responsiveness of murine trachea to PAR-2 activation. <i>Pflugers Archiv European Journal of Physiology</i> , 2012 , 463, 497-509	4.6	17
33	Weekly paclitaxel and carboplatin induction chemotherapy followed by concurrent chemoradiotherapy in locally advanced squamous cell carcinoma of the head and neck. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2012 , 35, 6-12	2.7	14
32	Phase I trial examining addition of gemcitabine to CHOP in intermediate grade NHL. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 1075-80	3.5	1
31	Mucosal allergic sensitization to cockroach allergens is dependent on proteinase activity and proteinase-activated receptor-2 activation. <i>Journal of Immunology</i> , 2011 , 186, 3164-72	5.3	74
30	Involvement of A1 adenosine receptors in altered vascular responses and inflammation in an allergic mouse model of asthma. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 299, H81-7	5.2	19

29	Role of A1 adenosine receptors in vascular reactivity and inflammation in a murine model of allergic asthma. <i>FASEB Journal</i> , 2010 , 24, 958.1	0.9	
28	A(1) adenosine receptor-mediated PKC and p42/p44 MAPK signaling in mouse coronary artery smooth muscle cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H1032-9 ²	5.2	34
27	A2A adenosine receptor deficiency leads to impaired tracheal relaxation via NADPH oxidase pathway in allergic mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 330, 99-108	4.7	16
26	Adenosine receptors and asthma. <i>Handbook of Experimental Pharmacology</i> , 2009 , 329-62	3.2	42
25	Role of NADPH oxidase in A3 adenosine receptor-mediated contraction using knockout mouse aorta. <i>FASEB Journal</i> , 2009 , 23, 937.5	0.9	
24	Oxidant--antioxidant imbalance in asthma: scientific evidence, epidemiological data and possible therapeutic options. <i>Therapeutic Advances in Respiratory Disease</i> , 2008 , 2, 215-35	4.9	106
23	Adenosine-mediated alteration of vascular reactivity and inflammation in a murine model of asthma. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2158-65	5.2	16
22	Reversal of oxidative stress-induced anxiety by inhibition of phosphodiesterase-2 in mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 326, 369-79	4.7	168
21	A1 adenosine receptor-activated protein kinase C signaling in A1 knock-out mice coronary artery smooth muscle cells. <i>FASEB Journal</i> , 2008 , 22, 1152.11	0.9	
20	Effect of vitamin E supplementation with standard treatment on oxidant-antioxidant status in chronic obstructive pulmonary disease. <i>Indian Journal of Medical Research</i> , 2008 , 128, 705-11	2.9	9
19	Effect of a specific and selective A(2B) adenosine receptor antagonist on adenosine agonist AMP and allergen-induced airway responsiveness and cellular influx in a mouse model of asthma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 320, 1246-51	4.7	86
18	Enhanced airway reactivity and inflammation in A2A adenosine receptor-deficient allergic mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007 , 292, L1335-44	5.8	49
17	Involvement of COX-1 in A3 adenosine receptor-mediated contraction through endothelium in mice aorta. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H3448-55	5.2	44
16	Evidence for the involvement of nitric oxide in A2B receptor-mediated vasorelaxation of mouse aorta. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H719-25	5.2	54
15	Liposomised recombinant ribosomal L7/L12 protein protects BALB/c mice against <i>Brucella abortus</i> 544 infection. <i>Vaccine</i> , 2007 , 25, 3692-704	4.1	46
14	Endothelium-mediated contraction by A3 adenosine receptor agonist and its relationship to COX-1/COX-2 in A3KO mouse aorta. <i>FASEB Journal</i> , 2007 , 21, A1381	0.9	
13	Effects of adenosine on vascular reactivity and inflammation in a murine model of allergic asthma. <i>FASEB Journal</i> , 2007 , 21, A805	0.9	
12	Adenosine A1 receptor antagonist versus montelukast on airway reactivity and inflammation. <i>European Journal of Pharmacology</i> , 2006 , 551, 116-24	5.3	27

11	Immobilization stress causes extra-cellular oxidant-antioxidant imbalance in rats: restoration by L-NAME and vitamin E. <i>European Neuropsychopharmacology</i> , 2006 , 16, 260-7	1.2	23
10	Adenosine receptor antagonists and asthma. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006 , 3, 269-275		9
9	Non PC liposome entrapped promastigote antigens elicit parasite specific CD8+ and CD4+ T-cell immune response and protect hamsters against visceral leishmaniasis. <i>Vaccine</i> , 2006 , 24, 1800-10	4.1	33
8	Increased oxidative stress and depletion of antioxidants in A2A adenosine receptor deficient allergic mice. <i>FASEB Journal</i> , 2006 , 20, A671	0.9	1
7	Attenuation of adenosine receptor-mediated vasorelaxation by L-NAME in mouse aorta. <i>FASEB Journal</i> , 2006 , 20, LB17	0.9	
6	Phase I study of docetaxel, capecitabine, and carboplatin in metastatic esophagogastric cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005 , 28, 329-33	2.7	7
5	Increased oxidative stress and altered levels of antioxidants in chronic obstructive pulmonary disease. <i>Inflammation</i> , 2005 , 29, 23-32	5.1	91
4	Increased oxidative stress in acute exacerbations of asthma. <i>Journal of Asthma</i> , 2005 , 42, 45-50	1.9	53
3	A novel A1 adenosine receptor antagonist, L-97-1 [3-[2-(4-aminophenyl)-ethyl]-8-benzyl-7-{2-ethyl-(2-hydroxy-ethyl)-amino}-ethyl]-1-propyl-3,7-dihydro-purine-2,6-dione], reduces allergic responses to house dust mite in an allergic rabbit model of asthma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 315, 329-36	4.7	16
2	Increased oxidative stress and altered levels of antioxidants in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 72-8	11.5	229
1	Binding of bilirubin with albumin-coupled liposomes: implications in the treatment of jaundice. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002 , 1564, 219-26	3.8	7