

Tomonori Yamanishi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8158183/tomonori-yamanishi-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

2,591
citations

29
h-index

48
g-index

111
ext. papers

3,001
ext. citations

2.4
avg, IF

4.38
L-index

#	Paper	IF	Citations
103	Symptom assessment tool for overactive bladder syndrome--overactive bladder symptom score. <i>Urology</i> , 2006 , 68, 318-23	1.6	463
102	Pelvic floor electrical stimulation in the treatment of stress incontinence: an investigational study and a placebo controlled double-blind trial. <i>Journal of Urology</i> , 1997 , 158, 2127-31	2.5	89
101	Randomized, double-blind study of electrical stimulation for urinary incontinence due to detrusor overactivity. <i>Urology</i> , 2000 , 55, 353-7	1.6	89
100	Combination of a cholinergic drug and an alpha-blocker is more effective than monotherapy for the treatment of voiding difficulty in patients with underactive detrusor. <i>International Journal of Urology</i> , 2004 , 11, 88-96	2.3	87
99	Incomplete emptying and urinary retention in multiple-system atrophy: when does it occur and how do we manage it?. <i>Movement Disorders</i> , 2006 , 21, 816-23	7	72
98	Overactive bladder in diabetes: a peripheral or central mechanism?. <i>Neurourology and Urodynamics</i> , 2007 , 26, 807-13	2.3	71
97	Assessment of overactive bladder symptoms: comparison of 3-day bladder diary and the overactive bladder symptoms score. <i>Urology</i> , 2011 , 77, 60-4	1.6	68
96	Clinical guidelines for male lower urinary tract symptoms and benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2017 , 24, 716-729	2.3	63
95	The role of M(2)-muscarinic receptors in mediating contraction of the pig urinary bladder in vitro. <i>British Journal of Pharmacology</i> , 2000 , 131, 1482-8	8.6	60
94	Defining overactive bladder as hypersensitivity. <i>Neurourology and Urodynamics</i> , 2007 , 26, 904-7	2.3	59
93	Comparative study of the effects of magnetic versus electrical stimulation on inhibition of detrusor overactivity. <i>Urology</i> , 2000 , 56, 777-81	1.6	56
92	Sphincter EMG as a diagnostic tool in autonomic disorders. <i>Clinical Autonomic Research</i> , 2009 , 19, 20-31	4.3	55
91	EFFECT OF FUNCTIONAL CONTINUOUS MAGNETIC STIMULATION FOR URINARY INCONTINENCE. <i>Journal of Urology</i> , 2000 , 163, 456-459	2.5	54
90	Outline of JUA clinical guidelines for benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2011 , 18, 741-56	2.3	52
89	Randomized, placebo controlled study of electrical stimulation with pelvic floor muscle training for severe urinary incontinence after radical prostatectomy. <i>Journal of Urology</i> , 2010 , 184, 2007-12	2.5	51
88	Are alpha-blockers involved in lower urinary tract dysfunction in multiple system atrophy? A comparison of prazosin and moxislyte. <i>Journal of the Autonomic Nervous System</i> , 2000 , 79, 191-5		50
87	BIOFEEDBACK TRAINING FOR DETRUSOR OVERACTIVITY IN CHILDREN. <i>Journal of Urology</i> , 2000 , 164, 1686-1690	2.5	46

86	Urinary retention due to herpes virus infections. <i>Neurourology and Urodynamics</i> , 1998 , 17, 613-9	2.3	44
85	The role of beta(3)-adrenoceptors in mediating relaxation of porcine detrusor muscle. <i>British Journal of Pharmacology</i> , 2002 , 135, 129-34	8.6	41
84	THE ROLE OF M2 MUSCARINIC RECEPTOR SUBTYPES IN MEDIATING CONTRACTION OF THE PIG BLADDER BASE AFTER CYCLIC ADENOSINE MONOPHOSPHATE ELEVATION AND/OR SELECTIVE M3 INACTIVATION. <i>Journal of Urology</i> , 2002 , 167, 397-401	2.5	38
83	Effect of functional continuous magnetic stimulation on urethral closure in healthy volunteers. <i>Urology</i> , 1999 , 54, 652-5	1.6	38
82	Influence of Body Position on Defecation in Humans. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2010 , 2, 16-21	1.9	35
81	Urodynamic effects of silodosin, a new alpha 1A-adrenoceptor selective antagonist, for the treatment of benign prostatic hyperplasia. <i>Neurourology and Urodynamics</i> , 2010 , 29, 558-62	2.3	35
80	Clinical guideline for male lower urinary tract symptoms. <i>International Journal of Urology</i> , 2009 , 16, 775-90	2.0	35
79	The influence of afferent inputs from skin and viscera on the activity of the bladder and the skeletal muscle surrounding the urethra in the rat. <i>Neuroscience Research</i> , 1995 , 23, 195-205	2.9	32
78	Single-blind, randomized controlled study of the clinical and urodynamic effects of an alpha-blocker (naftopidil) and phytotherapy (eviprostat) in the treatment of benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2004 , 11, 501-9	2.3	30
77	Role of beta-adrenoceptor subtypes in mediating relaxation of the pig bladder trigonal muscle in vitro. <i>Neurourology and Urodynamics</i> , 2003 , 22, 338-42	2.3	30
76	Urological dysfunction in synucleinopathies: epidemiology, pathophysiology and management. <i>Clinical Autonomic Research</i> , 2018 , 28, 83-101	4.3	30
75	Neuromodulation for the treatment of urinary incontinence. <i>International Journal of Urology</i> , 2008 , 15, 665-72	2.3	29
74	Effect of naftopidil on urethral obstruction in benign prostatic hyperplasia: assessment by urodynamic studies. <i>Prostate</i> , 1994 , 25, 46-52	4.2	29
73	Clinical Guideline for Female Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2016 , 8, 5-29	1.9	29
72	Variation in urinary flow according to voiding position in normal males. <i>Neurourology and Urodynamics</i> , 1999 , 18, 553-7	2.3	28
71	The Role of M2 Muscarinic Receptor Subtypes Mediating Contraction of the Circular and Longitudinal Smooth Muscle of the Pig Proximal Urethra. <i>Journal of Urology</i> , 2002 , 168, 308-314	2.5	27
70	Neuromodulation for the Treatment of Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2015 , 7, 121-32	1.9	26
69	Randomized, double-blind, sham-controlled evaluation of the effect of functional continuous magnetic stimulation in patients with urgency incontinence. <i>Neurourology and Urodynamics</i> , 2007 , 26, 767-72	2.3	26

68	Detrusor overactivity and penile erection in patients with lower lumbar spine lesions. <i>European Urology</i> , 1998 , 34, 360-4	10.2	26
67	Effects of 138-355, a beta3-adrenoceptor selective agonist, on relaxation of the human detrusor muscle in vitro. <i>Neurourology and Urodynamics</i> , 2006 , 25, 815-9	2.3	25
66	The Effect of Urapidil on Neurogenic Bladder: A Placebo Controlled Double-Blind Study. <i>Journal of Urology</i> , 1996 , 156, 1125-1130	2.5	25
65	A multicenter placebo-controlled, double-blind trial of urapidil, an alpha-blocker, on neurogenic bladder dysfunction. <i>European Urology</i> , 1999 , 35, 45-51	10.2	24
64	Multicenter, randomized, sham-controlled study on the efficacy of magnetic stimulation for women with urgency urinary incontinence. <i>International Journal of Urology</i> , 2014 , 21, 395-400	2.3	22
63	Evaluation of functional bladder capacity in Japanese children. <i>International Journal of Urology</i> , 1999 , 6, 226-8	2.3	22
62	Efficacy of extended-release tolterodine for the treatment of neurogenic detrusor overactivity and/or low-compliance bladder. <i>International Journal of Urology</i> , 2010 , 17, 931-6	2.3	17
61	Increased interferon alpha receptor 2 mRNA levels is associated with renal cell carcinoma metastasis. <i>BMC Cancer</i> , 2007 , 7, 159	4.8	16
60	A randomized controlled study of the efficacy of tadalafil monotherapy versus combination of tadalafil and mirabegron for the treatment of persistent overactive bladder symptoms in men presenting with lower urinary tract symptoms (CONTACT Study). <i>Neurourology and Urodynamics</i> , 2020 , 39, 804-812	2.3	15
59	Expression of RhoA mRNA and activated RhoA in urothelium and smooth muscle, and effects of a Rho-kinase inhibitor on contraction of the porcine urinary bladder. <i>Neurourology and Urodynamics</i> , 2009 , 28, 521-8	2.3	15
58	Effects of magnetic stimulation on urodynamic stress incontinence refractory to pelvic floor muscle training in a randomized sham-controlled study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 61-65	1.9	15
57	Efficacy and safety of combination therapy with tamsulosin, dutasteride and imidafenacin for the management of overactive bladder symptoms associated with benign prostatic hyperplasia: A multicenter, randomized, open-label, controlled trial (DirecT Study). <i>International Journal of Urology</i> , 2017 , 24, 525-531	2.3	14
56	Molecular pathogenesis of interstitial cystitis based on microRNA expression signature: miR-320 family-regulated molecular pathways and targets. <i>Journal of Human Genetics</i> , 2018 , 63, 543-554	4.3	14
55	Role of urodynamic studies in the diagnosis and treatment of lower urinary tract symptoms. <i>Urological Science</i> , 2011 , 22, 120-128	0.3	13
54	Urodynamic evaluation of surgical outcome in patients with urinary retention due to central lumbar disc prolapse. <i>Neurourology and Urodynamics</i> , 2003 , 22, 670-5	2.3	13
53	The functional role of beta-adrenoceptor subtypes in mediating relaxation of pig urethral smooth muscle. <i>Journal of Urology</i> , 2003 , 170, 2508-11	2.5	13
52	Identification of β Adrenoceptor Subtypes in Lower Urinary Tract of the Female Pig. <i>Journal of Urology</i> , 2002 , 168, 2706-2710	2.5	13
51	Induction of urethral closure and inhibition of bladder contraction by continuous magnetic stimulation. <i>Neurourology and Urodynamics</i> , 1999 , 18, 505-10	2.3	13

50	The role of muscarinic receptor subtypes on carbachol-induced contraction of normal human detrusor and overactive detrusor associated with benign prostatic hyperplasia. <i>Journal of Pharmacological Sciences</i> , 2015 , 128, 65-70	3.7	11
49	Urinary dysfunction in Brown-Sq̄ard syndrome. <i>Neurourology and Urodynamics</i> , 2001 , 20, 661-7	2.3	10
48	Clinical guidelines for the diagnosis and treatment of lower urinary tract dysfunction in patients with spinal cord injury. <i>International Journal of Urology</i> , 2020 , 27, 276-288	2.3	9
47	Six-year follow up of silodosin monotherapy for the treatment of lower urinary tract symptoms suggestive of benign prostatic hyperplasia: What are the factors for continuation or withdrawal?. <i>International Journal of Urology</i> , 2015 , 22, 1143-8	2.3	9
46	Continuous urinary incontinence presenting as the initial symptoms demonstrating acontractile detrusor and intrinsic sphincter deficiency in multiple system atrophy. <i>International Journal of Urology</i> , 2007 , 14, 972-4	2.3	9
45	The role of M2 muscarinic receptor subtypes in mediating contraction of the pig bladder base after cyclic adenosine monophosphate elevation and/or selective M3 inactivation. <i>Journal of Urology</i> , 2002 , 167, 397-401	2.5	9
44	Mirabegron or tolterodine for the treatment of overactive bladder in Japan: Which drug is more cost-effective as the first-line treatment?. <i>International Journal of Urology</i> , 2018 , 25, 863-870	2.3	8
43	Design of a single-arm clinical trial of regenerative therapy by periurethral injection of adipose-derived regenerative cells for male stress urinary incontinence in Japan: the ADRESU study protocol. <i>BMC Urology</i> , 2017 , 17, 89	2.2	8
42	Once-daily oxybutynin patch improves nocturia and sleep quality in Japanese patients with overactive bladder: Post-hoc analysis of a phase III randomized clinical trial. <i>International Journal of Urology</i> , 2015 , 22, 684-8	2.3	8
41	Urethral obstruction in patients with nighttime wetting: urodynamic evaluation and outcome of surgical incision. <i>Neurourology and Urodynamics</i> , 2000 , 19, 241-8	2.3	8
40	Transurethral holmium: YAG laser prostatectomy using a side-firing fiber for bladder outlet obstruction due to benign prostatic enlargement: urodynamic evaluation of surgical outcome. <i>European Urology</i> , 2001 , 39, 544-50	10.2	8
39	OnabotulinumtoxinA (botulinum toxin type 'A) for the treatment of Japanese patients with overactive bladder and urinary incontinence: Results of single-dose treatment from a phase III, randomized, double-blind, placebo-controlled trial (interim analysis). <i>International Journal of Urology</i> , 2009 , 27, 227-231	2.3	7
38	Nocturia Quality-of-Life questionnaire is a useful tool to predict nocturia and a risk of falling in Japanese outpatients: a cross-sectional survey. <i>International Journal of Urology</i> , 2014 , 21, 289-93	2.3	7
37	Effects of Silodosin on Lower Urinary Tract Symptoms in Patients with Benign Prostatic Hyperplasia: Evaluation by Frequency/Volume Chart. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2010 , 2, 31-6	1.9	6
36	Clinical Guidelines for Female Lower Urinary Tract Symptoms (second edition). <i>International Journal of Urology</i> , 2021 , 28, 474-492	2.3	6
35	URINE FLOW DYNAMICS THROUGH THE URETHRA IN PATIENTS WITH BLADDER OUTLET OBSTRUCTION. <i>Journal of Mechanics in Medicine and Biology</i> , 2014 , 14, 1450052	0.7	5
34	Nocturia Potentially Influences Maintenance of Sexual Function in Elderly Men with Benign Prostatic Hyperplasia. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013 , 5, 75-81	1.9	5
33	Long-Term Efficacy of Tamsulosin in the Treatment of Lower Urinary Tract Symptoms Suggestive of Benign Prostatic Hyperplasia in Real-Life Practice. <i>UroToday International Journal</i> , 2009 , 02,		5

32	Efficacy and safety of intravesical instillation of KRP-116D (50% dimethyl sulfoxide solution) for interstitial cystitis/bladder pain syndrome in Japanese patients: A multicenter, randomized, double-blind, placebo-controlled, clinical study. <i>International Journal of Urology</i> , 2021 , 28, 545-553	2.3	5
31	Expression profile of urothelial transcription factors in bladder biopsies with interstitial cystitis. <i>International Journal of Urology</i> , 2017 , 24, 632-638	2.3	4
30	JUA clinical guidelines for benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2011 , 18, e1-e33.	3.3	4
29	Effects of fasudil, a Rho-kinase inhibitor, on contraction of pig bladder tissues with or without urothelium. <i>International Journal of Urology</i> , 2009 , 16, 959-66	2.3	4
28	Do Sacral/Peripheral Lesions Contribute to Detrusor-Sphincter Dyssynergia?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 126-9	1.9	4
27	Micturitional disturbance in a patient with neurosarcoidosis. <i>Neurourology and Urodynamics</i> , 2000 , 19, 273-7	2.3	4
26	Regenerative treatment for male stress urinary incontinence by periurethral injection of adipose-derived regenerative cells: Outcome of the ADRESU study. <i>International Journal of Urology</i> , 2020 , 27, 859-865	2.3	4
25	A 52-week multicenter randomized controlled study of the efficacy and safety of add-on dutasteride and imidafenacin to tamsulosin in patients with benign prostatic hyperplasia with remaining overactive bladder symptoms (Direct study). <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 115-121	1.9	4
24	Identification of beta-adrenoceptor subtypes in lower urinary tract of the female pig. <i>Journal of Urology</i> , 2002 , 168, 2706-10	2.5	4
23	Comparison of the clinical effect of dutasteride therapy for benign prostatic hyperplasia when initiated at different time points: A multicentre, observational, retrospective chart review study. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13418	2.9	3
22	Therapeutic effect of propiverine hydrochloride on mixed-type urinary incontinence in women: The Female Urgency and Stress Urinary Incontinence Study of Propiverine Hydrochloride trial. <i>International Journal of Urology</i> , 2018 , 25, 486-491	2.3	3
21	Autologous and heterotopic transplantation of adipose stromal vascular fraction ameliorates stress urinary incontinence in rats with simulated childbirth trauma. <i>Regenerative Therapy</i> , 2018 , 8, 9-14	3.7	3
20	Pulsed magnetic stimulation with a high-frequency continuous magnetic stimulator (SMN-X) does not exert an adverse effect on genital organs and the estrous cycle in female lar:Wistar-Imamichi rats. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1675-80	2.3	3
19	Ambulatory Urodynamics in Asymptomatic, Young, Healthy Male Volunteers. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2009 , 1, 29-34	1.9	3
18	THE ROLE OF M2 MUSCARINIC RECEPTOR SUBTYPES IN MEDIATING CONTRACTION OF THE PIG BLADDER BASE AFTER CYCLIC ADENOSINE MONOPHOSPHATE ELEVATION AND/OR SELECTIVE M3 INACTIVATION. <i>Journal of Urology</i> , 2002 , 397-401	2.5	3
17	High-Frequency Continuous Pulsed Magnetic Stimulation Does Not Adversely Affect Development on Whole Body Organs in Female Sprague-Dawley Rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2017 , 9, 102-106	1.9	2
16	Randomized, Single-Blind, Parallel Study of the Effectiveness and Safety of Solifenacin versus Propiverine in the Treatment of Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013 , 5, 11-6	1.9	2
15	Management of benign prostatic hyperplasia with silodosin. <i>Open Access Journal of Urology</i> , 1		2

14	The Effect of Urapidil on Neurogenic Bladder. <i>Journal of Urology</i> , 1996 , 1125-1130	2.5	2
13	The Role of M2 Muscarinic Receptor Subtypes Mediating Contraction of the Circular and Longitudinal Smooth Muscle of the Pig Proximal Urethra. <i>Journal of Urology</i> , 2002 , 308-314	2.5	2
12	Urodynamic efficacy of fesoterodine for the treatment of neurogenic detrusor overactivity and/or low compliance bladder. <i>International Journal of Urology</i> , 2020 , 27, 899-904	2.3	2
11	Extravasation of Urine Associated with Bilateral Complete Ureteral Duplication, Vesicoureteral Reflux and Benign Prostatic Hyperplasia. <i>Urology Case Reports</i> , 2017 , 11, 47-49	0.5	1
10	The Mechanism of and a Novel Treatment for Neurogenic Lower Urinary Tract Dysfunction (Neurogenic Bladder). <i>Spinal Surgery</i> , 2013 , 27, 4-12	0	1
9	Management of benign prostatic hyperplasia with silodosin. <i>Research and Reports in Urology</i> , 2009 , 1, 1-7	1.3	1
8	Psychogenic Urinary Dysfunction in Children and Adults. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 242-246	0.4	0
7	Bladder sensation evaluation of a carrageenan-induced chronic prostatitis model using a direct measurement of the bladder mechanosensitive single-unit afferent nerve activity. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2111-2119	2.3	0
6	Efficacy and safety of onabotulinumtoxinA in patients with overactive bladder: subgroup analyses by sex and by serum prostate-specific antigen levels in men from a randomized controlled trial. <i>International Urology and Nephrology</i> , 2021 , 53, 2243-2250	2.3	0
5	Which α -Adrenoceptor Subtypes are Important in the Treatment of Overactive Bladder?. <i>Current Drug Therapy</i> , 2007 , 2, 79-84	0.7	
4	Editorial Comment. <i>Journal of Urology</i> , 2020 , 203, 191	2.5	
3	CS1-1 Physical therapy and neuromodulation(Comprehensive Study 1?Treatment Strategy for Obstinate Urinary Incontinence?). <i>Japanese Journal of Urology</i> , 2006 , 97, 106		
2	A Novel Drug Therapy and Electrical/Magnetic Stimulation for the Treatment of Lower Urinary Tract Dysfunction. <i>Spinal Surgery</i> , 2014 , 28, 11-16	0	
1	Triple Therapy with Tamsulosin, Dutasteride, and Imidafenacin for Benign Prostatic Hyperplasia in Patients with Overactive Bladder Symptoms Refractory to Tamsulosin: Subgroup Analyses of the DirecT Study. <i>Urologia Internationalis</i> , 2021 , 105, 817-825	1.9	