Carlos A Bagley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8158563/publications.pdf

Version: 2024-02-01

128	1,772	23	35
papers	citations	h-index	g-index
193	193	193	2045
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Negative pressure wound therapy reduces incidence of postoperative wound infection and dehiscence after long-segment thoracolumbar spinal fusion: a single institutional experience. Spine Journal, 2014, 14, 2911-2917.	1.3	79
2	Early Ambulation Decreases Length of Hospital Stay, Perioperative Complications and Improves Functional Outcomes in Elderly Patients Undergoing Surgery for Correction of Adult Degenerative Scoliosis. Spine, 2017, 42, 1420-1425.	2.0	78
3	30-Day Readmission After Spine Surgery. Spine, 2017, 42, 520-524.	2.0	63
4	Do measures of surgical effectiveness at 1 year after lumbar spine surgery accurately predict 2-year outcomes?. Journal of Neurosurgery: Spine, 2016, 25, 689-696.	1.7	52
5	Pretreatment of Depression Before Cervical Spine Surgery Improves Patients' Perception of Postoperative Health Status: A Retrospective, Single Institutional Experience. World Neurosurgery, 2016, 87, 214-219.	1.3	51
6	Prophylactic use of intraoperative vancomycin powder and postoperative infection: an analysis of microbiological patterns in 1200 consecutive surgical cases. Journal of Neurosurgery: Spine, 2017, 27, 328-334.	1.7	51
7	Association between baseline cognitive impairment and postoperative delirium in elderly patients undergoing surgery for adult spinal deformity. Journal of Neurosurgery: Spine, 2018, 28, 103-108.	1.7	51
8	Depression as an independent predictor of postoperative delirium in spine deformity patients undergoing elective spine surgery. Journal of Neurosurgery: Spine, 2017, 27, 209-214.	1.7	46
9	Current concepts and recent advances in understanding and managing lumbar spine stenosis. F1000Research, 2019, 8, 137.	1.6	45
10	No difference in postoperative complications, pain, and functional outcomes up to 2 years after incidental durotomy in lumbar spinal fusion:Âa prospective, multi-institutional, propensity-matched analysis ofÂ1,741 patients. Spine Journal, 2014, 14, 1828-1834.	1.3	44
11	Patient Body Mass Index is an Independent Predictor of 30-Day Hospital Readmission After Elective Spine Surgery. World Neurosurgery, 2016, 96, 148-151.	1.3	44
12	Association of Intraoperative Blood Transfusions on Postoperative Complications, 30-Day Readmission Rates, and 1-Year Patient-Reported Outcomes. Spine, 2017, 42, 610-615.	2.0	40
13	Affective disorders influence clinical outcomes after revision lumbar surgery in elderly patients with symptomatic adjacent-segment disease, recurrent stenosis, or pseudarthrosis. Journal of Neurosurgery: Spine, 2014, 21, 153-159.	1.7	39
14	Independent Predictors of 30-Day Perioperative Deep Vein Thrombosis in 1346 Consecutive Patients After Spine Surgery. World Neurosurgery, 2015, 84, 1605-1612.	1.3	39
15	Geriatric comanagement reduces perioperative complications and shortens duration of hospital stay after lumbar spine surgery: a prospective single-institution experience. Journal of Neurosurgery: Spine, 2017, 27, 670-675.	1.7	37
16	Association of osteopenia and osteoporosis with higher rates of pseudarthrosis and revision surgery in adult patients undergoing single-level lumbar fusion. Neurosurgical Focus, 2020, 49, E6.	2.3	37
17	Pretreatment of Anxiety Before Cervical Spine Surgery Improves Clinical Outcomes: A Prospective, Single-Institution Experience. World Neurosurgery, 2016, 88, 625-630.	1.3	36
18	Association Between Baseline Affective Disorders and 30-Day Readmission Rates in Patients Undergoing Elective Spine Surgery. World Neurosurgery, 2016, 94, 432-436.	1.3	35

#	Article	IF	CITATIONS
19	Psychosocial Factors and Surgical Outcomes. Spine, 2014, 39, 1614-1619.	2.0	34
20	Extended Length of Stay After Lumbar Spine Surgery: Sick Patients, Postoperative Complications, or Practice Style Differences Among Hospitals and Physicians?. World Neurosurgery, 2019, 123, e734-e739.	1.3	33
21	Automated Pupillometry as a Triage and Assessment Tool in Patients with Traumatic Brain Injury. World Neurosurgery, 2021, 145, e163-e169.	1.3	33
22	Enhanced Recovery After Surgery Reduces Postoperative Opioid Use and 90-Day Readmission Rates After Open Thoracolumbar Fusion for Adult Degenerative Deformity. Neurosurgery, 2021, 88, 295-300.	1.1	27
23	A Phase 2 Clinical Trial of SABR Followed by Immediate Vertebroplasty for Spine Metastases. International Journal of Radiation Oncology Biology Physics, 2019, 104, 83-89.	0.8	26
24	Differences in the outcomes of anterior versus posterior interbody fusion surgery of the lumbar spine: A propensity score-controlled cohort analysis of 10,941 patients. Journal of Clinical Neuroscience, 2015, 22, 848-853.	1.5	25
25	Long-Term Costs of Maximum Nonoperative Treatments in Patients With Symptomatic Lumbar Stenosis or Spondylolisthesis that Ultimately Required Surgery. Spine, 2019, 44, 424-430.	2.0	25
26	Impact of Increasing Age on Outcomes of Spinal Fusion in Adult Idiopathic Scoliosis. World Neurosurgery, 2016, 87, 591-597.	1.3	23
27	Race as a predictor of postoperative hospital readmission after spine surgery. Journal of Clinical Neuroscience, 2017, 46, 21-25.	1.5	23
28	Reduced Impact of Smoking Status on 30-Day Complication and Readmission Rates After Elective Spinal Fusion (≥3 Levels) for Adult Spine Deformity: A Single Institutional Study of 839 Patients. World Neurosurgery, 2017, 107, 233-238.	1.3	23
29	Racial, Socioeconomic, and Gender Disparities in the Presentation, Treatment, and Outcomes of Adult Chiari I Malformations. World Neurosurgery, 2017, 97, 431-437.	1.3	22
30	Post-operative drain use in patients undergoing decompression and fusion: incidence of complications and symptomatic hematoma. Journal of Spine Surgery, 2018, 4, 220-226.	1.2	22
31	Regional Variation in Opioid Use After Lumbar Spine Surgery. World Neurosurgery, 2019, 121, e691-e699.	1.3	22
32	Thirty-day complication and readmission rates associated with resection of metastatic spinal tumors: a single institutional experience. Journal of Spine Surgery, 2018, 4, 304-310.	1.2	21
33	Arachnoiditis ossificans of the thoracic spine. Journal of Clinical Neuroscience, 2014, 21, 386-389.	1.5	20
34	Microwave Ablation as a Treatment for Spinal Metastatic Tumors: A Systematic Review. World Neurosurgery, 2021, 148, 15-23.	1.3	20
35	Adult Spinal Ependymomas: An Epidemiologic Study. World Neurosurgery, 2018, 111, e53-e61.	1.3	19
36	The prevalence of undiagnosed pre-surgical cognitive impairment and its post-surgical clinical impact in elderly patients undergoing surgery for adult spinal deformity. Journal of Spine Surgery, 2017, 3, 358-363.	1.2	18

#	Article	IF	CITATIONS
37	Preoperative Hemoglobin Level is Associated with Increased Health Care Use After Elective Spinal Fusion (≥3 Levels) in Elderly Male Patients with Spine Deformity. World Neurosurgery, 2018, 112, e348-e354.	1.3	17
38	Relationship Among Koenig Depression Scale and Postoperative Outcomes, Ambulation, and Perception of Pain in Elderly Patients (≥65 Years) Undergoing Elective Spinal Surgery for Adult Scoliosis. World Neurosurgery, 2017, 107, 471-476.	1.3	16
39	Drivers of 30-Day Readmission in Elderly Patients (>65 Years Old) After Spine Surgery: An Analysis of 500 Consecutive Spine Surgery Patients. World Neurosurgery, 2017, 97, 518-522.	1.3	16
40	Extended Length of Stay in Elderly Patients after Anterior Cervical Discectomy and Fusion Is Not Attributable to Baseline Illness Severity or Postoperative Complications. World Neurosurgery, 2018, 115, e552-e557.	1.3	16
41	Do obese patients have worse outcomes after direct lateral interbody fusion compared to non-obese patients?. Journal of Clinical Neuroscience, 2016, 25, 54-57.	1.5	15
42	The Impact of Chronic Kidney Disease on Postoperative Outcomes in Patients Undergoing Lumbar Decompression and Fusion. World Neurosurgery, 2018, 110, e266-e270.	1.3	15
43	Quantitative pupillometry in patients with traumatic brain injury and loss of consciousness: A prospective pilot study. Journal of Clinical Neuroscience, 2021, 91, 88-92.	1.5	15
44	Pediatric Spinal Ependymomas: An Epidemiologic Study. World Neurosurgery, 2018, 115, e119-e128.	1.3	14
45	Sex Differences in Opioid Use in Patients With Symptomatic Lumbar Stenosis or Spondylolisthesis Undergoing Lumbar Decompression and Fusion. Spine, 2019, 44, E800-E807.	2.0	14
46	Impact of Chronic Obstructive Pulmonary Disease on Postoperative Complication Rates, Ambulation, and Length of Hospital Stay After Elective Spinal Fusion (≥3 Levels) in Elderly Spine Deformity Patients. World Neurosurgery, 2018, 116, e1122-e1128.	1.3	13
47	Effects of immediate post-operative pain medication on length of hospital stay: does it make a difference?. Journal of Spine Surgery, 2017, 3, 155-162.	1.2	12
48	The effectiveness of tranexamic acid on operative and perioperative blood loss in long-segment spinal fusions: a consecutive series of 119 primary procedures. Journal of Neurosurgery: Spine, 2020, 32, 768-774.	1.7	12
49	Impact of alcohol use on 30-day complication and readmission rates after elective spinal fusion (≥2) Tj ETQq1 Surgery, 2017, 3, 403-410.	1 0.78431 1.2	.4 rgBT /Ov 11
50	Interdisciplinary Care Model Independently Decreases Use of Critical Care Services After Corrective Surgery for Adult Degenerative Scoliosis. World Neurosurgery, 2018, 111, e845-e849.	1.3	11
51	Extended Length of Stay in Elderly Patients After Lumbar Decompression and Fusion Surgery May Not Be Attributable to Baseline Illness Severity or Postoperative Complications. World Neurosurgery, 2018, 116, e996-e1001.	1.3	11
52	Four-Level Vertebrectomy for En Bloc Resection of a Cervical Chordoma. World Neurosurgery, 2018, 118, 316-323.	1.3	11
53	Cervical Spine Movement in a Cadaveric Model of Severe Spinal Instability: A Study Comparing Tracheal Intubation with 4 Different Laryngoscopes. Journal of Neurosurgical Anesthesiology, 2020, 32, 57-62.	1.2	11
54	Transfusion guidelines in adult spine surgery: a systematic review and critical summary of currently available evidence. Spine Journal, 2022, 22, 238-248.	1.3	11

#	Article	IF	CITATIONS
55	A Comparison of 30-Day Hospital Readmission and Complication Rates After Outpatient Versus Inpatient 1 and 2 Level Anterior Cervical Discectomy and Fusion Surgery: An Analysis of a Medicare Patient Sample. World Neurosurgery, 2019, 129, e233-e239.	1.3	10
56	Recent advances in understanding and managing chordomas: an update. F1000Research, 2020, 9, 713.	1.6	10
57	Gender Differences in Use of Prolonged Nonoperative Therapies Before Index LumbarÂSurgery. World Neurosurgery, 2018, 120, e580-e592.	1.3	9
58	Immediate Postoperative Pain Scores Predict Neck Pain Profile up to 1 Year Following Anterior Cervical Discectomy and Fusion. Global Spine Journal, 2018, 8, 231-236.	2.3	9
59	Perioperative Factors Associated With Chronic Opioid Use After Spine Surgery. Global Spine Journal, 2023, 13, 1450-1456.	2.3	9
60	Recent advances in understanding and managing chordomas. F1000Research, 2016, 5, 2902.	1.6	9
61	The Clinical Use of Serum Biomarkers in Traumatic Brain Injury: A Systematic Review Stratified by Injury Severity. World Neurosurgery, 2021, 155, e418-e438.	1.3	8
62	A 2-Year Cost Analysis of Maximum Nonoperative Treatments in Patients With Symptomatic Lumbar Stenosis or Spondylolisthesis That Ultimately Required Surgery. Global Spine Journal, 2019, 9, 424-433.	2.3	7
63	Systematic Review and Meta-Analysis of Management Strategies and Outcomes in Adult Spinal Neurocysticercosis. World Neurosurgery, 2020, 138, 504-511.e8.	1.3	7
64	Impact of Insurance Provider on Postoperative Hospital Length of Stay After Spine Surgery. World Neurosurgery, 2021, 156, e351-e358.	1.3	7
65	Percutaneous screw fixation versus open fusion for the treatment of traumatic thoracolumbar fractures: A retrospective case series of 185 Patients with a single-level spinal column injury. Journal of Clinical Neuroscience, 2022, 101, 47-51.	1.5	7
66	Traumatic atlanto-occipital dissociation presenting as locked-in syndrome. Journal of Clinical Neuroscience, 2015, 22, 1985-1987.	1.5	6
67	Assessing Patient Reported Outcomes Measures via Phone Interviews Versus Patient Self-Survey in the Clinic: Are We Measuring the Same Thing?. World Neurosurgery, 2016, 87, 230-234.	1.3	6
68	Does Nasal Carriage of Staphylococcus aureus Increase the Risk of Postoperative Infections After Elective Spine Surgery: Do Most Infections Occur in Carriers?. World Neurosurgery, 2018, 116, e519-e524.	1.3	6
69	Intramedullary Spinal Metastatic Renal Cell Carcinoma: Systematic Review of Disease Presentation, Treatment, and Prognosis with Case Illustration. World Neurosurgery, 2020, 134, 584-593.	1.3	6
70	Surgical Site Infection After Autologous Cranioplasty for Decompressive Craniectomy in Traumatic Brain Injury: A Retrospective Review of Two Level 1 Trauma Centers. Journal of Craniofacial Surgery, 2021, 32, 2728-2731.	0.7	6
71	Perioperative Optimization of Senior Health in Spine Surgery: Impact on Postoperative Delirium. Journal of the American Geriatrics Society, 2021, 69, 1240-1248.	2.6	6
72	Giant, Completely Calcified Lumbar Juxtafacet Cyst: Report of an Unusual Case. Global Spine Journal, 2014, 4, 175-178.	2.3	5

#	Article	IF	CITATIONS
73	Racial Differences in Perioperative Opioid Utilization in Lumbar Decompression and Fusion Surgery for Symptomatic Lumbar Stenosis or Spondylolisthesis. Global Spine Journal, 2020, 10, 160-168.	2.3	5
74	An Assessment of Nonoperative Management Strategies in a Herniated Lumbar Disc Population: Successes Versus Failures. Global Spine Journal, 2021, 11, 1054-1063.	2.3	5
75	Anticoagulation in Elective Spine Cases. Spine, 2021, 46, 901-906.	2.0	5
76	Fibrin glue as an adjuvant dural sealant reduces the rate of perioperative complications in posterior fossa decompression with duraplasty: A single center experience in 165 adult Chiari I patients. Journal of Clinical Neuroscience, 2019, 68, 80-85.	1.5	4
77	Reduction in Narcotic Use After Lumbar Decompression and Fusion in Patients With Symptomatic Lumbar Stenosis or Spondylolisthesis. Global Spine Journal, 2019, 9, 598-606.	2.3	4
78	Regional Differences in the Cost and Utilization of Nonoperative Management Within 3 Months Prior to Lumbar Microdiscectomy. Spine, 2019, 44, 1571-1577.	2.0	4
79	Regional Variation in Nonoperative Therapy Utilization for Symptomatic Lumbar Stenosis and Spondylolisthesis: A 2-Year Costs Analysis. Global Spine Journal, 2020, 10, 138-147.	2.3	4
80	Electronic Communication Patterns Could Reflect Preoperative Anxiety and Serve as an Early Complication Warning in Elective Spine Surgery Patients with Affective Disorders: A Retrospective Analysis of a Cohort of 1199 Elective Spine Patients. World Neurosurgery, 2020, 141, e888-e893.	1.3	4
81	Bertolotti Syndrome With Articulated L5 Transverse Process Causing Intractable Back Pain: Surgical Video Showcasing a Minimally Invasive Approach for Disconnection: 2-Dimensional Operative Video. Operative Neurosurgery, 2021, 20, E219-E220.	0.8	4
82	Comparison of Postoperative Opioid Utilization in an ACDF Cohort. Clinical Spine Surgery, 2021, 34, E86-E91.	1.3	4
83	Stem cell injections for axial back pain: a systematic review of associated risks and complications with a case illustration of diffuse hyperplastic gliosis resulting in cauda equina syndrome. Journal of Neurosurgery: Spine, 2019, 31, 906-913.	1.7	4
84	Early Ambulation Decreases Length of Hospital Stay, Perioperative Complications, and Improves Functional Outcomes in Elderly Patients Undergoing Surgery for Correction of Adult Degenerative Scoliosis. Spine Journal, 2017, 17, S111-S112.	1.3	3
85	A comparison of prolonged nonoperative management strategies in cervical stenosis patients: Successes versus failures. Journal of Clinical Neuroscience, 2020, 80, 63-71.	1.5	3
86	Gender differences in the 3-month utilization of nonoperative therapies prior to primary lumbar microdiscectomy. Journal of Clinical Neuroscience, 2020, 76, 107-113.	1.5	3
87	Sex Differences in Postoperative Complications and Functional Status After Deformity Correction Surgery: Do Men Fare Better Than Women?. World Neurosurgery, 2021, 148, e94-e100.	1.3	3
88	Compressive Cervical Myelopathy in Patients With Demyelinating Disease of the Central Nervous System: Improvement After Surgery Despite a Late Diagnosis. Cureus, 2021, 13, e13161.	0.5	3
89	A comparison of successful versus failed nonoperative treatment approaches in patients with degenerative conditions of the lumbar spine. Journal of Clinical Neuroscience, 2021, 86, 71-78.	1.5	3
90	Patient and Spine Surgeon Perceptions on Shared Decision-Making in the Treatment of Older Adults Undergoing Corrective Surgery for Adult Spinal Deformity. Spine, 2022, 47, 730-736.	2.0	3

#	Article	IF	CITATIONS
91	Smoking has a dose-dependent effect on the incidence of preoperative opioid consumption in female geriatric patients with spine disease. Journal of Clinical Neuroscience, 2020, 81, 173-177.	1.5	3
92	Genetic and serum markers in adult degenerative scoliosis: a literature review. Spine Deformity, 2021, , 1.	1.5	3
93	Dual-Energy X-Ray Absorptiometry vs Computed Tomography: Comparison of Bone Mineral Density Measurements in Predicting Postoperative Spinal Fusion Outcomes. Neurosurgery, 2019, 66, .	1.1	2
94	A Two-Year Cost Analysis of Maximum Nonoperative Treatments in Patients with Cervical Stenosis that Ultimately Required Surgery. World Neurosurgery, 2019, 124, e616-e625.	1.3	2
95	Comparison of the effect of epidural versus intravenous patient controlled analgesia on inpatient and outpatient functional outcomes after adult degenerative scoliosis surgery: a comparative study. Spine Journal, 2021, 21, 765-771.	1.3	2
96	Predictive parameters for the antecedent development of hip pathology associated with long segment fusions to the pelvis for the treatment of adult spinal deformity., 2016, 7, 93.		2
97	The Minnesota Multiphasic Personality Inventory–2–Restructured Form (MMPI-2-RF) and Patient-Reported Outcomes Measurement Information System–29 (PROMIS-29) Comparison Study: Assessing for PROMIS-29 Depression and Anxiety Psychopathologic Cutoff Values Amongst Patients Undergoing Elective Complex Spine Procedures. World Neurosurgery, 2022, 164, e908-e914.	1.3	2
98	Independent predictors of reliability between full time employee-dependent acquisition of functional outcomes compared to non-full time employee-dependent methodologies: a prospective single institutional study. Journal of Spine Surgery, 2016, 2, 47-51.	1.2	1
99	The Prevalence of Undiagnosed Presurgical Cognitive Impairment and Its Postsurgical Clinical Impact in Elderly Patients Undergoing Surgery for Adult Spinal Deformity. Spine Journal, 2017, 17, S177.	1.3	1
100	Assessing the effectiveness of routine use of post-operative in-patient physical therapy services. Journal of Spine Surgery, 2017, 3, 149-154.	1.2	1
101	Total Health Care Expenditure in Patients With a Herniated Lumbar Disk That Ultimately Require Surgery. Clinical Spine Surgery, 2020, 33, E108-E115.	1.3	1
102	82. Interdisciplinary care may reduce delirium in elderly spine patients: the UT Southwestern Perioperative Optimization of Senior Health Program. Spine Journal, 2020, 20, S40.	1.3	1
103	P85. Reducing delirium after complex spinal surgery (≥4 levels): the UT Southwestern Perioperative Optimization of Senior Health program. Spine Journal, 2020, 20, S187-S188.	1.3	1
104	Gender differences in use of prolonged non-operative therapies prior to index ACDF surgery. Journal of Clinical Neuroscience, 2020, 78, 228-235.	1.5	1
105	Aggressively recurring cervical intramedullary anaplastic astrocytoma in a pregnant patient. , 2021, 12, 466.		1
106	Evaluating the Impact of Psychiatric Disorders on Preoperative Pain Ratings, Narcotics Use, and the PROMIS-29 Quality Domains in Spine Surgery Candidates. Cureus, 2021, 13, e12768.	0.5	1
107	Postoperative Transfusion Guidelines in Aneurysmal Cerebral Subarachnoid Hemorrhage: A Systematic Review and Critical Summary of Available Evidence. World Neurosurgery, 2022, 158, 234-243.e5.	1.3	1
108	Geriatric Co-Management Reduces Perioperative Complications and Shortens Duration of Hospital Stay after Lumbar Spine Surgery: a Prospective Single Institutional Experience. Spine Journal, 2017, 17, S144.	1.3	0

7

#	Article	IF	CITATIONS
109	Prophylactic Use of Intraoperative Vancomycin Powder and Postoperative Infection: An Analysis of Microbiological Patterns in 1,200 Consecutive Surgical Cases. Spine Journal, 2017, 17, S170-S171.	1.3	0
110	Independent Association Between Preoperative Cognitive Status and Discharge Location After Surgery: A Strategy to Reduce Resource Use After Surgery for Deformity. Spine Journal, 2017, 17, S177-S178.	1.3	0
111	Risk Factors and Independent Predictors of 30-Day Readmission for Altered Mental Status After Elective Spine Surgery for Spine Deformity: A Single Institutional Study of 1090 Patients. Spine Journal, 2017, 17, S178-S179.	1.3	0
112	Depression Independently Predicts Postoperative Delirium in Spine Deformity Patients Undergoing Elective Spine Surgery. Spine Journal, 2017, 17, S179.	1.3	0
113	Impact of Surgical Approach Translates on Complication Rates after Elective Spinal Fusion (≥3 Levels) for Adult Spine Deformity. Spine Journal, 2017, 17, S191.	1.3	0
114	Impact of Race on 30-Day Complication Rates after Elective Complex Spinal Fusion (≥5 Levels): A Single Institutional Study of 446 Patients. Spine Journal, 2017, 17, S216-S217.	1.3	0
115	Posterolateral thoracic decompression with anterior column cage reconstruction versus decompression alone for spinal metastases with cord compression: analysis of perioperative complications and outcomes. Journal of Spine Surgery, 2017, 3, 609-619.	1.2	0
116	1569: COMPARISON OF FOUR ENDOTRACHEAL INTUBATION DEVICES ON CERVICAL SPINE MOVEMENT IN A CADAVER MODEL. Critical Care Medicine, 2018, 46, 769-769.	0.9	0
117	Assessing the Impact of Epidural Analgesia Early Pain Management and Functional Outcomes Following Deformity Surgery: A Retrospective Review. Neurosurgery, 2019, 66, 310-628.	1.1	0
118	Implementation of an Enhanced Recovery Pathway in Complex Spine Surgery Patients in a Multidisciplinary Center. Neurosurgery, 2019, 66, 310-614.	1.1	0
119	290. The impact of insurance payor on hospital length of stay and discharge time in adult patients undergoing elective spine surgery. Spine Journal, 2020, 20, S144.	1.3	0
120	P77. Enhanced recovery after surgery reduces postoperative opioid use and 30-day readmission rates after open thoracolumbar fusion for adult degenerative scoliosis. Spine Journal, 2020, 20, S183-S184.	1.3	0
121	Regional differences in prolonged non-operative therapy utilization prior to primary ACDF surgery. Journal of Clinical Neuroscience, 2020, 80, 143-151.	1.5	0
122	Delayed Cranial Nerve Palsies and Chiari Type I Malformation After Epidural Anesthesia in the Setting of Childbirth. Cureus, 2021, 13, e12871.	0.5	0
123	Commentary: Machine Learning-Driven Metabolomic Evaluation of Cerebrospinal Fluid: Insights Into Poor Outcomes After Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 2021, 88, E410-E411.	1.1	0
124	Blood preservation techniques in complex spine surgery: Illustrative case and review of therapeutic options., 2021, 12, 515.		0
125	A Novel Approach to Maintaining Normothermia in Major Spinal Deformity Surgery with an Esophageal Warming Device. Surgical Case Reports, 2020, , 1-3.	0.0	0
126	Initial experience with extreme angle cervical screw for treatment of trauma and cervical spondylosis. Surgical Technology International, 2014, 24, 371-5.	0.2	0

#	Article	IF	CITATIONS
127	Commentary: Hybrid Therapy (Surgery and Radiosurgery) for the Treatment of Renal Cell Carcinoma Spinal Metastases. Neurosurgery, 2021, Publish Ahead of Print, .	1.1	0
128	Open Paddle Lead Trial for Spinal Cord Stimulation: An Institutional Experience Pain Physician, 2022, 25, E37-E42.	0.4	0