

# Dong Liu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8159527/dong-liu-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24  
papers

346  
citations

10  
h-index

18  
g-index

28  
ext. papers

496  
ext. citations

5.3  
avg, IF

3.32  
L-index

#	Paper	IF	Citations
24	Markers of Iron Metabolism and Stroke Risk: Cross-Sectional and Longitudinal Findings from the China Health and Nutrition Survey (CHNS).. <i>Iranian Journal of Public Health</i> , <b>2022</b> , 51, 115-123	0.7	0
23	Association of the ApoB/ApoA-I ratio with stroke risk: Findings from the China Health and Nutrition Survey (CHNS).. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2022</b> , 32, 203-209	4.5	0
22	Association of total pre-existing comorbidities with stroke risk: a large-scale community-based cohort study from China. <i>BMC Public Health</i> , <b>2021</b> , 21, 1910	4.1	2
21	In vitro and in vivo inhibitory effect of anthocyanin-rich bilberry extract on $\alpha$ -glucosidase and $\alpha$ -amylase. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 145, 111484	5.4	10
20	Dietary Supplementation of Apple Phlorizin Attenuates the Redox State Related to Gut Microbiota Homeostasis in C57BL/6J Mice Fed with a High-Fat Diet. <i>Journal of Agricultural and Food Chemistry</i> , <b>2021</b> , 69, 198-211	5.7	5
19	Association between fasting blood glucose levels and stroke events: a large-scale community-based cohort study from China. <i>BMJ Open</i> , <b>2021</b> , 11, e050234	3	1
18	Dietary Supplementation of Black Rice Anthocyanin Extract Regulates Cholesterol Metabolism and Improves Gut Microbiota Dysbiosis in C57BL/6J Mice Fed a High-Fat and Cholesterol Diet. <i>Molecular Nutrition and Food Research</i> , <b>2020</b> , 64, e1900876	5.9	24
17	Black rice ( <i>Oryza sativa</i> L.) reduces obesity and improves lipid metabolism in C57BL/6J mice fed a high-fat diet. <i>Journal of Functional Foods</i> , <b>2020</b> , 64, 103605	5.1	9
16	Ursolic acid alleviates lipid accumulation by activating the AMPK signaling pathway in vivo and in vitro. <i>Journal of Food Science</i> , <b>2020</b> , 85, 3998-4008	3.4	4
15	Effects of high-fat diet and Apoe deficiency on retinal structure and function in mice. <i>Scientific Reports</i> , <b>2020</b> , 10, 18601	4.9	6
14	Inhibition of glycosidase by ursolic acid: in vitro, in vivo and in silico study. <i>Journal of the Science of Food and Agriculture</i> , <b>2020</b> , 100, 986-994	4.3	7
13	Apple phlorizin reduce plasma cholesterol by down-regulating hepatic HMG-CoA reductase and enhancing the excretion of fecal sterols. <i>Journal of Functional Foods</i> , <b>2019</b> , 62, 103548	5.1	2
12	Cyanidin inhibits EMT induced by oxaliplatin via targeting the PDK1-PI3K/Akt signaling pathway. <i>Food and Function</i> , <b>2019</b> , 10, 592-601	6.1	16
11	Transcriptomic analysis of the life-extending effect exerted by black rice anthocyanin extract in <i>D. melanogaster</i> through regulation of aging pathways. <i>Experimental Gerontology</i> , <b>2019</b> , 119, 33-39	4.5	8
10	Dietary supplementation of soybean-derived sterols regulates cholesterol metabolism and intestinal microbiota in hamsters. <i>Journal of Functional Foods</i> , <b>2019</b> , 59, 242-250	5.1	18
9	Lutein attenuates oxidative stress and inhibits lipid accumulation in free fatty acids-induced HepG2 cells by activating the AMPK pathway. <i>Journal of Functional Foods</i> , <b>2019</b> , 60, 103445	5.1	10
8	Apple phlorizin attenuates oxidative stress in <i>Drosophila melanogaster</i> . <i>Journal of Food Biochemistry</i> , <b>2019</b> , 43, e12744	3.3	9

7	Mechanism of TiO <sub>2</sub> nanoparticle-induced neurotoxicity in zebrafish ( <i>Danio rerio</i> ). <i>Environmental Toxicology</i> , <b>2016</b> , 31, 163-75	4.2	45
6	TiO <sub>2</sub> nanoparticle-induced neurotoxicity may be involved in dysfunction of glutamate metabolism and its receptor expression in mice. <i>Environmental Toxicology</i> , <b>2016</b> , 31, 655-62	4.2	13
5	Suppression of neurite outgrowth of primary cultured hippocampal neurons is involved in impairment of glutamate metabolism and NMDA receptor function caused by nanoparticulate TiO <sub>2</sub> . <i>Biomaterials</i> , <b>2015</b> , 53, 76-85	15.6	43
4	Decreased spermatogenesis led to alterations of testis-specific gene expression in male mice following nano-TiO <sub>2</sub> exposure. <i>Journal of Hazardous Materials</i> , <b>2015</b> , 300, 718-728	12.8	38
3	Involvement of neurotrophins and related signaling genes in TiO <sub>2</sub> nanoparticle induced inflammation in the hippocampus of mice. <i>Toxicology Research</i> , <b>2015</b> , 4, 344-350	2.6	11
2	Changes of serum parameters of TiO <sub>2</sub> nanoparticle-induced atherosclerosis in mice. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 280, 364-71	12.8	31
1	Nano-sized titanium dioxide-induced splenic toxicity: a biological pathway explored using microarray technology. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 278, 180-8	12.8	33