

# Reza Shahriari Rad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8160582/publications.pdf>

Version: 2024-02-01

149  
papers

2,146  
citations

257429

24  
h-index

345203

36  
g-index

154  
all docs

154  
docs citations

154  
times ranked

2269  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Antigenuria in visceral leishmaniasis: detection and partial characterisation of a carbohydrate antigen. <i>Acta Tropica</i> , 2002, 82, 339-348.   | 2.0 | 71        |
| 2  | Immunodiagnosis of human hydatid disease: Where do we stand?. <i>World Journal of Methodology</i> , 2015, 5, 185.   | 3.5 | 63        |
| 3  | Human Cystic Echinococcosis in Yasuj District in Southwest of Iran: an Epidemiological Study of Seroprevalence and Surgical Cases Over a Ten-year Period. <i>Zoonoses and Public Health</i> , 2010, 57, 146-150.                                      | 2.2 | 62        |
| 4  | Comparison of three methods for diagnosis of cutaneous leishmaniasis. <i>Iranian Journal of Parasitology</i> , 2010, 5, 1-8.  | 0.6 | 58        |
| 5  | Visceral Leishmaniasis in Southwestern Iran: A Retrospective Clinico-Hematological Analysis of 380 Consecutive Hospitalized Cases (1999â€“2014). <i>PLoS ONE</i> , 2016, 11, e0150406.  | 2.5 | 55        |
| 6  | First Report of Natural Infection in Cats with <i>Leishmania infantum</i> in Iran. <i>Vector-Borne and Zoonotic Diseases</i> , 2010, 10, 313-316.   | 1.5 | 54        |
| 7  | Molecular survey of <i>Toxoplasma</i> infection in sheep and goat from Fars province, Southern Iran. <i>Tropical Animal Health and Production</i> , 2011, 43, 389-392.  | 1.4 | 52        |
| 8  | Comparison of the usefulness of hydatid cyst fluid, native antigen B and recombinant antigen B8/1 for serological diagnosis of cystic echinococcosis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2012, 106, 371-375. | 1.8 | 48        |
| 9  | Prevalence and risk factors of intestinal protozoan infections: a population-based study in rural areas of Boyer-Ahmad district, Southwestern Iran. <i>BMC Infectious Diseases</i> , 2016, 16, 703.   | 2.9 | 48        |
| 10 | Seroprevalence and molecular diagnosis of <i>Toxoplasma gondii</i> infection among blood donors in southern Iran. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 543-547.   | 1.2 | 47        |
| 11 | Seroprevalence of human fasciolosis in a new-emerging focus of fasciolosis in yasuj district, southwest of iran. <i>Iranian Journal of Parasitology</i> , 2012, 7, 15-20.   | 0.6 | 47        |
| 12 | Prevalence of <i>Toxocara cati</i> and other intestinal helminths in stray cats in Shiraz, Iran. <i>Tropical Biomedicine</i> , 2007, 24, 39-43.   | 0.7 | 47        |
| 13 | Serum Antigen and Antibody Detection in Echinococcosis: Application in Serodiagnosis of Human Hydatidosis. <i>Korean Journal of Parasitology</i> , 2009, 47, 153.   | 1.3 | 46        |
| 14 | Microbial contamination of cell cultures: A 2 years study. <i>Biologicals</i> , 2005, 33, 81-85.  | 1.4 | 43        |
| 15 | Molecular and Morphological Characterization of <i>Fasciola</i> spp. Isolated from Different Host Species in a Newly Emerging Focus of Human Fascioliasis in Iran. <i>Veterinary Medicine International</i> , 2014, 2014, 1-10.                       | 1.5 | 42        |
| 16 | Knowledge, attitude, and practices related to cutaneous leishmaniasis in an endemic focus of cutaneous leishmaniasis, Southern Iran. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2014, 4, 566-569.   | 1.2 | 41        |
| 17 | Seroprevalence of feline leishmaniasis in areas of Iran where <i>Leishmania infantum</i> is endemic. <i>Annals of Tropical Medicine and Parasitology</i> , 2009, 103, 275-277.  | 1.6 | 34        |
| 18 | The changing profile of cutaneous leishmaniasis in a focus of the disease in Jahrom district, southern Iran. <i>Annals of Tropical Medicine and Parasitology</i> , 2010, 104, 377-382.  | 1.6 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Immunodiagnosis of Human Fascioliasis: An Update of Concepts and Performances of the Serological Assays. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, OE05-OE10.  | 0.8 | 31        |
| 20 | Hepatitis B Infection among high risk population: a seroepidemiological survey in Southwest of Iran. <i>BMC Infectious Diseases</i> , 2012, 12, 378.   | 2.9 | 29        |
| 21 | Protozoan Parasites of Rodents and Their Zoonotic Significance in Boyer-Ahmad District, Southwestern Iran. <i>Veterinary Medicine International</i> , 2016, 2016, 1-5.   | 1.5 | 29        |
| 22 | Dissolvable carboxymethyl cellulose/polyvinylpyrrolidone microneedle arrays for transdermal delivery of Amphotericin B to treat cutaneous leishmaniasis. <i>International Journal of Biological Macromolecules</i> , 2021, 182, 1310-1321. | 7.5 | 29        |
| 23 | Epidemiological features of visceral leishmaniasis in fars province, southern iran. <i>Iranian Journal of Public Health</i> , 2012, 41, 94-9.  | 0.5 | 27        |
| 24 | High prevalence of hepatitis C infection among high risk groups in Kohgiluyeh and Boyerahmad Province, Southwest Iran. <i>Archives of Iranian Medicine</i> , 2012, 15, 271-4.  | 0.6 | 25        |
| 25 | Molecular and Serological Evaluation of <i>Toxoplasma gondii</i> Infection in Reared Turkeys in Fars Province, Iran. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e11598.   | 0.5 | 24        |
| 26 | Molecular Genotyping of <i>Toxoplasma gondii</i> in Human Spontaneous Aborted Fetuses in Shiraz, Southern Iran. <i>Iranian Journal of Public Health</i> , 2013, 42, 620-5.   | 0.5 | 24        |
| 27 | Seroprevalence of <i>Leishmania</i> infection among the healthy blood donors in kala-azar endemic areas of Iran. <i>Journal of Parasitic Diseases</i> , 2015, 39, 545-549.   | 1.0 | 23        |
| 28 | Glucantime efficacy in the treatment of zoonotic cutaneous leishmaniasis. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2011, 42, 502-8.   | 1.0 | 23        |
| 29 | Genotyping of <i>Giardia lamblia</i> isolates from human in southern Iran. <i>Tropical Biomedicine</i> , 2012, 29, 366-71.   | 0.7 | 23        |
| 30 | Evaluation of <i>Toxocara cati</i> Excretory/Secretory Larval Antigens in Serodiagnosis of Human Toxocariasis. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 248-253.   | 2.1 | 22        |
| 31 | Seroepidemiological study of visceral leishmaniasis in Booyerahmad district, south-west Islamic Republic of Iran. <i>Eastern Mediterranean Health Journal</i> , 2010, 16, 1133-6.  | 0.8 | 22        |
| 32 | Epidemiology of Human Fascioliasis and Intestinal Helminthes in Rural Areas of Boyer-Ahmad Township, Southwest Iran; A Population Based Study. <i>Iranian Journal of Public Health</i> , 2015, 44, 1520-5.                                 | 0.5 | 21        |
| 33 | Efficacy of 10% silver nitrate solution in the treatment of common warts: a placebo-controlled, randomized, clinical trial. <i>International Journal of Dermatology</i> , 2007, 46, 215-217.   | 1.0 | 20        |
| 34 | COVID-19: clinical or laboratory diagnosis? A matter of debate. <i>Tropical Doctor</i> , 2021, 51, 131-132.  | 0.5 | 20        |
| 35 | Comparative genotyping of <i>Blastocystis</i> infecting cattle and human in the south of Iran. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 72, 101529.   | 1.6 | 19        |
| 36 | Nanotechnology approaches for delivery and targeting of Amphotericin B in fungal and parasitic diseases. <i>Nanomedicine</i> , 2021, 16, 857-877.  | 3.3 | 19        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Evaluation of Recombinant SAG1, SAG2, and SAG3 Antigens for Serodiagnosis of Toxoplasmosis. Korean Journal of Parasitology, 2014, 52, 137-142.   | 1.3 | 19        |
| 38 | Genetic diversity of Fasciola spp. isolates from northern part of Iran: comparison with southwestern isolates. Journal of Parasitic Diseases, 2017, 41, 768-772.   | 1.0 | 18        |
| 39 | Improvement of the newly developed latex agglutination test (Katex) for diagnosis of visceral leishmaniasis. Journal of Clinical Laboratory Analysis, 2009, 23, 202-205.   | 2.1 | 17        |
| 40 | Seroprevalence of cystic echinococcosis in blood donors in Fars province, southern Iran. Parasite Epidemiology and Control, 2017, 2, 8-12.   | 1.8 | 17        |
| 41 | Seroepidemiological study of visceral leishmaniasis in Booyerahmad district, south-west Islamic Republic of Iran. Eastern Mediterranean Health Journal, 2010, 16, 1133-1136.   | 0.8 | 17        |
| 42 | Inter- and Intraspecific Variations of Leishmania Strains Isolated from Patients with Cutaneous and Visceral Leishmaniasis in Fars Province, South of Iran. Iranian Journal of Medical Sciences, 2016, 41, 209-16.                 | 0.4 | 17        |
| 43 | Helminth Parasites of Wild Boars, , in Bushehr Province, Southwestern Iran. Iranian Journal of Parasitology, 2016, 11, 377-382.  | 0.6 | 17        |
| 44 | Performance of an ELISA and Indirect Immunofluorescence Assay in Serological Diagnosis of Zoonotic Cutaneous Leishmaniasis in Iran. Interdisciplinary Perspectives on Infectious Diseases, 2014, 2014, 1-4.                        | 1.4 | 16        |
| 45 | Asymptomatic <i>Leishmania</i> Infected Children: A Seroprevalence and Molecular Survey in a Rural Area of Fars Province, Southern Iran. Journal of Tropical Medicine, 2018, 2018, 1-6.  | 1.7 | 16        |
| 46 | Zoonotic intestinal protozoan of the wild boars, <i>Sus scrofa</i> , in Persian Gulf's coastal area (Bushehr) Tj ETQq0 0 0 rgBT /Overlock 10 T   | 1.7 | 16        |
| 47 | Immunodiagnosis of Visceral Leishmaniasis: Current Status and Challenges: A Review Article. Iranian Journal of Parasitology, 2018, 13, 331-341.  | 0.6 | 16        |
| 48 | Seroepidemiological study of cystic echinococcosis in nomadic communities in the southwest of Iran: A population-based study. Journal of Immunoassay and Immunochemistry, 2019, 40, 183-192.                                       | 1.1 | 15        |
| 49 | Human cystic echinococcosis in southwest Iran: a 15-year retrospective epidemiological study of hospitalized cases. Tropical Medicine and Health, 2020, 48, 49.  | 2.8 | 15        |
| 50 | Molecular characterization and seroprevalence of <i>Echinococcus granulosus</i> in wild boars ( <i>Sus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222  | 0.1 | 15        |
| 51 | Production of Monoclonal Antibody Against <i>Toxocara cati</i> Second-Stage Larvae and Its Application for the Detection of Circulating Antigens. Hybridoma, 2010, 29, 217-220.  | 0.4 | 14        |
| 52 | <i>Toxoplasma gondii</i> in Blood Donors: A Study in Boyer-Ahmad County, Southwest Iran. Interdisciplinary Perspectives on Infectious Diseases, 2018, 2018, 1-5.   | 1.4 | 14        |
| 53 | Seroprevalence and risk factors for <i>Toxocara</i> infection among children in a rural community in Fars province, southern Iran. Parasite Immunology, 2018, 40, e12582.  | 1.5 | 14        |
| 54 | Molecular genotyping and serological evaluation of <i>Toxoplasma gondii</i> in mothers and their spontaneous aborted fetuses in Southwest of Iran. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 66, 101342. | 1.6 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | High frequency of subclinical <i>Leishmania</i> infection among HIV-infected patients living in the endemic areas of visceral leishmaniasis in Fars province, southern Iran. <i>Parasitology Research</i> , 2018, 117, 2591-2595.                            | 1.6 | 13        |
| 56 | Performance of antigen B isolated from different hosts and cyst locations in diagnosis of cystic echinococcosis. <i>Iranian Journal of Parasitology</i> , 2011, 6, 12-9.   | 0.6 | 13        |
| 57 | Molecular Evaluation of a Case of Visceral Leishmaniasis Due to <i>Leishmania tropica</i> in Southwestern Iran. <i>Iranian Journal of Parasitology</i> , 2016, 11, 126-30.   | 0.6 | 13        |
| 58 | Performance of a 27 kDa <i>Fasciola hepatica</i> Antigen in the Diagnosis of Human Fascioliasis. <i>Journal of Laboratory Physicians</i> , 2015, 7, 017-020.   | 1.1 | 12        |
| 59 | A Consistent PCR-RFLP Assay Based on ITS-2 Ribosomal DNA for Differentiation of <i>Fasciola</i> Species. <i>Iranian Journal of Basic Medical Sciences</i> , 2013, 16, 1266-9.  | 1.0 | 12        |
| 60 | A comparative study of antigen and antibody detection in visceral leishmaniasis using serum and urine-based ELISA. <i>Tropical Biomedicine</i> , 2008, 25, 96-9.   | 0.7 | 12        |
| 61 | HIV Seroprevalence among High-Risk Groups in Kohgiluyeh and Boyer-Ahmad Province, Southwest of Iran, a Behavioral Surveillance Survey. <i>AIDS and Behavior</i> , 2012, 16, 86-90.   | 2.7 | 11        |
| 62 | Severe Congenital Toxoplasmosis: A Case Report and Strain Characterization. <i>Case Reports in Infectious Diseases</i> , 2015, 2015, 1-3.  | 0.5 | 11        |
| 63 | <i>Leishmania infantum</i> FML pulsed-dendritic cells induce a protective immune response in murine visceral leishmaniasis. <i>Immunotherapy</i> , 2015, 7, 3-12.  | 2.0 | 11        |
| 64 | Detection of <i>Fasciola hepatica</i> and <i>Fasciola gigantica</i> common and uncommon antigens, using rabbit hyper immune serum raised against their excretory-secretory and somatic antigens. <i>Journal of Parasitic Diseases</i> , 2016, 40, 1552-1557. | 1.0 | 11        |
| 65 | Production of Monoclonal Antibody Against Excretory-Secretory Antigen of <i>Fasciola hepatica</i> and Evaluation of Its Efficacy in the Diagnosis of Fascioliasis. <i>Monoclonal Antibodies in Immunodiagnosis and Immunotherapy</i> , 2017, 36, 8-14.       | 1.6 | 11        |
| 66 | Parasitic infections in irritable bowel syndrome patients: evidence to propose a possible link, based on a case-control study in the south of Iran. <i>BMC Research Notes</i> , 2020, 13, 264.   | 1.4 | 11        |
| 67 | Utility of Western Blot Analysis for the Diagnosis of Cutaneous Leishmaniasis. <i>Iranian Journal of Parasitology</i> , 2015, 10, 599-604.   | 0.6 | 11        |
| 68 | Molecular and Microscopic-Based Characterization of <i>Plasmodium</i> spp. in Fars and Hormozgan Provinces, South of Iran. <i>Journal of Tropical Medicine</i> , 2014, 2014, 1-6.  | 1.7 | 10        |
| 69 | <i>Macracanthorhynchus hirudinaceus</i> : the most common helminthic infection of wild boars in southwestern Iran. <i>Journal of Parasitic Diseases</i> , 2016, 40, 1563-1566.   | 1.0 | 10        |
| 70 | Solidification of hydatid cyst fluid with an injectable chitosan/carboxymethylcellulose/β <sup>2</sup> -glycerophosphate hydrogel for effective control of spillage during aspiration of hydatid cysts. <i>Progress in Biomaterials</i> , 2018, 7, 35-54.    | 4.5 | 10        |
| 71 | An immunoproteomic approach to identifying immunoreactive proteins in <i>Leishmania infantum</i> amastigotes using sera of dogs infected with canine visceral leishmaniasis. <i>Pathogens and Global Health</i> , 2019, 113, 124-132.                        | 2.3 | 10        |
| 72 | Expression of a rK39 homologue from an Iranian <i>Leishmania infantum</i> isolate in <i>Leishmania tarentolae</i> for serodiagnosis of visceral leishmaniasis. <i>Parasites and Vectors</i> , 2019, 12, 593.   | 2.5 | 10        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Serodiagnosis of human cystic echinococcosis based on recombinant antigens B8/1 and B8/2 of <i>Echinococcus granulosus</i> . <i>Journal of Immunoassay and Immunochemistry</i> , 2020, 41, 1010-1020.   | 1.1 | 10        |
| 74 | Expression and Purification of P43 <i>Toxoplasma gondii</i> Surface Antigen. <i>Iranian Journal of Parasitology</i> , 2012, 7, 48-53.   | 0.6 | 10        |
| 75 | Nested polymerase chain reaction and sequence- based detection of leishmania infection of sand flies in recently emerged endemic focus of zoonotic cutaneous leishmaniasis, southern iran. <i>Iranian Journal of Medical Sciences</i> , 2013, 38, 156-62.                                       | 0.4 | 10        |
| 76 | Occurrence, genetic characterization, and zoonotic importance of <i>Giardia duodenalis</i> in various species of rodents ( <i>Mus musculus</i> , <i>Rattus norvegicus</i> , and <i>Rattus rattus</i> ). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2022, 85, 101812. | 1.6 | 10        |
| 77 | Seroprevalence of Cystic Echinococcosis and related risk factors for infection among children in a rural community in Fars Province, Southern Iran. <i>Clinical Epidemiology and Global Health</i> , 2020, 8, 13-16.  | 1.9 | 9         |
| 78 | <i>Neobalantidium coli</i> : First molecular identification from the Eurasian wild boar, <i>Sus Scrofa</i> in Bushehr Province, Southwestern Iran. <i>Veterinary Medicine and Science</i> , 2020, 6, 142-146.   | 1.6 | 9         |
| 79 | Uncommon Locations of Cystic Echinococcosis: A Report of 46 Cases from Southern Iran. <i>Surgery Research and Practice</i> , 2020, 2020, 1-6.   | 0.5 | 9         |
| 80 | Genetic Diversity of <i>Echinococcus granulosus</i> Isolated from Humans: A Comparative Study in Two Cystic Echinococcosis Endemic Areas, Turkey and Iran. <i>BioMed Research International</i> , 2020, 2020, 1-7.  | 1.9 | 9         |
| 81 | DNA extraction from hydatid cyst protoscolices: Comparison of five different methods. <i>Veterinary World</i> , 2018, 11, 231-234.  | 1.7 | 9         |
| 82 | Helminth Infections of Rodents and Their Zoonotic Importance in Boyer-Ahmad District, Southwestern Iran. <i>Iranian Journal of Parasitology</i> , 2017, 12, 572-579.  | 0.6 | 9         |
| 83 | Faunal distribution of fleas and their blood-feeding preferences using enzyme-linked immunosorbent assays from farm animals and human shelters in a new rural region of southern Iran. <i>Journal of Parasitic Diseases</i> , 2016, 40, 169-175.  | 1.0 | 8         |
| 84 | Effect of hydroalcoholic extract of <i>Echinacea purpurea</i> in combination with meglumine antimoniate on treatment of <i>Leishmania major</i> -induced cutaneous leishmaniasis in BALB/c mice. <i>International Journal of Applied &amp; Basic Medical Research</i> , 2017, 7, 53.            | 0.5 | 8         |
| 85 | Seroprevalence and Molecular Evaluation of Toxoplasmosis in Patients Undergoing Chemotherapy for Malignancies in the Bushehr Province, Southwest Iran. <i>Jundishapur Journal of Microbiology</i> , 2016, 9, e35410.  | 0.5 | 8         |
| 86 | Faunal Distribution and Seasonal Bio-Ecology of Naturally Infected Sand Flies in a New Endemic Zoonotic Cutaneous Leishmaniasis Focus of Southern Iran. <i>Journal of Arthropod-Borne Diseases</i> , 2016, 10, 560-568.   | 0.9 | 8         |
| 87 | Clinical and Molecular Evaluation of a Case of Giant Primary Splenic Hydatid Cyst: A Case Report. <i>Iranian Journal of Parasitology</i> , 2016, 11, 585-590.   | 0.6 | 8         |
| 88 | Characterization of the metacaspase 1 gene in <i>Plasmodium vivax</i> field isolates from southern Iran and Italian imported cases. <i>Acta Tropica</i> , 2011, 119, 57-60.   | 2.0 | 7         |
| 89 | <i>Toxoplasma</i> Infection in Farm Animals: A Seroepidemiological Survey in Fars Province, South of Iran. <i>Jundishapur Journal of Microbiology</i> , 2013, , .   | 0.5 | 7         |
| 90 | Synthesis and Biological Activity of Some Aminothiazole Derivatives as Antileishmanial Agents. <i>Anti-Infective Agents</i> , 2020, 18, 178-189.  | 0.4 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Leishmania ITS1 Is Genetically Divergent in Asymptomatic and Symptomatic Visceral Leishmaniasis: Results of a Study in Southern Iran. <i>Journal of Tropical Medicine</i> , 2020, 2020, 1-7.   | 1.7 | 7         |
| 92  | Concomitant of Pulmonary Hydatid Cyst and Aspergilloma: A Rare Coinfection. <i>Case Reports in Infectious Diseases</i> , 2020, 2020, 1-4.  | 0.5 | 7         |
| 93  | Cystic Echinococcosis: Knowledge, Attitude, and Practices (KAP) among Surgically Operated Cases in Fars Province, Southern Iran. <i>Journal of Parasitology Research</i> , 2021, 2021, 1-7.  | 1.2 | 7         |
| 94  | Echinococcus granulosus sensu stricto G1 is the predominant genotype in human and livestock isolates from Turkey and Iran, based on mitochondrial nad5 gene differentiation. <i>Parasites and Vectors</i> , 2021, 14, 369.                         | 2.5 | 7         |
| 95  | Comparative Genotyping of <i>Echinococcus granulosus</i> Infecting Livestock in Turkey and Iran. <i>Turkiye Parazitoloji Dergisi</i> , 2019, 43, 123-129.  | 0.6 | 7         |
| 96  | Evaluation of a simple Dot-ELISA in comparison with countercurrent immunoelectrophoresis for diagnosis of human hydatidosis. <i>Clinical Laboratory</i> , 2011, 57, 201-5.   | 0.5 | 7         |
| 97  | Seroprevalence and associated risk factors of toxocarasis among nomads in Boyer-Ahmad County, southwest Iran. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 372-377.                                      | 1.8 | 6         |
| 98  | Molecular and serological evaluation of zoonotic visceral leishmaniasis in dogs in a rural area of Fars province, southern Iran, as a source of <i>Leishmania infantum</i> infection. <i>Veterinary Medicine and Science</i> , 2021, 7, 1082-1089. | 1.6 | 6         |
| 99  | Stereological analysis of liver, spleen and bone of Leishmania infantum-experimentally infected hamsters. <i>Experimental Parasitology</i> , 2021, 228, 108137.  | 1.2 | 6         |
| 100 | Seroprevalence of anti-hepatitis E antibodies and antigens among HIV-infected patients in Fars Province, southern Iran. <i>Virology Journal</i> , 2020, 17, 109.   | 3.4 | 5         |
| 101 | Molecular Genotyping of Toxoplasma gondii in Sheep Aborted Fetuses Reveals Predominance of Type I Infection in Southwest of Iran. <i>Iranian Journal of Parasitology</i> , 2020, 15, 374-382.  | 0.6 | 5         |
| 102 | Effect of topical gel prepared with hydroalcoholic extract of Echinacea purpurea on treatment of Leishmania major-induced cutaneous leishmaniasis in BALB/C mice. <i>Journal of Pharmaceutical Negative Results</i> , 2016, 7, 12.                 | 0.2 | 5         |
| 103 | Seroepidemiological survey of toxoplasmosis among female university students in Shiraz, southern Iran. <i>Annals of Tropical Medicine and Public Health</i> , 2017, 10, 362.   | 0.1 | 5         |
| 104 | Comparison of the Utility of Recombinant B8/2 Subunit of the Antigen B, Native Antigen, and a Commercial ELISA Kit in the Diagnosis of Human Cystic Echinococcosis. <i>Iranian Biomedical Journal</i> , 2019, 23, 246-252.                         | 0.7 | 5         |
| 105 | Analyzing Signal Peptides for Secretory Production of Recombinant Diagnostic Antigen B8/1 from : An Approach. <i>Molecular Biology Research Communications</i> , 2020, 9, 1-10.  | 0.3 | 5         |
| 106 | Development of a recombinant nucleocapsid proteinâ€based ELISA for the detection of IgM and IgG antibodies to SARSâ€CoVâ€2. <i>Biotechnology and Applied Biochemistry</i> , 2022, 69, 2592-2598.  | 3.1 | 5         |
| 107 | Level of circulating steroid hormones in malaria and cutaneous leishmaniasis: a case control study. <i>Journal of Parasitic Diseases</i> , 2019, 43, 54-58.  | 1.0 | 4         |
| 108 | Serum levels of anti-hepatitis B surface antibodies among vaccinated children aged 1 to 12 years in a rural community in Fars Province, southern Iran. <i>Journal of Immunoassay and Immunochemistry</i> , 2020, 41, 20-27.                        | 1.1 | 4         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Seroprevalence of toxocariasis and its related risk factors among municipal street sweepers in Shiraz District in Fars Province, southern Iran. <i>Clinical Epidemiology and Global Health</i> , 2020, 8, 643-646. | 1.9 | 4         |
| 110 | Diagnostic performance of <i>Echinococcus granulosus</i> protoscolices antigens in the serodiagnosis of human cystic echinococcosis. <i>Journal of Immunoassay and Immunochemistry</i> , 2020, 41, 833-840.        | 1.1 | 4         |
| 111 | Seroprevalence of Cystic Echinococcosis Using Recombinant Antigen B-ELISA in North Khorasan Province, Northeast of Iran. <i>Iranian Journal of Public Health</i> , 2021, 50, 592-597.                              | 0.5 | 4         |
| 112 | High Seroprevalence of Toxocara Infection among Mentally Retarded Patients in Hormozgan Province, Southern Iran. <i>Journal of Tropical Medicine</i> , 2021, 2021, 1-5.  | 1.7 | 4         |
| 113 | Isolation of infective promastigotes of <i>Leishmania major</i> from long-term culture by cocultivation with macrophage cell line. <i>Biologicals</i> , 2005, 33, 257-260.   | 1.4 | 3         |
| 114 | Prevalence of bovine fascioliasis in a new-emerging focus of human fascioliasis in BoyerAhmad district, southwest of Iran. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 66, 101350. | 1.6 | 3         |
| 115 | FML-ELISA a novel diagnostic method for detection of feline leishmaniasis in two endemic areas of Iran. <i>Journal of Parasitic Diseases</i> , 2021, 45, 279-284.  | 1.0 | 3         |
| 116 | Effects of topical gel formulation of <i>Ficus carica</i> latex on cutaneous leishmaniasis induced by <i>Leishmania major</i> in BALB/c mice. <i>BMC Research Notes</i> , 2021, 14, 199.                           | 1.4 | 3         |
| 117 | Diagnostic accuracy of urinary latex agglutination test (KAtex) for the diagnosis of visceral leishmaniasis: A meta-analysis. <i>Journal of Infection in Developing Countries</i> , 2018, 12, 1045-1051.           | 1.2 | 3         |
| 118 | <i>Acomys dimidiatus</i> (Rodentia: Muridae): Probable reservoir host of <i>Leishmania major</i> , southern Iran. <i>Annals of Tropical Medicine and Public Health</i> , 2017, 10, 1032.                           | 0.1 | 3         |
| 119 | Clinical Features, Diagnosis and Management of Patients with Suspicion of Fascioliasis in Kohgiluyeh and Boyer-Ahmad Province, Southwestern Iran. <i>Iranian Journal of Parasitology</i> , 2020, 15, 84-90.        | 0.6 | 3         |
| 120 | Human fascioliasis in nomads: A population-based serosurvey in southwest Iran. <i>Infezioni in Medicina</i> , 2019, 27, 68-72.   | 1.1 | 3         |
| 121 | Comparative study on isoenzyme patterns of <i>Fasciola hepatica</i> and <i>Fasciola gigantica</i> . <i>Tropical Biomedicine</i> , 2016, 33, 462-468.   | 0.7 | 3         |
| 122 | In vitro cultivation of <i>Toxocara cati</i> adult worms for production of eggs and evaluation of oviposition. <i>Helminthologia</i> , 2009, 46, 28-30.  | 0.9 | 2         |
| 123 | PP-133 High prevalence of hepatitis C infection among high risk groups in Kohgiluyeh and Boyerahmad Province, Southwest of Iran. <i>International Journal of Infectious Diseases</i> , 2011, 15, S82.              | 3.3 | 2         |
| 124 | Population-Based Seroprevalence of Malaria in Hormozgan Province, Southeastern Iran: A Low Transmission Area. <i>Malaria Research and Treatment</i> , 2015, 2015, 1-5.   | 2.0 | 2         |
| 125 | Molecular and Serological Evaluation of <i>Neospora caninum</i> Infection in Dogs from a Rural Setting in Fars Province, Southern Iran. <i>Iranian Journal of Parasitology</i> , 2021, 16, 146-150.                | 0.6 | 2         |
| 126 | Seroprevalence and Genotyping of <i>Toxoplasma gondii</i> in Wild Boars ( <i>Sus scrofa</i> ) from Southwestern Iran. <i>Jundishapur Journal of Microbiology</i> , 2016, 10, .                                     | 0.5 | 2         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Toxoplasmosis in Nomadic Communities: A Seroepidemiological Study in Southwestern Iran. <i>Annali Di Igiene: Medicina Preventiva E Di Comunita</i> , 2020, 32, 50-55.   | 0.7 | 2         |
| 128 | Effect of Hydroalcoholic Extract of <i>Arnebia Euchroma</i> on the Treatment of Cutaneous Leishmaniasis. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 0, , .   | 0.8 | 2         |
| 129 | Clinical Features, Diagnosis and Management of Patients with Suspicion of Fascioliasis in Kohgiluyeh and Boyer-Ahmad Province, Southwestern Iran. <i>Iranian Journal of Parasitology</i> , 0, , .                         | 0.6 | 2         |
| 130 | Genetic Variability of Antigen B8/1 among Isolates from Human, Cattle, and Sheep in Fars Province, Southern Iran. <i>Reports of Biochemistry and Molecular Biology</i> , 2018, 6, 164-160.                                | 1.4 | 2         |
| 131 | Attenuated Induce a High Level of Protection against in BALB/c Mice. <i>Iranian Journal of Parasitology</i> , 2019, 14, 310-317.  | 0.6 | 2         |
| 132 | Coinfection of <i>Strongyloides stercoralis</i> and <i>Aspergillus</i> sp.. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2020, 2020, 1-8.   | 1.4 | 1         |
| 133 | Topical <i>Bambusa vulgaris</i> Extract Enhances Wound Healing in Cutaneous Leishmaniasis. <i>Journal of Pathogens</i> , 2021, 2021, 1-4.   | 1.4 | 1         |
| 134 | Detection and phylogenetic analysis of <i>Sarcocystis moulei</i> and <i>Sarcocystis</i> spp. ( <i>Sarcocystidae</i> :) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4</i>  | 1.0 | 1         |
| 135 | The prevalence of hepatitis b virus markers among students of shiraz university of medical sciences. <i>Advanced Biomedical Research</i> , 2021, 10, 7.   | 0.5 | 1         |
| 136 | A Comparative Seroprevalence Study of Toxocariasis in Hypereosinophilic and Apparently Healthy Individuals. <i>Archives of Pediatric Infectious Diseases</i> , 2014, 3, .   | 0.3 | 1         |
| 137 | <i>Toxoplasma gondii</i> : The Prevalence and Risk Factors in HIV-Infected Patients in Fars Province, Southern Iran. <i>Iranian Red Crescent Medical Journal</i> , 2018, In Press, .                                      | 0.5 | 1         |
| 138 | In Vivo Assay of Wound Healing Activities of Silymarin Extract on Cutaneous Wounds Caused by <i>Leishmania major</i> . <i>Shiraz E Medical Journal</i> , 2018, In Press, .  | 0.3 | 1         |
| 139 | Molecular Evaluation of a Case of in Wild Boar in Southwestern Iran: A Case Report. <i>Iranian Journal of Parasitology</i> , 2018, 13, 149-155.   | 0.6 | 1         |
| 140 | Comparison of the Utility of Recombinant B8/2 Subunit of the Antigen B, Native Antigen, and a Commercial ELISA Kit in the Diagnosis of Human Cystic Echinococcosis. <i>Iranian Biomedical Journal</i> , 2019, 23, 246-52. | 0.7 | 1         |
| 141 | Low prevalence of <i>Toxoplasma gondii</i> infection among children in a rural community in Fars province, Southern Iran. <i>Infezioni in Medicina</i> , 2019, 27, 322-327.   | 1.1 | 1         |
| 142 | Designing a Multi-Epitope Antigen for Serodiagnosis of <i>Strongyloides stercoralis</i> Based on L3Nie.01 and IgG Immunoreactive Epitopes. <i>Avicenna Journal of Medical Biotechnology</i> , 0, , .                      | 0.3 | 1         |
| 143 | <i>Neospora caninum</i> Infection in Cattle in the Province of Kohgiluyeh and Boyer Ahmad, Southwest of Iran: Seroprevalence and Molecular Assessment. <i>Journal of Parasitology Research</i> , 2021, 2021, 1-6.         | 1.2 | 1         |
| 144 | Importance of L. Infantum H2B Recombinant Antigen for Serodiagnosis of Visceral Leishmaniasis. <i>Iranian Journal of Immunology</i> , 2019, 16, 311-320.  | 0.6 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Authors'™ response. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021, 76, 101645.  | 1.6 | 0         |
| 146 | Attenuated <i>Leishmania major</i> Induce a High Level of Protection against <i>Leishmania infantum</i> in BALB/c Mice. <i>Iranian Journal of Parasitology</i> , 0, , .                              | 0.6 | 0         |
| 147 | Serosurvey of HBV surface antigen and anti-HBV surface antibody among HIV-infected patients in Fars province, southern Iran. <i>Infezioni in Medicina</i> , 2020, 28, 572-575.                       | 1.1 | 0         |
| 148 | Serosurvey and Molecular Detection of <i>Toxoplasma gondii</i> in Dogs in Rural Areas of Kazeroun District, Fars Province, Southern Iran. <i>Journal of Parasitology Research</i> , 2021, 2021, 1-4. | 1.2 | 0         |
| 149 | Intestinal Parasitic Infections among Intellectually Disabled Individuals in Bandar Abbas County, Southern Iran. <i>Journal of Parasitology Research</i> , 2022, 2022, 1-6.                          | 1.2 | 0         |