
## Cristiana Gambelunghe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8160584/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bilateral Transcranial Magnetic Stimulation of the Prefrontal Cortex Reduces Cocaine Intake: A Pilot Study. Frontiers in Psychiatry, 2016, 7, 133.	1.3	66
2	Hair analysis by GC[sol ]MS[sol ]MS to verify abuse of drugs. Journal of Applied Toxicology, 2005, 25, 205-211.	1.4	65
3	Effects of Chrysin on Urinary Testosterone Levels in Human Males. Journal of Medicinal Food, 2003, 6, 387-390.	0.8	50
4	Identification of <i>N</i> , <i>N</i> â€dimethyltryptamine and <i>β</i> â€carbolines in psychotropic ayahuasca beverage. Biomedical Chromatography, 2008, 22, 1056-1059.	0.8	46
5	Changes in Drug Use Patterns during the COVID-19 Pandemic in Italy: Monitoring a Vulnerable Group by Hair Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 1967.	1.2	39
6	Identification of GHB and morphine in hair in a case of drug-facilitated sexual assault. Forensic Science International, 2009, 186, e9-e11.	1.3	34
7	Analysis of anabolic steroids in hair by GC/MS/MS. Biomedical Chromatography, 2007, 21, 369-375.	0.8	32
8	Gas chromatography-tandem mass spectrometry analysis of gabapentin in serum. Biomedical Chromatography, 2005, 19, 63-67.	0.8	26
9	Absinthe: enjoying a new popolarity among young people?. Forensic Science International, 2002, 130, 183-186.	1.3	25
10	Norcocaine and cocaethylene distribution patterns in hair samples from light, moderate, and heavy cocaine users. Drug Testing and Analysis, 2017, 9, 161-167.	1.6	24
11	Pregabalin Abuse in Combination With Other Drugs: Monitoring Among Methadone Patients. Frontiers in Psychiatry, 2019, 10, 1022.	1.3	20
12	Physical exercise intensity can be related to plasma glutathione levels. Journal of Physiology and Biochemistry, 2001, 57, 9-14.	1.3	19
13	Cannabis Use Surveillance by Sweat Analysis. Therapeutic Drug Monitoring, 2016, 38, 634-639.	1.0	18
14	Drug Checking as Strategy for Harm Reduction in Recreational Contests: Evaluation of Two Different Drug Analysis Methodologies. Frontiers in Psychiatry, 2021, 12, 596895.	1.3	17
15	Testing for nandrolone metabolites in urine samples of professional athletes and sedentary subjects by GC/MS/MS analysis. Biomedical Chromatography, 2002, 16, 508-512.	0.8	16
16	A Direct Immersion Solid-Phase Microextraction Gas Chromatography/Mass Spectrometry Method for the Simultaneous Detection of Levamisole and Minor Cocaine Congeners in Hair Samples From Chronic Abusers. Therapeutic Drug Monitoring, 2014, 36, 789-795.	1.0	15
17	Cocaine Addiction Treatment and Home Remedies: Use of the Scopolamine Transdermal Patch. Substance Use and Misuse, 2014, 49, 1-6.	0.7	14
18	<scp>GC</scp> â€ <scp>MS</scp> and <scp>GC</scp> â€ <scp>MS</scp> / <scp>MS</scp> in <scp>PCI</scp> Mode Determination of Mescaline in Peyote Tea and in Biological Matrices. Journal of Forensic Sciences, 2013, 58, 270-278.	0.9	13

#	Article	IF	CITATIONS
19	Effects of light physical exercise on sleep regulation in rats. Medicine and Science in Sports and Exercise, 2001, 33, 57-60.	0.2	12
20	GCâ€MS/MS detects potential pregabalin abuse in susceptible subjects' hair. Drug Testing and Analysis, 2018, 10, 968-976.	1.6	12
21	Sleep-wake variables and EEG power spectra in Mongolian gerbils and Wistar rats. Physiology and Behavior, 1994, 56, 963-968.	1.0	9
22	Sweat testing to monitor drug exposure. Annals of Clinical and Laboratory Science, 2013, 43, 22-30.	0.2	9
23	Brain hsp70 expression and DNA damage in mice exposed to extremely low frequency magnetic fields: A dose-response study. International Journal of Radiation Biology, 2013, 89, 562-570.	1.0	8
24	High-performance liquid chromatographic determination of orotic acid as its methyl derivative in human urine. Biomedical Applications, 1997, 703, 263-266.	1.7	7
25	Monitoring people at risk of drinking by a rapid urinary ethyl glucuronide test. Interdisciplinary Toxicology, 2017, 10, 155-162.	1.0	7
26	Patterns of Prescription Medicine, Illicit Drugs, and Alcohol Misuse among High-Risk Population: A Factor Analysis to Delineate Profiles of Polydrug Users. Healthcare (Switzerland), 2022, 10, 710.	1.0	7
27	Variable response of the Mongolian gerbil to unilateral carotid occlusion: Magnetic resonance imaging and neuropathological characterization. Italian Journal of Neurological Sciences, 1995, 16, 517-526.	0.1	6
28	N-acetylcysteine increases apoptosis induced by H2O2 and mo-antiFas triggering in a 3DO hybridoma cell line. Cell Biochemistry and Function, 2000, 18, 201-208.	1.4	6
29	Wistar rats retain for months memory of active avoidance learned behaviour. Italian Journal of Zoology, 1998, 65, 311-314.	0.6	5
30	Effects of Light Physical Exercise on Sleep in Middle-Aged Rats. International Journal of Sports Medicine, 2005, 26, 327-331.	0.8	4
31	β-N-ACETYLHEXOSAMINIDASE ACTIVITY AND ISOENZYME PROFILE IN THE KIDNEY AND URINE OF TRAINED RATS. Immunopharmacology and Immunotoxicology, 2001, 23, 573-583.	1.1	3
32	Driving under the influence of drugs in Italy: Describing two assessment protocols. Current Topics in Toxicology, 0, 17, 31.	0.0	2
33	Response variability to ischemic injury in the Mongolian gerbil: an electroencephalographic and behavioral study. Italian Journal of Neurological Sciences, 1996, 17, 219-225.	0.1	1