

Beatriz Olaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8160807/publications.pdf>

Version: 2024-02-01

96
papers

4,693
citations

147566

31
h-index

114278

63
g-index

99
all docs

99
docs citations

99
times ranked

7097
citing authors

#	ARTICLE	IF	CITATIONS
1	The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2023, 21, 1157-1167.	4.4	5
2	Is there a combined effect of depression and cognitive reserve on cognitive function? Findings from a population-based study. <i>Psychology and Health</i> , 2022, 37, 1132-1147.	1.2	7
3	Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. <i>Aging and Mental Health</i> , 2022, 26, 2447-2453.	1.5	2
4	The effect of loneliness and social support on the course of major depressive disorder among adults aged 50 years and older: A longitudinal study. <i>Depression and Anxiety</i> , 2022, 39, 147-155.	2.0	9
5	The impact of COVID-related perceived stress and social support on generalized anxiety and major depressive disorders: moderating effects of pre-pandemic mental disorders. <i>Annals of General Psychiatry</i> , 2022, 21, 7.	1.2	7
6	Cohort Profile: The Spanish Longitudinal Study on Ageing and Health (<i>Edad Con Salud</i>). <i>International Journal of Epidemiology</i> , 2022, 51, e189-e199.	0.9	5
7	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021, 50, 880-892.	0.9	32
8	Determinants of Subjective Wellbeing Trajectories in Older Adults: A Growth Mixture Modeling Approach. <i>Journal of Happiness Studies</i> , 2021, 22, 709-726.	1.9	11
9	Effects of transient and chronic loneliness on major depression in older adults: A longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 76-85.	1.3	37
10	Prevalence of depression during the COVID-19 outbreak: A meta-analysis of community-based studies. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100196.	2.7	559
11	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021, 143, 157-164.	1.0	9
12	From childhood financial hardship to late-life depression: socioeconomic pathways. <i>Aging and Mental Health</i> , 2021, 25, 86-93.	1.5	9
13	Changes in depression and suicidal ideation under severe lockdown restrictions during the first wave of the COVID-19 pandemic in Spain: a longitudinal study in the general population. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e49.	1.8	44
14	Anhedonia as a Potential Risk Factor of Alzheimer's Disease in a Community-Dwelling Elderly Sample: Results from the ZARADEMP Project. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1370.	1.2	3
15	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e19.	1.8	32
16	Depression as a Risk Factor for Alzheimer's Disease: A Systematic Review of Longitudinal Meta-Analyses. <i>Journal of Clinical Medicine</i> , 2021, 10, 1809.	1.0	44
17	Prevalence of anxiety in health care professionals during the COVID-19 pandemic: A rapid systematic review (on published articles in Medline) with meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110244.	2.5	95
18	Determinants of Processing Speed Trajectories among Middle Aged or Older Adults, and Their Association with Chronic Illnesses: The English Longitudinal Study of Aging. <i>Life</i> , 2021, 11, 357.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Determinants of verbal fluency trajectories among older adults from the English Longitudinal Study of Aging. <i>Applied Neuropsychology Adult</i> , 2021, , 1-10.	0.7	1
20	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7067.	1.2	53
21	Prevalence of Depression among Healthcare Workers during the COVID-19 Outbreak: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3406.	1.0	50
22	Risk of all-cause mortality associated with chronic obstructive pulmonary disease and the role of healthy ageing trajectories: a population-based study of middle-aged and older adults. <i>BMJ Open</i> , 2021, 11, e050947.	0.8	0
23	To be happy and behave in a healthier way. A longitudinal study about gender differences in the older population. <i>Psychology and Health</i> , 2021, , 1-17.	1.2	4
24	The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. <i>Current Psychology</i> , 2021, , 1-12.	1.7	4
25	The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. <i>Journal of Affective Disorders</i> , 2021, 292, 464-470.	2.0	13
26	Relationship between subjective well-being and healthy lifestyle behaviours in older adults: a longitudinal study. <i>Ageing and Mental Health</i> , 2020, 24, 611-619.	1.5	36
27	Loneliness and depression among older European adults: The role of perceived neighborhood built environment. <i>Health and Place</i> , 2020, 62, 102280.	1.5	32
28	Factors Associated With Multimorbidity Patterns in Older Adults in England: Findings From the English Longitudinal Study of Aging (ELSA). <i>Journal of Aging and Health</i> , 2020, 32, 1120-1132.	0.9	26
29	The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , 2020, 266, 424-428.	2.0	6
30	Multimorbidity patterns in low-middle and high income regions: a multiregion latent class analysis using ATHLOS harmonised cohorts. <i>BMJ Open</i> , 2020, 10, e034441.	0.8	25
31	Cognitive function associated with different diagnoses of anxiety disorders over the lifespan: Results from a Spanish representative sample. <i>Journal of Anxiety Disorders</i> , 2020, 75, 102296.	1.5	6
32	Association between Anxiety and Vascular Dementia Risk: New Evidence and an Updated Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1368.	1.0	6
33	Cross-cultural comparison of symptom networks in late-life major depressive disorder: Yoruba Africans and the Spanish Population. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1060-1068.	1.3	7
34	Does Anxiety Increase the Risk of all-Cause Dementia? An Updated Meta-Analysis of Prospective Cohort Studies. <i>Journal of Clinical Medicine</i> , 2020, 9, 1791.	1.0	27
35	Exploring the effect of loneliness on all-cause mortality: Are there differences between older adults and younger and middle-aged adults?. <i>Social Science and Medicine</i> , 2020, 258, 113087.	1.8	19
36	Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. <i>Nutrients</i> , 2020, 12, 1746.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Trajectories of Immediate and Delayed Verbal Memory in the Spanish General Population of Middle-aged and Older Adults. <i>Brain Sciences</i> , 2020, 10, 249.	1.1	3
38	Fruit and Vegetable Consumption and Potential Moderators Associated with All-Cause Mortality in a Representative Sample of Spanish Older Adults. <i>Nutrients</i> , 2019, 11, 1794.	1.7	13
39	Are loneliness and social isolation associated with cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1613-1622.	1.3	202
40	Cohort Profile: The Ageing Trajectories of Health – Longitudinal Opportunities and Synergies (ATHLOS) project. <i>International Journal of Epidemiology</i> , 2019, 48, 1052-1053i.	0.9	39
41	Clinically relevant anxiety and risk of Alzheimer's disease in an elderly community sample: 4.5 years of follow-up.. <i>Journal of Affective Disorders</i> , 2019, 250, 16-20.	2.0	30
42	Cardiovascular risk factors and memory decline in middle-aged and older adults: the English Longitudinal Study of Ageing. <i>BMC Geriatrics</i> , 2019, 19, 337.	1.1	21
43	Prevalence of anxiety disorder among older adults in Spain: A meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 246, 408-417.	2.0	19
44	Course of depression and cognitive decline at 3-year follow-up: The role of age of onset.. <i>Psychology and Aging</i> , 2019, 34, 475-485.	1.4	17
45	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018, 106, 137-144.	1.2	3
46	The impact of socioeconomic status on the association between biomedical and psychosocial well-being and all-cause mortality in older Spanish adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 259-268.	1.6	8
47	Mobility Difficulties, Physical Activity, and All-cause Mortality Risk in a Nationally representative Sample of Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1272-1279.	1.7	30
48	Measurement invariance of the WHOQOL-AGE questionnaire across three European countries. <i>Quality of Life Research</i> , 2018, 27, 1015-1025.	1.5	13
49	Furthering the Evidence of the Effectiveness of Employment Strategies for People with Mental Disorders in Europe: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 838.	1.2	9
50	Epidemiology of panic attacks, panic disorder and the moderating role of age: Results from a population-based study. <i>Journal of Affective Disorders</i> , 2018, 241, 627-633.	2.0	17
51	Loneliness and depression in the elderly: the role of social network. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 381-390.	1.6	274
52	Trajectories of Verbal Episodic Memory in Middle-aged and Older Adults: Evidence from the English Longitudinal Study of Ageing. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1274-1281.	1.3	51
53	All-cause mortality and multimorbidity in older adults: The role of social support and loneliness. <i>Experimental Gerontology</i> , 2017, 99, 120-126.	1.2	67
54	The role of socio-economic status and neighborhood social capital on loneliness among older adults: evidence from the Sant Boi Aging Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1237-1246.	1.6	29

#	ARTICLE	IF	CITATIONS
55	Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017, 87, 67-73.	1.2	31
56	Latent class analysis of multimorbidity patterns and associated outcomes in Spanish older adults: a prospective cohort study. <i>BMC Geriatrics</i> , 2017, 17, 186.	1.1	82
57	Association of experienced and evaluative well-being with health in nine countries with different income levels: a cross-sectional study. <i>Globalization and Health</i> , 2017, 13, 65.	2.4	20
58	Positive Affect Is Inversely Associated with Mortality in Individuals without Depression. <i>Frontiers in Psychology</i> , 2016, 7, 1040.	1.1	13
59	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 858-867.	1.3	63
60	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 312-321.	2.9	182
61	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016, 76, 39-45.	1.2	9
62	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 205-214.	1.7	404
63	Measurement Invariance of the Day Reconstruction Method: Results from the COURAGE in Europe Project. <i>Journal of Happiness Studies</i> , 2016, 17, 1769-1787.	1.9	8
64	Loneliness, Social Networks, and Health: A Cross-Sectional Study in Three Countries. <i>PLoS ONE</i> , 2016, 11, e0145264.	1.1	121
65	Degree of cognitive impairment and mortality: a 17-year follow-up in a community study. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 503-511.	1.8	16
66	Country-level and individual correlates of overweight and obesity among primary school children: a cross-sectional study in seven European countries. <i>BMC Public Health</i> , 2015, 15, 475.	1.2	64
67	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e007313-e007313.	0.8	42
68	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015, 69, 27-35.	1.2	62
69	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. <i>Experimental Gerontology</i> , 2015, 64, 70-77.	1.2	56
70	Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 172-183.	1.8	35
71	La carga de la enfermedad en España 2010: trastornos neurológicos, mentales y re: trastornos neurológicos, mentales y relacionados con el consumo de sustancias. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 207-217.	1.0	17
72	Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. <i>Atherosclerosis</i> , 2015, 238, 240-249.	0.4	7

#	ARTICLE	IF	CITATIONS
73	Is cognitive impairment associated with suicidality? A population-based study. <i>European Neuropsychopharmacology</i> , 2015, 25, 203-213.	0.3	32
74	Multimorbidity Patterns in a National Representative Sample of the Spanish Adult Population. <i>PLoS ONE</i> , 2014, 9, e84794.	1.1	73
75	Impact of Multimorbidity on Disability and Quality of Life in the Spanish Older Population. <i>PLoS ONE</i> , 2014, 9, e111498.	1.1	122
76	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. <i>PLoS ONE</i> , 2014, 9, e114742.	1.1	163
77	Built Environment and Elderly Population Health: A Comprehensive Literature Review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 103-115.	0.6	106
78	Factors associated with active aging in Finland, Poland, and Spain. <i>International Psychogeriatrics</i> , 2014, 26, 1363-1375.	0.6	30
79	Health and happiness: cross-sectional household surveys in Finland, Poland and Spain. <i>Bulletin of the World Health Organization</i> , 2014, 92, 716-725.	1.5	54
80	Validation of the COURAGE Built Environment Self-Reported Questionnaire. <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 215-226.	1.4	8
81	Evaluation of Affect in Mexico and Spain: Psychometric Properties and Usefulness of an Abbreviated Version of the Day Reconstruction Method. <i>Journal of Happiness Studies</i> , 2014, 15, 915-935.	1.9	7
82	Anxiety disorders in adolescents and psychosocial outcomes at age 30. <i>Journal of Affective Disorders</i> , 2014, 163, 125-132.	2.0	226
83	The COURAGE Built Environment Outdoor Checklist: An Objective Built Environment Instrument to Investigate the Impact of the Environment on Health and Disability. <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 204-214.	1.4	8
84	Visual impairment and multimorbidity in a representative sample of the Spanish population. <i>BMC Public Health</i> , 2014, 14, 815.	1.2	38
85	Factors associated with suicidal ideation and attempts in Spain for different age groups. Prevalence before and after the onset of the economic crisis. <i>Journal of Affective Disorders</i> , 2014, 163, 1-9.	2.0	81
86	Integrating video-feedback and cognitive preparation, social skills training and behavioural activation in a cognitive behavioural therapy in the treatment of childhood anxiety. <i>Journal of Affective Disorders</i> , 2014, 167, 261-267.	2.0	35
87	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 371-384.	1.6	12
88	Depressive Symptoms Among Children and Adolescents in Iran: A Confirmatory Factor Analytic Study of the Centre for Epidemiological Studies Depression Scale for Children. <i>Child Psychiatry and Human Development</i> , 2013, 44, 123-136.	1.1	28
89	Usefulness of 2 Questions About Age and Year of Birth in the Case-Finding of Dementia. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 627.e7-627.e12.	1.2	4
90	Iranian adolescents' ability to recognize depression and beliefs about preventative strategies, treatments and causes of depression. <i>Journal of Affective Disorders</i> , 2013, 149, 152-159.	2.0	18

#	ARTICLE	IF	CITATIONS
91	Validation of an instrument to evaluate quality of life in the aging population: WHOQOL-AGE. Health and Quality of Life Outcomes, 2013, 11, 177.	1.0	89
92	Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534.	1.1	31
93	The structure of anxiety symptoms among adolescents in Iran: A confirmatory factor analytic study of the Spence Children's Anxiety Scale. Journal of Anxiety Disorders, 2012, 26, 871-878.	1.5	28
94	Development of the insight scale for affective disorders (ISAD): Modification from the scale to assess unawareness of mental disorder. Journal of Affective Disorders, 2012, 142, 65-71.	2.0	30
95	Psychometric properties of the Strength and Difficulties Questionnaire from five European countries. International Journal of Methods in Psychiatric Research, 2012, 21, 232-245.	1.1	106
96	Mental health needs of children exposed to intimate partner violence seeking help from mental health services. Children and Youth Services Review, 2010, 32, 1004-1011.	1.0	27