

# Vincenzina Strano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8164155/publications.pdf>

Version: 2024-02-01

25  
papers

662  
citations

686830

13  
h-index

642321

23  
g-index

25  
all docs

25  
docs citations

25  
times ranked

1044  
citing authors

#	ARTICLE	IF	CITATIONS
1	Localized Energy Band Bending in ZnO Nanorods Decorated with Au Nanoparticles. <i>Nanomaterials</i> , 2021, 11, 2718.	1.9	11
2	Free carrier enhanced depletion in ZnO nanorods decorated with bimetallic AuPt nanoclusters. <i>Nanoscale</i> , 2020, 12, 19213-19222.	2.8	15
3	Improved Synthesis of ZnO Nanowalls: Effects of Chemical Bath Deposition Time and Annealing Temperature. <i>Chemosensors</i> , 2019, 7, 18.	1.8	9
4	ZnO Microflowers Grown by Chemical Bath Deposition: A Low-Cost Approach for Massive Production of Functional Nanostructures. <i>Chemosensors</i> , 2019, 7, 62.	1.8	8
5	Low-cost synthesis of pure ZnO nanowalls showing three-fold symmetry. <i>Nanotechnology</i> , 2018, 29, 135707.	1.3	11
6	A novel gas-phase mono and bimetallic clusters decorated ZnO nanorods electrochemical sensor for 4-aminophenol detection. <i>Journal of Electroanalytical Chemistry</i> , 2018, 811, 89-95.	1.9	24
7	Enhanced sensitivity in non-enzymatic glucose detection by improved growth kinetics of Ni-based nanostructures. <i>Nanotechnology</i> , 2018, 29, 165601.	1.3	13
8	Low-cost and facile synthesis of Ni(OH) <sub>2</sub> /ZnO nanostructures for high-sensitivity glucose detection. <i>Nanotechnology</i> , 2018, 29, 015502.	1.3	7
9	A Miniaturized Electrochemical System Based on Nickel Oxide Species for Glucose Sensing Applications. <i>BioNanoScience</i> , 2017, 7, 58-63.	1.5	6
10	Role of Au <sub>x</sub> Pt <sub>1-x</sub> Clusters in the Enhancement of the Electrochemical Activity of ZnO Nanorod Electrodes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 15644-15652.	1.5	12
11	Performance of natural-dye-sensitized solar cells by ZnO nanorod and nanowall enhanced photoelectrodes. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 287-295.	1.5	21
12	Comparison of the Sensing Properties of ZnO Nanowalls-Based Sensors toward Low Concentrations of CO and NO <sub>2</sub> . <i>Chemosensors</i> , 2017, 5, 20.	1.8	19
13	The role of Zn vacancies in UV sensing with ZnO nanorods. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	14
14	Universal model for defect-related visible luminescence in ZnO nanorods. <i>RSC Advances</i> , 2016, 6, 73170-73175.	1.7	16
15	Hierarchical ZnO nanorods/Ni(OH) <sub>2</sub> nanoflakes for room-temperature, cheap fabrication of non-enzymatic glucose sensors. <i>RSC Advances</i> , 2016, 6, 111374-111379.	1.7	10
16	Radiative mechanism and surface modification of four visible deep level defect states in ZnO nanorods. <i>Nanoscale</i> , 2016, 8, 995-1006.	2.8	52
17	Low-cost high-haze films based on ZnO nanorods for light scattering in thin c-Si solar cells. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	21
18	Enhanced Quality, Growth Kinetics, and Photocatalysis of ZnO Nanowalls Prepared by Chemical Bath Deposition. <i>Crystal Growth and Design</i> , 2015, 15, 4206-4212.	1.4	30

#	ARTICLE	IF	CITATIONS
19	Photoluminescence transient study of surface defects in ZnO nanorods grown by chemical bath deposition. Applied Physics Letters, 2015, 106, .	1.5	42
20	ZnO nanowalls integrated on ultra-thin flexible TFT based on polysilicon for pH sensing. , 2014, , .		0
21	(Invited) Flexible Sensors Based on Low-Temperature Polycrystalline Silicon Thin Film Transistor Technology. ECS Transactions, 2014, 64, 165-173.	0.3	1
22	LTPS TFT technology on flexible substrates for sensor applications. , 2014, , .		3
23	Flexible pH sensors based on polysilicon thin film transistors and ZnO nanowalls. Applied Physics Letters, 2014, 105, .	1.5	71
24	Double Role of HMTA in ZnO Nanorods Grown by Chemical Bath Deposition. Journal of Physical Chemistry C, 2014, 118, 28189-28195.	1.5	142
25	Optimization of ZnO:Al/Ag/ZnO:Al structures for ultra-thin high-performance transparent conductive electrodes. Thin Solid Films, 2012, 520, 4432-4435.	0.8	104