
Martial Taillefert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8164262/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Differential manganese and iron recycling and transport in continental margin sediments of the Northern Gulf of Mexico. Marine Chemistry, 2021, 229, 103908.	2.3	12
2	Early Diagenesis in the Hypoxic and Acidified Zone of the Northern Gulf of Mexico: Is Organic Matter Recycling in Sediments Disconnected From the Water Column?. Frontiers in Marine Science, 2021, 8, .	2.5	4
3	Redox Cycling Driven Transformation of Layered Manganese Oxides to Tunnel Structures. Journal of the American Chemical Society, 2020, 142, 2506-2513.	13.7	36
4	Variations in sediment production of dissolved iron across a continental margin not dominated by major upwelling or riverine inputs. Marine Chemistry, 2020, 220, 103750.	2.3	1
5	Benthic alkalinity and dissolved inorganic carbon fluxes in the Rhône River prodelta generated by decoupled aerobic and anaerobic processes. Biogeosciences, 2020, 17, 13-33.	3.3	25
6	Microbial Fe(II) oxidation by <i>Sideroxydans lithotrophicus</i> ES-1 in the presence of SchlĶppnerbrunnen fen-derived humic acids. FEMS Microbiology Ecology, 2019, 95, .	2.7	25
7	Development of a rate law for arsenite oxidation by manganese oxides. Geochimica Et Cosmochimica Acta, 2019, 250, 251-267.	3.9	21
8	Effect of Manganese Oxide Aging and Structure Transformation on the Kinetics of Thiol Oxidation. Environmental Science & Technology, 2018, 52, 13202-13211.	10.0	26
9	Geochemical controls of the microbially mediated redox cycling of uranium and iron. Geochimica Et Cosmochimica Acta, 2018, 235, 431-449.	3.9	23
10	Microbial manganese(III) reduction fuelled by anaerobic acetate oxidation. Environmental Microbiology, 2017, 19, 3475-3486.	3.8	17
11	Early diagenesis in the sediments of the Congo deep-sea fan dominated by massive terrigenous deposits: Part II – Iron–sulfur coupling. Deep-Sea Research Part II: Topical Studies in Oceanography, 2017, 142, 151-166.	1.4	17
12	Mechanistic investigation of Fe(III) oxide reduction by low molecular weight organic sulfur species. Geochimica Et Cosmochimica Acta, 2017, 215, 173-188.	3.9	15
13	Biomineralization of U(VI) phosphate promoted by microbially-mediated phytate hydrolysis in contaminated soils. Geochimica Et Cosmochimica Acta, 2017, 197, 27-42.	3.9	26
14	Importance of microbial iron reduction in deep sediments of river-dominated continental-margins. Marine Chemistry, 2016, 178, 22-34.	2.3	26
15	The origin, composition, and reactivity of dissolved iron(III) complexes in coastal organic- and iron-rich sediments. Geochimica Et Cosmochimica Acta, 2015, 152, 72-88.	3.9	27
16	Key geochemical factors regulating Mn(IV)-catalyzed anaerobic nitrification in coastal marine sediments. Geochimica Et Cosmochimica Acta, 2014, 133, 17-33.	3.9	40
17	Development of singleâ€step liquid chromatography methods with ultraviolet detection for the measurement of inorganic anions in marine waters. Limnology and Oceanography: Methods, 2014, 12, 563-576.	2.0	15
18	The role of anaerobic respiration in the immobilization of uranium through biomineralization of phosphate minerals. Geochimica Et Cosmochimica Acta, 2013, 106, 344-363.	3.9	57

MARTIAL TAILLEFERT

#	Article	IF	CITATIONS
19	Microbial Mn(IV) reduction requires an initial one-electron reductive solubilization step. Geochimica Et Cosmochimica Acta, 2012, 99, 179-192.	3.9	57
20	The flux of soluble organicâ€iron(III) complexes from sediments represents a source of stable iron(III) to estuarine waters and to the continental shelf. Limnology and Oceanography, 2011, 56, 1811-1823.	3.1	42
21	The effect of pH and natural microbial phosphatase activity on the speciation of uranium in subsurface soils. Geochimica Et Cosmochimica Acta, 2011, 75, 5648-5663.	3.9	64
22	The effect of riverine discharge on biogeochemical processes in estuarine sediments. Limnology and Oceanography, 2011, 56, 1797-1810.	3.1	28
23	<i>Shewanella oneidensis</i> MRâ€1 mutants selected for their inability to produce soluble organicâ€Fe(III) complexes are unable to respire Fe(III) as anaerobic electron acceptor. Environmental Microbiology, 2010, 12, 938-950.	3.8	38
24	Siderophores Are Not Involved in Fe(III) Solubilization during Anaerobic Fe(III) Respiration by <i>Shewanella oneidensis</i> MR-1. Applied and Environmental Microbiology, 2010, 76, 2425-2432.	3.1	39
25	Microbial Colonization of an In Situ Sediment Cap and Correlation to Stratified Redox Zones. Environmental Science & Technology, 2009, 43, 66-74.	10.0	48
26	Effect of arsenic concentration on microbial iron reduction and arsenic speciation in an iron-rich freshwater sediment. Geochimica Et Cosmochimica Acta, 2009, 73, 6008-6021.	3.9	11
27	Nonreductive Biomineralization of Uranium(VI) Phosphate Via Microbial Phosphatase Activity in Anaerobic Conditions. Geomicrobiology Journal, 2009, 26, 431-441.	2.0	89
28	Use of voltammetric solid-state (micro)electrodes for studying biogeochemical processes: Laboratory measurements to real time measurements with an in situ electrochemical analyzer (ISEA). Marine Chemistry, 2008, 108, 221-235.	2.3	156
29	VOLTINT: A Matlab®-based program for semi-automated processing of geochemical data acquired by voltammetry. Computers and Geosciences, 2008, 34, 153-162.	4.2	33
30	Remote in situ voltammetric techniques to characterize the biogeochemical cycling of trace metals in aquatic systems. Journal of Environmental Monitoring, 2008, 10, 30-54.	2.1	62
31	Spatial and Temporal Evolution of Biogeochemical Processes Following In Situ Capping of Contaminated Sediments. Environmental Science & amp; Technology, 2008, 42, 4113-4120.	10.0	33
32	Uranium Biomineralization as a Result of Bacterial Phosphatase Activity:  Insights from Bacterial Isolates from a Contaminated Subsurface. Environmental Science & Technology, 2007, 41, 5701-5707.	10.0	176
33	The effect of tidal forcing on biogeochemical processes in intertidal salt marsh sediments. Geochemical Transactions, 2007, 8, 6.	0.7	74
34	Aerobic uranium (VI) bioprecipitation by metalâ€resistant bacteria isolated from radionuclide―and metalâ€contaminated subsurface soils. Environmental Microbiology, 2007, 9, 3122-3133.	3.8	156
35	Shewanella putrefaciens produces an Fe(III)-solubilizing organic ligand during anaerobic respiration on insoluble Fe(III) oxides. Journal of Inorganic Biochemistry, 2007, 101, 1760-1767.	3.5	102
36	The role of soluble Fe(III) in the cycling of iron and sulfur in coastal marine sediments. Limnology and Oceanography, 2005, 50, 1129-1141.	3.1	42

MARTIAL TAILLEFERT

#	Article	IF	CITATIONS
37	Arsenic Diagenesis at the Sediment-Water Interface of a Recently Flooded Freshwater Sediment. ACS Symposium Series, 2005, , 220-234.	0.5	2
38	Evidence for a Dynamic Cycle between Mn and Co in the Water Column of a Stratified Lake. Environmental Science & Technology, 2002, 36, 468-476.	10.0	44
39	Seasonal and topographic variations in porewaters of a southeastern USA salt marsh as revealed by voltammetric profilingâ€. Geochemical Transactions, 2001, 2, 104.	0.7	11
40	Chemical speciation drives hydrothermal vent ecology. Nature, 2001, 410, 813-816.	27.8	337
41	The Application of Electrochemical Tools for In Situ Measurements in Aquatic Systems. Electroanalysis, 2000, 12, 401-412.	2.9	95
42	Speciation, reactivity, and cycling of Fe and Pb in a meromictic lake. Geochimica Et Cosmochimica Acta, 2000, 64, 169-183.	3.9	97
43	Association of cobalt and manganese in aquatic systems: Chemical and microscopic evidence. Geochimica Et Cosmochimica Acta, 1997, 61, 1437-1446.	3.9	89