

Graham R Wallace

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8164464/graham-r-wallace-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

2,180
citations

24
h-index

46
g-index

63
ext. papers

2,524
ext. citations

6.7
avg, IF

4.34
L-index

#	Paper	IF	Citations
58	Low density neutrophils are increased in patients with Behçet's disease but do not explain differences in neutrophil function.. <i>Journal of Inflammation</i> , 2022 , 19, 5	6.7	0
57	Gut Dysbiosis in Ocular Mucous Membrane Pemphigoid.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 780354	5.9	0
56	Public perceptions of eye symptoms and hospital services during the first UK lockdown of the COVID-19 pandemic: a web survey study. <i>BMJ Open Ophthalmology</i> , 2021 , 6, e000854	3.2	
55	Behçet's Disease-Do Microbiomes and Genetics Collaborate in Pathogenesis?. <i>Frontiers in Immunology</i> , 2021 , 12, 648341	8.4	1
54	A Darwinian view of Behçet's disease. <i>Rheumatology and Immunology Research</i> , 2021 , 2, 91-99	0.2	0
53	Ex vivo modelling of PD-1/PD-L1 immune checkpoint blockade under acute, chronic, and exhaustion-like conditions of T-cell stimulation. <i>Scientific Reports</i> , 2021 , 11, 4030	4.9	4
52	Evaluation of full-length nanopore 16S sequencing for detection of pathogens in microbial keratitis. <i>PeerJ</i> , 2021 , 9, e10778	3.1	6
51	Human leukocyte antigen B*0702 is protective against ocular Stevens-Johnson syndrome/toxic epidermal necrolysis in the UK population. <i>Scientific Reports</i> , 2021 , 11, 2928	4.9	2
50	The impact of the COVID-19 pandemic on microbial keratitis presentation patterns. <i>PLoS ONE</i> , 2021 , 16, e0256240	3.7	2
49	Inflammatory and Fibrogenic Factors in Proliferative Vitreoretinopathy Development. <i>Translational Vision Science and Technology</i> , 2020 , 9, 23	3.3	12
48	Genetics of Behçet Disease 2020 , 223-233		
47	KIR3DL1/S1 Allotypes Contribute Differentially to the Development of Behçet Disease. <i>Journal of Immunology</i> , 2019 , 203, 1629-1635	5.3	14
46	Systemic lupus erythematosus: An update for ophthalmologists. <i>Survey of Ophthalmology</i> , 2016 , 61, 65-82	21	
45	Ciprofloxacin and ceftriaxone alter cytokine responses, but not Toll-like receptors, to Salmonella infection in vitro. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 1826-33	5.1	6
44	The Use of 1 α ,25-Dihydroxyvitamin D $_3$ as an Anticancer Agent. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	16
43	Genetics of Behçet's disease. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 39-44	5.3	31
42	Targeting α adrenergic receptors regulate human T cell function directly and indirectly. <i>Brain, Behavior, and Immunity</i> , 2015 , 45, 211-8	16.6	21

41	Behçet's Disease: Do Natural Killer Cells Play a Significant Role?. <i>Frontiers in Immunology</i> , 2015 , 6, 134	8.4	16
40	Progenitor cells are mobilized by acute psychological stress but not beta-adrenergic receptor agonist infusion. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 49-53	16.6	15
39	Association analysis of TGFBR3 gene with Behçet's disease and idiopathic intermediate uveitis in a Caucasian population. <i>British Journal of Ophthalmology</i> , 2015 , 99, 696-9	5.5	7
38	Possession of the HLA-DRB1*1501 allele and visual outcome in idiopathic intermediate uveitis. <i>JAMA Ophthalmology</i> , 2015 , 133, 482-3	3.9	3
37	Genome-wide association study in an admixed case series reveals IL12A as a new candidate in Behçet disease. <i>PLoS ONE</i> , 2015 , 10, e0119085	3.7	50
36	HLA-B*51 the primary risk in Behçet disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 8706-7	11.5	36
35	Characterization of vitamin D production by human ocular barrier cells 2014 , 55, 2140-7		59
34	Cortisol biosynthesis in the human ocular surface innate immune response. <i>PLoS ONE</i> , 2014 , 9, e94913	3.7	18
33	Genome-wide association study identifies GIMAP as a novel susceptibility locus for Behçet's disease. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1510-6	2.4	88
32	The role of metabolomics in neurological disease. <i>Journal of Neuroimmunology</i> , 2012 , 248, 48-52	3.5	36
31	Aqueous humor suppression of dendritic cell function helps maintain immune regulation in the eye during human uveitis 2012 , 53, 888-96		15
30	Gene expression and miR profiles of human corneal fibroblasts in response to dexamethasone 2011 , 52, 7282-8		20
29	Intraocular Immune Mechanisms in Uveitis. <i>Current Immunology Reviews</i> , 2011 , 7, 350-359	1.3	1
28	Age, gender and disease-related platelet and neutrophil activation ex vivo in whole blood samples from patients with Behçet's disease. <i>Rheumatology</i> , 2011 , 50, 1849-59	3.9	31
27	Endogenous cortisol and TGF-beta in human aqueous humor contribute to ocular immune privilege by regulating dendritic cell function. <i>Journal of Immunology</i> , 2011 , 186, 305-11	5.3	32
26	An NKG2D-mediated human lymphoid stress surveillance response with high interindividual variation. <i>Science Translational Medicine</i> , 2011 , 3, 113ra124	17.5	43
25	Genetics in ocular inflammation—basic principles. <i>Ocular Immunology and Inflammation</i> , 2011 , 19, 10-8	2.8	19
24	TIRAP Ser180Leu polymorphism is associated with Behçet's disease. <i>Rheumatology</i> , 2011 , 50, 1760-5	3.9	25

23	Genome-wide association study identifies variants in the MHC class I, IL10, and IL23R-IL12RB2 regions associated with Behçet's disease. <i>Nature Genetics</i> , 2010 , 42, 698-702	36.3	475
22	Low prevalence of NOD2 SNPs in Behçet's disease suggests protective association in Caucasians. <i>Rheumatology</i> , 2009 , 48, 1375-7	3.9	15
21	Selective Òadrenergic Receptor Expression on Human Memory CD8+ T Lymphocyte Subsets Regulates Mobilization and INF-γ Production. <i>Inflammation Research</i> , 2009 , 58, S256-S260	7.2	3
20	Metabolomic analysis of human disease and its application to the eye. <i>Journal of Ocular Biology, Diseases, and Informatics</i> , 2009 , 2, 235-242		35
19	Mobilization of gammadelta T lymphocytes in response to psychological stress, exercise, and beta-agonist infusion. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 823-9	16.6	68
18	Metabolomic analysis of human vitreous humor differentiates ocular inflammatory disease. <i>Molecular Vision</i> , 2009 , 15, 1210-7	2.3	40
17	CTLA-4 polymorphisms are not associated with ocular inflammatory disease. <i>Tissue Antigens</i> , 2008 , 72, 49-53		15
16	Behçet's disease: ocular effects and treatment. <i>Progress in Retinal and Eye Research</i> , 2008 , 27, 111-36	20.5	130
15	Soluble gp130, an antagonist of IL-6 transsignaling, is elevated in uveitis aqueous humor 2008 , 49, 3988-91		17
14	Serum cytokine profiles in Behçet's disease: is there a role for IL-15 in pathogenesis?. <i>Immunology Letters</i> , 2008 , 121, 7-12	4.1	38
13	The association of the PTPN22 620W polymorphism with Behcet's disease. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1531-3	2.4	33
12	IL-10 genotype analysis in patients with Behçet's disease. <i>Human Immunology</i> , 2007 , 68, 122-7	2.3	61
11	Multiplex bead analysis of vitreous humor of patients with vitreoretinal disorders. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 2203-7		104
10	A CX3CR1 genotype associated with retinal vasculitis in patients in the United Kingdom. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 2966-70		11
9	Multiplex bead immunoassay analysis of aqueous humor reveals distinct cytokine profiles in uveitis. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 4251-9		160
8	The role of chemokines and their receptors in ocular disease. <i>Progress in Retinal and Eye Research</i> , 2004 , 23, 435-48	20.5	54
7	Mapping the HLA association in Behçet's disease: a role for tumor necrosis factor polymorphisms?. <i>Arthritis and Rheumatism</i> , 2003 , 48, 807-13		104
6	Serum levels of chemokines correlate with disease activity in patients with retinal vasculitis. <i>Immunology Letters</i> , 2003 , 90, 59-64	4.1	14

5	Frozen cucumber as a mount for processing vitreoretinal specimens. <i>British Journal of Ophthalmology</i> , 2003 , 87, 512	5.5	2
4	The effect of cytokines on the replication of <i>T. gondii</i> within rat retinal vascular endothelial cells. <i>Journal of Neuroimmunology</i> , 2000 , 102, 182-8	3.5	16
3	MIC-A allele profiles and HLA class I associations in Behçet's disease. <i>Immunogenetics</i> , 1999 , 49, 613-7	3.2	79
2	A repeated proline-rich sequence in Sm B/B' and N is a dominant epitope recognized by human and murine autoantibodies. <i>Journal of Autoimmunity</i> , 1990 , 3, 715-25	15.5	28
1	Improvement of the in vitro T cell proliferation assay by a modified method that separates the antigen recognition and IL-2-dependent steps. <i>Journal of Immunological Methods</i> , 1987 , 99, 221-8	2.5	19