

Hua Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8165996/publications.pdf>

Version: 2024-02-01

59
papers

2,329
citations

186209

28
h-index

214721

47
g-index

60
all docs

60
docs citations

60
times ranked

2421
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of alkyl chain length and anion species on the interfacial nanostructure of ionic liquids at the Au(111)–ionic liquid interface as a function of potential. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 14624.	1.3	163
2	Engineering high-energy-density sodium battery anodes for improved cycling with superconcentrated ionic-liquid electrolytes. <i>Nature Materials</i> , 2020, 19, 1096-1101.	13.3	156
3	An ionic liquid lubricant enables superlubricity to be “switched on” in situ using an electrical potential. <i>Chemical Communications</i> , 2014, 50, 4368.	2.2	154
4	Self-assembled nanostructures in ionic liquids facilitate charge storage at electrified interfaces. <i>Nature Materials</i> , 2019, 18, 1350-1357.	13.3	144
5	Ionic liquid lubrication: influence of ion structure, surface potential and sliding velocity. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 14616.	1.3	140
6	In vitro degradation of porous poly(l-lactide-co-glycolide)/ β -tricalcium phosphate (PLGA/ β -TCP) scaffolds under dynamic and static conditions. <i>Polymer Degradation and Stability</i> , 2008, 93, 1838-1845.	2.7	91
7	Effect of humic acid, oxalate and phosphate on Fenton-like oxidation of microcystin-LR by nanoscale zero-valent iron. <i>Separation and Purification Technology</i> , 2016, 170, 337-343.	3.9	68
8	Nanostructure of the deep eutectic solvent/platinum electrode interface as a function of potential and water content. <i>Nanoscale Horizons</i> , 2019, 4, 158-168.	4.1	67
9	Combined STM, AFM, and DFT Study of the Highly Ordered Pyrolytic Graphite/1-Octyl-3-methyl-imidazolium Bis(trifluoromethylsulfonyl)imide Interface. <i>Journal of Physical Chemistry C</i> , 2014, 118, 10833-10843.	1.5	65
10	Nanostructure of [Li(G4)] TFSI and [Li(G4)] NO ₃ solvate ionic liquids at HOPG and Au(111) electrode interfaces as a function of potential. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 325-333.	1.3	61
11	Sustained Release of VEGF by Coaxial Electrospun Dextran/PLGA Fibrous Membranes in Vascular Tissue Engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 1811-1827.	1.9	60
12	Ionic Liquid Lubrication of Stainless Steel: Friction is Inversely Correlated with Interfacial Liquid Nanostructure. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 11737-11743.	3.2	59
13	Tribotronic control of friction in oil-based lubricants with ionic liquid additives. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 23657-23662.	1.3	58
14	Controlled Release of PDGF-bb by Coaxial Electrospun Dextran/Poly(L-lactide-co- μ -caprolactone) Fibers with an Ultrafine Core/Shell Structure. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010, 21, 803-819.	1.9	56
15	Electrical Double Layer Structure in Ionic Liquids and Its Importance for Supercapacitor, Battery, Sensing, and Lubrication Applications. <i>Journal of Physical Chemistry C</i> , 2021, 125, 13707-13720.	1.5	56
16	Ionic Liquid Adsorption and Nanotribology at the Silica–Oil Interface: Hundred-Fold Dilution in Oil Lubricates as Effectively as the Pure Ionic Liquid. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 4095-4099.	2.1	48
17	Dynamic Electrowetting and Dewetting of Ionic Liquids at a Hydrophobic Solid–Liquid Interface. <i>Langmuir</i> , 2013, 29, 2631-2639.	1.6	47
18	Influence of alkyl chain length and anion species on ionic liquid structure at the graphite interface as a function of applied potential. <i>Journal of Physics Condensed Matter</i> , 2014, 26, 284115.	0.7	47

#	ARTICLE	IF	CITATIONS
19	Addition of low concentrations of an ionic liquid to a base oil reduces friction over multiple length scales: a combined nano- and macrotribology investigation. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 6541-6547.	1.3	46
20	Understanding the synergistic lubrication effect of 2-mercaptobenzothiazolate based ionic liquids and Mo nanoparticles as hybrid additives. <i>Tribology International</i> , 2018, 125, 39-45.	3.0	45
21	Dissolution and suspension of asphaltenes with ionic liquids. <i>Fuel</i> , 2019, 238, 129-138.	3.4	45
22	Composite fibrous membranes of PLGA and chitosan prepared by coelectrospinning and coaxial electrospinning. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 92A, 563-574.	2.1	44
23	Dynamic wetting of a fluoropolymer surface by ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 3952.	1.3	44
24	Influence of Water on the Interfacial Nanostructure and Wetting of [Rmim][NTf ₂] Ionic Liquids at Mica Surfaces. <i>Langmuir</i> , 2016, 32, 8818-8825.	1.6	39
25	NO ₂ Solvation Structure in Choline Chloride Deep Eutectic Solvents—The Role of the Hydrogen Bond Donor. <i>Journal of Physical Chemistry B</i> , 2018, 122, 4336-4344.	1.2	36
26	Combined Nano- and Macrotribology Studies of Titania Lubrication Using the Oil-Ionic Liquid Mixtures. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 5005-5012.	3.2	35
27	Mechanistic Study of Selective Absorption of NO in Flue Gas Using EG-TBAB Deep Eutectic Solvents. <i>Environmental Science & Technology</i> , 2019, 53, 1031-1038.	4.6	34
28	Boundary layer friction of solvate ionic liquids as a function of potential. <i>Faraday Discussions</i> , 2017, 199, 311-322.	1.6	30
29	Encapsulation of proteinase K in PELA ultrafine fibers by emulsion electrospinning: preparation and in vitro evaluation. <i>Colloid and Polymer Science</i> , 2010, 288, 1113-1119.	1.0	25
30	A comparative AFM study of the interfacial nanostructure in imidazolium or pyrrolidinium ionic liquid electrolytes for zinc electrochemical systems. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 29337-29347.	1.3	24
31	Potential-Dependent Superlubricity of Ionic Liquids on a Graphite Surface. <i>Journal of Physical Chemistry C</i> , 2021, 125, 3940-3947.	1.5	23
32	Nanotribology of Ionic Liquids as Lubricant Additives for Alumina Surfaces. <i>Journal of Physical Chemistry C</i> , 2017, 121, 28348-28353.	1.5	23
33	Combined friction force microscopy and quantum chemical investigation of the tribotronic response at the propylammonium nitrate—graphite interface. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 16047-16052.	1.3	21
34	Pinewood pyrolysis occurs at lower temperatures following treatment with choline-amino acid ionic liquids. <i>Fuel</i> , 2019, 236, 306-312.	3.4	21
35	Self-accelerated biodegradation of electrospun poly(ethylene glycol)—poly(l-lactide) membranes by loading proteinase K. <i>Polymer Degradation and Stability</i> , 2008, 93, 618-626.	2.7	20
36	Influence of Hydrogen Bonding between Ions of Like Charge on the Ionic Liquid Interfacial Structure at a Mica Surface. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 7368-7373.	2.1	20

#	ARTICLE	IF	CITATIONS
37	Nano- and Macroscale Study of the Lubrication of Titania Using Pure and Diluted Ionic Liquids. <i>Frontiers in Chemistry</i> , 2019, 7, 287.	1.8	20
38	A recipe of surfactant for the flotation of fine cassiterite particles. <i>Minerals Engineering</i> , 2021, 160, 106658.	1.8	20
39	Effect of Hydrogen Bonding between Ions of Like Charge on the Boundary Layer Friction of Hydroxy-Functionalized Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 3905-3910.	2.1	18
40	Ionic Liquid Adsorption at the Silica/Oil Interface Revealed by Neutron Reflectometry. <i>Journal of Physical Chemistry C</i> , 2018, 122, 24077-24084.	1.5	16
41	Nanotribology of hydrogels with similar stiffness but different polymer and crosslinker concentrations. <i>Journal of Colloid and Interface Science</i> , 2020, 563, 347-353.	5.0	16
42	Effect of Variation in Anion Type and Glyme Length on the Nanostructure of the Solvate Ionic Liquid/Graphite Interface as a Function of Potential. <i>Journal of Physical Chemistry C</i> , 2017, 121, 15728-15734.	1.5	14
43	Self-assembled nanostructure induced in deep eutectic solvents via an amphiphilic hydrogen bond donor. <i>Journal of Colloid and Interface Science</i> , 2022, 616, 121-128.	5.0	13
44	Ionic Liquids as Grease Base Liquids. <i>Lubricants</i> , 2017, 5, 31.	1.2	10
45	Controlled release of Berberine Chloride by electrospun core/shell PVP/PLCL fibrous membranes. <i>International Journal of Materials and Product Technology</i> , 2010, 37, 338.	0.1	8
46	Passivation by pyridine-induced PbI_2 in methylammonium lead iodide perovskites. <i>RSC Advances</i> , 2020, 10, 23829-23833.	1.7	8
47	Physicochemical study of diethylmethylammonium methanesulfonate under anhydrous conditions. <i>Journal of Chemical Physics</i> , 2020, 152, 234504.	1.2	8
48	Interfacial nanostructure and friction of a polymeric ionic liquid-ionic liquid mixture as a function of potential at Au(1 1 1) electrode interface. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1170-1178.	5.0	8
49	Nanostructure, electrochemistry and potential-dependent lubricity of the catanionic surface-active ionic liquid [P6,6,6,14] [AOT]. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 2120-2130.	5.0	8
50	A dendronised polymer architecture breaks the conventional inverse relationship between porosity and mechanical properties of hydrogels. <i>Chemical Communications</i> , 2021, 57, 773-776.	2.2	7
51	Potential Dependence of Surfactant Adsorption at the Graphite Electrode/Deep Eutectic Solvent Interface. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5331-5337.	2.1	6
52	Ambient energy dispersion and long-term stabilisation of large graphene sheets from graphite using a surface energy matched ionic liquid. <i>Journal of Ionic Liquids</i> , 2021, 1, 100001.	1.0	6
53	Mechanistic Study on the Removal of NO_2 from Flue Gas Using Novel Ethylene Glycol-tetrabutylammonium Bromide Deep Eutectic Solvents. <i>ACS Omega</i> , 2020, 5, 31220-31226.	1.6	5
54	Polycation radius of gyration in a polymeric ionic liquid (PIL): the PIL melt is not a theta solvent. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 4526-4532.	1.3	5

#	ARTICLE	IF	CITATIONS
55	pH-dependent surface properties of the gallium nitride " Solution interface mapped by surfactant adsorption. <i>Journal of Colloid and Interface Science</i> , 2019, 556, 680-688.	5.0	4
56	pH-Dependent surface charge at the interfaces between aluminum gallium nitride (AlGaN) and aqueous solution revealed by surfactant adsorption. <i>Journal of Colloid and Interface Science</i> , 2021, 583, 331-339.	5.0	4
57	Effects of surface oxidation on the pH-dependent surface charge of oxidized aluminum gallium nitride. <i>Journal of Colloid and Interface Science</i> , 2021, 603, 604-614.	5.0	3
58	Nanotribology and voltage-controlled friction: general discussion. <i>Faraday Discussions</i> , 2017, 199, 349-376.	1.6	0
59	Robust Hydrophobic Coatings Using Polymer Blends for the Surface Protection of Marble. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 599, 124796.	2.3	0