## Markus Jansson-Fröjmark

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8166886/publications.pdf

Version: 2024-02-01

77 papers 3,976 citations

236612 25 h-index 60 g-index

91 all docs 91 docs citations 91 times ranked 4399 citing authors

#	Article	IF	CITATIONS
1	European guideline for the diagnosis and treatment of insomnia. Journal of Sleep Research, 2017, 26, 675-700.	1.7	1,334
2	Insomnia as a predictor of mental disorders: A systematic review and meta-analysis. Sleep Medicine Reviews, 2019, 43, 96-105.	3.8	614
3	A bidirectional relationship between anxiety and depression, and insomnia? A prospective study in the general population. Journal of Psychosomatic Research, 2008, 64, 443-449.	1.2	481
4	The Course of Insomnia over One Year: a Longitudinal Study in the General Population in Sweden. Sleep, 2008, 31, 881-886.	0.6	87
5	The role of anxiety and depression in the development of insomnia: Cross-sectional and prospective analyses. Psychology and Health, 2006, 21, 383-397.	1.2	75
6	Sleep Disturbance and Depressive Symptoms in Adolescence: The Role of Catastrophic Worry. Journal of Youth and Adolescence, 2013, 42, 1223-1233.	1.9	63
7	Is Burnout a Depressive Condition? A 14-Sample Meta-Analytic and Bifactor Analytic Study. Clinical Psychological Science, 2021, 9, 579-597.	2.4	59
8	Sleep duration and patterns in adolescents: correlates and the role of daily stressors. Sleep Health, 2016, 2, 211-218.	1.3	54
9	Is perfectionism related to preâ€existing and future insomnia? A prospective study. British Journal of Clinical Psychology, 2007, 46, 119-124.	1.7	52
10	Is There a Bidirectional Link Between Insomnia and Burnout? A Prospective Study in the Swedish Workforce. International Journal of Behavioral Medicine, 2010, 17, 306-313.	0.8	52
11	Group cognitive behavioural therapy for insomnia: Effects on sleep and depressive symptomatology in a sample with comorbidity. Behaviour Research and Therapy, 2015, 74, 80-93.	1.6	46
12	Bidirectionality between pain and insomnia symptoms: A prospective study. British Journal of Health Psychology, 2012, 17, 420-431.	1.9	44
13	Psychometric properties of the Pre-Sleep Arousal Scale in a large community sample. Journal of Psychosomatic Research, 2012, 72, 103-110.	1.2	43
14	The reduced Morningness–Eveningness Questionnaire: Psychometric properties and related factors in a young Swedish population. Chronobiology International, 2019, 36, 530-540.	0.9	43
15	Psychometric Properties of an Insomnia-Specific Measure of Worry: The Anxiety and Preoccupation about Sleep Questionnaire. Cognitive Behaviour Therapy, 2011, 40, 65-76.	1.9	41
16	Cognitive Behavioural Therapy for Insomnia in Psychiatric Disorders. Current Sleep Medicine Reports, 2016, 2, 233-240.	0.7	41
17	Avoidant Safety Behaviors and Catastrophizing: Shared cognitive-behavioral processes and consequences in co-morbid pain and sleep disorders. International Journal of Behavioral Medicine, 2008, 15, 201-210.	0.8	35
18	Cognitive processes and their association with persistence and remission of insomnia: Findings from a longitudinal study in the general population. Behaviour Research and Therapy, 2014, 54, 38-48.	1.6	34

#	Article	IF	Citations
19	Delayed sleep phase disorder in a Swedish cohort of adolescents and young adults: Prevalence and associated factors. Chronobiology International, 2016, 33, 1331-1339.	0.9	34
20	Cognitive Behavioral Therapy as an Adjunct Treatment to Light Therapy for Delayed Sleep Phase Disorder in Young Adults: A Randomized Controlled Feasibility Study. Behavioral Sleep Medicine, 2016, 14, 212-232.	1.1	34
21	The cognitive treatment components and therapies of cognitive behavioral therapy for insomnia: A systematic review. Sleep Medicine Reviews, 2018, 42, 19-36.	3.8	31
22	The Work and Social Adjustment Scale as a Measure of Dysfunction in Chronic Insomnia: Reliability and Validity. Behavioural and Cognitive Psychotherapy, 2014, 42, 186-198.	0.9	30
23	Experiences of Playscan: Interviews with users of a responsible gambling tool. Internet Interventions, 2017, 8, 53-62.	1.4	30
24	Psychosocial work stressors for insomnia: a prospective study on 50–60-year-old adults in the working population. International Journal of Behavioral Medicine, 2007, 14, 222-228.	0.8	28
25	Autobiographical Memory in Patients with Tinnitus. Psychology and Health, 2003, 18, 667-675.	1.2	27
26	Cognitive-Behavioral Therapy for Insomnia Co-Morbid with Hearing Impairment: A Randomized Controlled Trial. Journal of Clinical Psychology in Medical Settings, 2012, 19, 224-234.	0.8	27
27	The role of emotion dysregulation in insomnia: Longitudinal findings from a large community sample. British Journal of Health Psychology, 2016, 21, 93-113.	1.9	25
28	Associations Between Psychological Factors and Nighttime/Daytime Symptomatology in Insomnia. Cognitive Behaviour Therapy, 2012, 41, 273-287.	1.9	24
29	Are sleep hygiene practices related to the incidence, persistence and remission of insomnia? Findings from a prospective community study. Journal of Behavioral Medicine, 2019, 42, 128-138.	1.1	24
30	Attentional Bias in Insomnia: The Dot-Probe Task with Pictorial Stimuli Depicting Daytime Fatigue/Malaise. Cognitive Therapy and Research, 2013, 37, 534-546.	1.2	23
31	Are Changes in Worry Associated with Treatment Response in Cognitive Behavioral Therapy for Insomnia?. Cognitive Behaviour Therapy, 2014, 43, 1-11.	1.9	21
32	The Role of Sleepâ€Related Beliefs to Improvement in Early Cognitive Behavioral Therapy for Insomnia. Cognitive Behaviour Therapy, 2008, 37, 5-13.	1.9	20
33	Cognitive Arousal, Unhelpful Beliefs and Maladaptive Sleep Behaviors as Mediators in Cognitive Behavior Therapy for Insomnia: A Quasi-Experimental Study. Cognitive Therapy and Research, 2015, 39, 841-852.	1.2	19
34	Internet-based CBT for patients with depressive disorders in primary and psychiatric care: Is it effective and does comorbidity affect outcome?. Internet Interventions, 2020, 19, 100303.	1.4	19
35	Neuroticism and sleep-onset: What is the long-term connection?. Personality and Individual Differences, 2010, 48, 463-468.	1.6	18
36	Sleepless in Sweden: A Single Subject Study of Effects of Cognitive Therapy for Insomnia on Three Adolescents. Behavioural and Cognitive Psychotherapy, 2011, 39, 367-374.	0.9	18

#	Article	IF	Citations
37	Cognitive vulnerability in the development of concomitant pain and sleep disturbances. British Journal of Health Psychology, 2010, 15, 417-434.	1.9	17
38	Don't worry, be constructive: A randomized controlled feasibility study comparing behaviour therapy singly and combined with constructive worry for insomnia. British Journal of Clinical Psychology, 2012, 51, 142-157.	1.7	17
39	Comparing internet-delivered cognitive therapy and behavior therapy with telephone support for insomnia disorder: a randomized controlled trial. Sleep, 2020, 43, .	0.6	17
40	Clinical characteristics of 172 children and adolescents with body dysmorphic disorder. European Child and Adolescent Psychiatry, 2022, 31, 133-144.	2.8	16
41	The role of psychological mechanisms to insomnia in its early phase: A focus on arousal, distress, and sleep-related beliefs. Psychology and Health, 2008, 23, 691-705.	1.2	15
42	How Does Cognitive Behavioral Therapy for Insomnia Work? An Investigation of Cognitive Processes and Time in Bed as Outcomes and Mediators in a Sample With Insomnia and Depressive Symptomatology. International Journal of Cognitive Therapy, 2017, 10, 304-329.	1.3	13
43	Light Therapy With Scheduled Rise Times in Young Adults With Delayed Sleep Phase Disorder: Therapeutic Outcomes and Possible Predictors. Behavioral Sleep Medicine, 2018, 16, 325-336.	1.1	13
44	Psychometric Properties of the Personal Report of Public Speaking Anxiety (PRPSA) in a Sample of University Students in Sweden. International Journal of Cognitive Therapy, 2018, 11, 421-433.	1.3	13
45	Symptom-specific effects of cognitive therapy and behavior therapy for insomnia: A network intervention analysis Journal of Consulting and Clinical Psychology, 2021, 89, 364-370.	1.6	13
46	Longitudinal, bidirectional relationships of insomnia symptoms and musculoskeletal pain across adolescence: the mediating role of mood. Pain, 2022, 163, 287-298.	2.0	13
47	Job demands, control and social support as predictors of trajectories of depressive symptoms. Journal of Affective Disorders, 2018, 235, 535-543.	2.0	12
48	Cognitive behavioural therapy for insomnia for patients with co-morbid generalized anxiety disorder: an open trial on clinical outcomes and putative mechanisms. Behavioural and Cognitive Psychotherapy, 2021, 49, 540-555.	0.9	12
49	Changes in insomnia as a risk factor for the incidence and persistence of anxiety and depression: a longitudinal community study. Sleep Science and Practice, 2021, 5, .	0.6	12
50	Treatment satisfaction with cognitive-behavioral therapy among children and adolescents with anxiety and depression: A systematic review and meta-synthesis. Journal of Behavioral and Cognitive Therapy, 2021, 31, 147-191.	0.7	11
51	Psychometric properties of the Insomnia Catastrophizing Scale (ICS) in a large community sample. Cognitive Behaviour Therapy, 2020, 49, 120-136.	1.9	10
52	How is persistent insomnia maintained? A prospective study on 50-60 years old adults in the general population. British Journal of Health Psychology, 2008, 13, 121-133.	1.9	9
53	Does Treating Insomnia With Cognitive–Behavioural Therapy Influence Comorbid Anxiety and Depression? An Exploratory Multiple Baseline Design With Four Patients. Behaviour Change, 2011, 28, 195-205.	0.6	9
54	Exploratory factor analysis of the Modified Somatic Perception Questionnaire on a sample with insomnia symptoms. Psychology, Health and Medicine, 2009, 14, 62-72.	1.3	8

#	Article	IF	CITATIONS
55	Psychological Flexibility Among Competitive Athletes: A Psychometric Investigation of a New Scale. Frontiers in Sports and Active Living, 2020, 2, 110.	0.9	8
56	The role of psychiatric and somatic conditions in incidence and persistence of insomnia: a longitudinal, community study. Sleep Health, 2016, 2, 229-238.	1.3	7
57	Clinical practitioners' experiences of psychological treatment for autistic children and adolescents with school attendance problems: a qualitative study. BMC Psychiatry, 2022, 22, 220.	1.1	7
58	Sleep phase and pre-sleep arousal predicted co-developmental trajectories of pain and insomnia within adolescence. Scientific Reports, 2022, 12, 4480.	1.6	7
59	Developing a cognitive behavioral therapy manual for delayed sleep–wake phase disorder. Cognitive Behaviour Therapy, 2016, 45, 518-532.	1.9	6
60	Psychometric Evaluation of the Social Phobia Inventory and the Mini-Social Phobia Inventory in a Swedish University Student Sample. Psychological Reports, 2019, 122, 323-339.	0.9	6
61	Paradoxical intention for insomnia: A systematic review and metaâ€analysis. Journal of Sleep Research, 2022, 31, e13464.	1.7	6
62	GamTest: Psychometric Evaluation in a Low-Gambling General Population. Journal of Gambling Issues, 0, 44, .	0.3	6
63	Italian adaptation of the Insomnia Catastrophising Scale (ICS): a tool to evaluate insomnia-specific catastrophic thinking. Sleep and Biological Rhythms, 2018, 16, 423-429.	0.5	5
64	Does Mid-Treatment Insomnia Severity Mediate between Cognitive Behavioural Therapy for Insomnia and Post-Treatment Depression? An Investigation in a Sample with Comorbid Insomnia and Depressive Symptomatology. Behavioural and Cognitive Psychotherapy, 2018, 46, 726-737.	0.9	5
65	Sleep-Related Cognitive Processes and the Incidence of Insomnia Over Time: Does Anxiety and Depression Impact the Relationship?. Frontiers in Psychology, 2021, 12, 677538.	1.1	5
66	Effectiveness of Multimodal Treatment for Young People With Body Dysmorphic Disorder in Two Specialist Clinics. Behavior Therapy, 2022, 53, 1037-1049.	1.3	5
67	Reconstructing the Past on the Original Pain Recall Assessment Form (OPRA). Journal of Pain, 2009, 10, 809-817.	0.7	4
68	Psychometric Properties of Two Brief Versions of Cognitive, Insomnia-Specific Measures: The Anxiety and Preoccupation About Sleep Questionnaire and the Sleep-Associated Monitoring Index. Psychological Reports, 2020, 123, 966-982.	0.9	3
69	Development and preliminary evaluation of the psychometric properties of the psychological flexibility in epilepsy questionnaire (PFEQ). Epilepsy and Behavior, 2021, 115, 107685.	0.9	3
70	A longitudinal study of prevalence and predictors of incidence and persistence of sub-diagnostic social anxiety among Swedish adolescents. Nordic Psychology, 2022, 74, 152-170.	0.4	3
71	Allowing or fighting social anxiety: The role of psychological inflexibility in a non-clinical population. Journal for Person-Oriented Research, 2015, 1, 151-161.	1.6	3
72	Internet-delivered Cognitive Behavioral Therapy for insomnia in youth with autism spectrum disorder: A pilot study. Internet Interventions, 2022, 29, 100548.	1.4	3

#	Article	IF	CITATIONS
73	Further Exploration of the Psychometric Properties of GamTest: A Rasch Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 4824.	1.2	1
74	Psychometric Properties of the European Portuguese Adaptation of the Insomnia Catastrophizing Scale (ICS). Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2022, 40, 295-312.	1.0	1
75	The Psychological Flexibility in Epilepsy Questionnaire (PFEQ): Psychometric properties of the Persian version. Epilepsy and Behavior, 2022, 130, 108672.	0.9	1
76	SHORT-TERM PARTIAL SLEEP DEPRIVATION: EFFECTS ON EMOTION REGULATION OF HEALTHY ADULTS. Sleep Medicine, 2011, 12, S14.	0.8	0
77	Job demand, control and social support as predictors of trajectories of depressive symptoms. European Journal of Public Health, 2017, 27, .	0.1	0