

JosÃ© Vicente Gil

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8168409/publications.pdf>

Version: 2024-02-01

47
papers

2,648
citations

257450

24
h-index

214800

47
g-index

48
all docs

48
docs citations

48
times ranked

2536
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Understanding phenolic acids inhibition of Î±-amylase and Î±-glucosidase and influence of reaction conditions. <i>Food Chemistry</i> , 2022, 372, 131231. | 8.2 | 91 |
| 2 | Changes in the Polyphenolic Profile and Antioxidant Activity of Wheat Bread after Incorporating Quinoa Flour. <i>Antioxidants</i> , 2022, 11, 33. | 5.1 | 6 |
| 3 | Antioxidant capacity in fruit of Citrus cultivars with marked differences in pulp coloration: Contribution of carotenoids and vitamin C. <i>Food Science and Technology International</i> , 2021, 27, 210-222. | 2.2 | 24 |
| 4 | Changes in volatile compounds, flavour-related enzymes and lycopene in a refrigerated tomato juice during processing and storage. <i>European Food Research and Technology</i> , 2021, 247, 975-984. | 3.3 | 7 |
| 5 | Ascorbic Acid Content and Transcriptional Profiling of Genes Involved in Its Metabolism during Development of Petals, Leaves, and Fruits of Orange (<i>Citrus sinensis</i> cv. Valencia Late). <i>Plants</i> , 2021, 10, 2590. | 3.5 | 6 |
| 6 | Neurosporaxanthin Overproduction by <i>Fusarium fujikuroi</i> and Evaluation of Its Antioxidant Properties. <i>Antioxidants</i> , 2020, 9, 528. | 5.1 | 14 |
| 7 | Proteomic Analysis of <i>Saccharomyces cerevisiae</i> Response to Oxidative Stress Mediated by Cocoa Polyphenols Extract. <i>Molecules</i> , 2020, 25, 452. | 3.8 | 5 |
| 8 | Evaluation of Carotenoids Protection Against Oxidative Stress in the Animal Model <i>Caenorhabditis elegans</i> . <i>Methods in Molecular Biology</i> , 2020, 2083, 387-401. | 0.9 | 3 |
| 9 | Cactus pear (<i>Opuntia ficus-indica</i>) juice fermented with autochthonous <i>Lactobacillus plantarum</i> S-811. <i>Food and Function</i> , 2019, 10, 1085-1097. | 4.6 | 53 |
| 10 | Effect of Incorporating White, Red or Black Quinoa Flours on Free and Bound Polyphenol Content, Antioxidant Activity and Colour of Bread. <i>Plant Foods for Human Nutrition</i> , 2019, 74, 185-191. | 3.2 | 25 |
| 11 | Quinoa wet-milling: Effect of steeping conditions on starch recovery and quality. <i>Food Hydrocolloids</i> , 2019, 89, 837-843. | 10.7 | 22 |
| 12 | Challenges of the Non-Conventional Yeast <i>Wickerhamomyces anomalus</i> in Winemaking. <i>Fermentation</i> , 2018, 4, 68. | 3.0 | 70 |
| 13 | Evaluation of the Ability of Polyphenol Extracts of Cocoa and Red Grape to Promote the Antioxidant Response in Yeast Using a Rapid Multiwell Assay. <i>Journal of Food Science</i> , 2017, 82, 324-332. | 3.1 | 6 |
| 14 | The Antarctic yeast <i>Candida sake</i> : Understanding cold metabolism impact on wine. <i>International Journal of Food Microbiology</i> , 2017, 245, 59-65. | 4.7 | 23 |
| 15 | Past and Future of Non- <i>Saccharomyces</i> Yeasts: From Spoilage Microorganisms to Biotechnological Tools for Improving Wine Aroma Complexity. <i>Frontiers in Microbiology</i> , 2016, 7, 411. | 3.5 | 328 |
| 16 | De novo production of six key grape aroma monoterpenes by a geraniol synthase-engineered <i>S. cerevisiae</i> wine strain. <i>Microbial Cell Factories</i> , 2015, 14, 136. | 4.0 | 44 |
| 17 | Mycobiota and toxigenic <i>Penicillium</i> species on two Spanish dry-cured ham manufacturing plants. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014, 31, 93-104. | 2.3 | 42 |
| 18 | FLO11 expression in clinical and non-clinical <i>Saccharomyces cerevisiae</i> strains and its association with virulence. <i>Annals of Microbiology</i> , 2013, 63, 1423-1431. | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Soy-derived phytoestrogens as preventive and acute neuroprotectors in experimental ischemic stroke: Influence of rat strain. <i>Phytomedicine</i> , 2011, 18, 513-515. | 5.3 | 23 |
| 20 | Proteome analysis of the fungus <i>Aspergillus carbonarius</i> under ochratoxin A producing conditions. <i>International Journal of Food Microbiology</i> , 2011, 147, 162-169. | 4.7 | 15 |
| 21 | Concentration dependent effects of commonly used pesticides on activation versus inhibition of the quince (<i>Cydonia Oblonga</i>) polyphenol oxidase. <i>Food and Chemical Toxicology</i> , 2010, 48, 957-963. | 3.6 | 14 |
| 22 | Quantitative Comparison of Free and Bound Volatiles of Two Commercial Tomato Cultivars (<i>Solanum lycopersicum</i> L.) during Ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1106-1114. | 5.2 | 50 |
| 23 | Acyl Transferase Domains of Putative Polyketide Synthase (PKS) Genes in <i>Aspergillus</i> and <i>Penicillium</i> Producers of Ochratoxin A and the Evaluation of PCR Primers to Amplify PKS Sequences in Black <i>Aspergillus</i> Species. <i>Food Science and Technology International</i> , 2009, 15, 97-105. | 2.2 | 4 |
| 24 | Increasing the levels of 2-phenylethyl acetate in wine through the use of a mixed culture of <i>Hanseniaspora osmophila</i> and <i>Saccharomyces cerevisiae</i> . <i>International Journal of Food Microbiology</i> , 2009, 135, 68-74. | 4.7 | 111 |
| 25 | ITS-RFLP characterization of black <i>Aspergillus</i> isolates responsible for ochratoxin A contamination in cocoa beans. <i>European Food Research and Technology</i> , 2009, 229, 751-755. | 3.3 | 6 |
| 26 | A three-allelic polymorphic system in exon 12 of the LDL receptor gene is highly informative for segregation analysis of familial hypercholesterolemia in the Spanish population. <i>Clinical Genetics</i> , 2008, 50, 50-53. | 2.0 | 6 |
| 27 | Rational selection of non- <i>Saccharomyces</i> wine yeasts for mixed starters based on ester formation and enological traits. <i>Food Microbiology</i> , 2008, 25, 778-785. | 4.2 | 229 |
| 28 | Mycobiota and mycotoxin producing fungi from cocoa beans. <i>International Journal of Food Microbiology</i> , 2008, 125, 336-340. | 4.7 | 90 |
| 29 | Quantitation of Free and Glycosidically Bound Volatiles in and Effect of Glycosidase Addition on Three Tomato Varieties (<i>Solanum lycopersicum</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 9170-9176. | 5.2 | 37 |
| 30 | Dietary phytoestrogens improve stroke outcome after transient focal cerebral ischemia in rats. <i>European Journal of Neuroscience</i> , 2006, 23, 703-710. | 2.6 | 70 |
| 31 | Effect of Enzyme Treatments and Drying Temperatures on Methylpyrazine Content in Cocoa (<i>Theobroma Cacao</i> L.) Powder Extract. <i>Journal of Food Science</i> , 2006, 71, S621-S625. | 3.1 | 6 |
| 32 | Hydrophilins from distant organisms can protect enzymatic activities from water limitation effects in vitro. <i>Plant, Cell and Environment</i> , 2005, 28, 709-718. | 5.7 | 153 |
| 33 | Over-production of the major exoglucanase of leads to an increase in the aroma of wine. <i>International Journal of Food Microbiology</i> , 2005, 103, 57-68. | 4.7 | 46 |
| 34 | Questions linger over European GM food regulations. <i>Nature Biotechnology</i> , 2004, 22, 149-149. | 17.5 | 4 |
| 35 | Pharmacological profile of phytoestrogens in cerebral vessels: in vitro study with rabbit basilar artery. <i>European Journal of Pharmacology</i> , 2003, 482, 227-234. | 3.5 | 34 |
| 36 | Acetate ester formation in wine by mixed cultures in laboratory fermentations. <i>International Journal of Food Microbiology</i> , 2003, 86, 181-188. | 4.7 | 208 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Candida molischiana β -Glucosidase Production by Saccharomyces cerevisiae and its Application in Winemaking. Journal of Food Science, 2003, 68, 2096-2100. | 3.1 | 15 |
| 38 | Construction of a Genetically Modified Wine Yeast Strain Expressing the Aspergillus aculeatus rhaA Gene, Encoding an α -L-Rhamnosidase of Enological Interest. Applied and Environmental Microbiology, 2003, 69, 7558-7562. | 3.1 | 64 |
| 39 | GM foods in Spanish newspapers. Trends in Biotechnology, 2002, 20, 285-286. | 9.3 | 7 |
| 40 | Measurement of alcohol acetyltransferase and ester hydrolase activities in yeast extracts. Enzyme and Microbial Technology, 2002, 30, 224-230. | 3.2 | 26 |
| 41 | Effect of Macerating Enzymes on Red Wine Aroma at Laboratory Scale: α Exogenous Addition or Expression by Transgenic Wine Yeasts. Journal of Agricultural and Food Chemistry, 2001, 49, 5515-5523. | 5.2 | 34 |
| 42 | Studies on acetate ester production by non-Saccharomyces wine yeasts. International Journal of Food Microbiology, 2001, 70, 283-289. | 4.7 | 265 |
| 43 | Characterization of Gibberella fujikuroi Complex Isolates by Fumonisin B1 and B2 Analysis and by RAPD and Restriction Analysis of PCR-Amplified Internal Transcribed Spacers of Ribosomal DNA. Systematic and Applied Microbiology, 2000, 23, 546-555. | 2.8 | 24 |
| 44 | The use of transgenic yeasts expressing a gene encoding a glycosyl-hydrolase as a tool to increase resveratrol content in wine. International Journal of Food Microbiology, 2000, 59, 179-183. | 4.7 | 54 |
| 45 | Improvement of volatile composition of wines by controlled addition of malolactic bacteria. Food Research International, 1999, 32, 491-496. | 6.2 | 134 |
| 46 | Aroma Compounds in Wine as Influenced by Apiculate Yeasts. Journal of Food Science, 1996, 61, 1247-1250. | 3.1 | 123 |
| 47 | Seven DNA polymorphisms in the LDL receptor gene: application to the study of familial hypercholesterolemia in Spain. Clinical Genetics, 1996, 50, 28-35. | 2.0 | 24 |