
Melek Tassoker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8168530/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of five convolutional neural networks for predicting osteoporosis based on mandibular cortical index on panoramic radiographs. Dentomaxillofacial Radiology, 2022, 51, .	1.3	12
2	Evaluation of the mandibular trabecular bone in patients with bruxism using fractal analysis. Oral Radiology, 2021, 37, 36-45.	0.9	31
3	Occlusal Caries Detection and Diagnosis Using Visual ICDAS Criteria, Laser Fluorescence Measurements, and Near-Infrared Light Transillumination Images. Medical Principles and Practice, 2020, 29, 25-31.	1.1	27
4	What are the risk factors for maxillary sinus pathologies? A CBCT study. Oral Radiology, 2020, 36, 80-84.	0.9	13
5	Is the maxillary sinus volume affected by concha bullosa, nasal septal deviation, and impacted teeth? A CBCT study. European Archives of Oto-Rhino-Laryngology, 2020, 277, 227-233.	0.8	11
6	Three-dimensional volumetric analysis of the maxillary sinus: a cone-beam computed tomography study. Folia Morphologica, 2020, 79, 557-562.	0.4	26
7	The Relationship between Sleep Bruxism with Coping with Stress, Anxiety and Alexithymia in Women. Meandros Medical and Dental Journal, 2020, 21, 73-79.	0.1	0
8	Comparison of cone-beam computed tomography with bitewing radiography for detection of periodontal bone loss and assessment of effects of different voxel resolutions: an in vitro study. Oral Radiology, 2019, 35, 177-183.	0.9	8
9	Comparison of cone-beam computed tomography and panoramic radiography in the evaluation of maxillary sinus pathology related to maxillary posterior teeth: Do apical lesions increase the risk of maxillary sinus pathology?. Imaging Science in Dentistry, 2019, 49, 115.	0.6	18
10	LAMM syndrome: two new patients with a novel mutation in FGF3 gene and additional clinical findings. Clinical Dysmorphology, 2019, 28, 81-85.	0.1	4
11	What Are the Risk Factors for External Root Resorption of Second Molars Associated With Impacted Third Molars? A Cone-Beam Computed Tomography Study. Journal of Oral and Maxillofacial Surgery, 2019, 77, 11-17.	0.5	18
12	Is There a Possible Association between Skeletal Face Types and Third Molar Impaction? A Retrospective Radiographic Study. Medical Principles and Practice, 2019, 28, 70-74.	1.1	12
13	Comparison of cone-beam computed tomography and panoramic radiography for mandibular morphometry. Folia Morphologica, 2019, 78, 862-870.	0.4	6
14	Diversion of the mandibular canal: Is it the best predictor of inferior alveolar nerve damage during mandibular third molar surgery on panoramic radiographs?. Imaging Science in Dentistry, 2019, 49, 213.	0.6	13
15	Evaluation of the relationship between sleep bruxism and pulpal calcifications in young women: A clinico-radiological study. Imaging Science in Dentistry, 2018, 48, 277.	0.6	7
16	A comparative study of cone-beam computed tomography and digital panoramic radiography for detecting pulp stones. Imaging Science in Dentistry, 2018, 48, 201.	0.6	16
17	Analysis of the root canal configuration and C-shaped canal frequency of mandibular second molars: A CBCT study. Folia Morphologica, 2018, 77, 752-757.	0.4	7
18	Investigation of Tooth Extraction Reasons in Patients Who Applied to a Dental Faculty. Meandros Medical and Dental Journal, 2018, 19, 219-225.	0.1	1

#	Article	IF	CITATIONS
19	Investigation of the Prevalence of Retromolar Canals: A Cone Beam CT Study. International Journal of Morphology, 2017, 35, 1298-1302.	0.1	4
20	Investigation of the relationship between "Sella Turcica Bridge" and "Ponticulus Posticus": A Lateral Cephalometric Study. International Journal of Morphology, 2017, 35, 337-344.	0.1	13
21	RADIOGRAPHIC EVALUATION OF PERIAPICAL STATUS AND FREQUENCY OF ENDODONTIC TREATMENT IN A TURKISH POPULATION: A RETROSPECTIVE STUDY. Journal of Istanbul University Faculty of Dentistry, 2016, 50, 10-16.	0.2	1