

Shiyu Du

List of Publications by Citations

Source: <https://exaly.com/author-pdf/816896/shiyu-du-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

5,788
citations

40
h-index

72
g-index

168
ext. papers

7,690
ext. citations

6.9
avg, IF

5.9
L-index

#	Paper	IF	Citations
162	Photoluminescent Ti C MXene Quantum Dots for Multicolor Cellular Imaging. <i>Advanced Materials</i> , 2017 , 29, 1604847	24	439
161	A general Lewis acidic etching route for preparing MXenes with enhanced electrochemical performance in non-aqueous electrolyte. <i>Nature Materials</i> , 2020 , 19, 894-899	27	368
160	Element Replacement Approach by Reaction with Lewis Acidic Molten Salts to Synthesize Nanolaminated MAX Phases and MXenes. <i>Journal of the American Chemical Society</i> , 2019 , 141, 4730-4737	16.4	355
159	A Two-Dimensional Zirconium Carbide by Selective Etching of Al ₃ C ₃ from Nanolaminated Zr ₃ Al ₃ C ₅ . <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 5008-13	16.4	247
158	Synthesis and Electrochemical Properties of Two-Dimensional Hafnium Carbide. <i>ACS Nano</i> , 2017 , 11, 3841-3850	16.7	229
157	Role of the surface effect on the structural, electronic and mechanical properties of the carbide MXenes. <i>Europhysics Letters</i> , 2015 , 111, 26007	1.6	161
156	Promising electron mobility and high thermal conductivity in Sc ₂ C ₂ T ₂ (T = F, OH) MXenes. <i>Nanoscale</i> , 2016 , 8, 6110-7	7.7	141
155	Loading Actinides in Multilayered Structures for Nuclear Waste Treatment: The First Case Study of Uranium Capture with Vanadium Carbide MXene. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16396-403	9.5	138
154	Rational Design of Flexible Two-Dimensional MXenes with Multiple Functionalities. <i>Chemical Reviews</i> , 2019 , 119, 11980-12031	68.1	137
153	Enhanced thermal properties of poly(vinylidene fluoride) composites with ultrathin nanosheets of MXene. <i>RSC Advances</i> , 2017 , 7, 20494-20501	3.7	131
152	In situ formation of a cellular graphene framework in thermoplastic composites leading to superior thermal conductivity. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6164-6169	13	120
151	Metal-Level Thermally Conductive yet Soft Graphene Thermal Interface Materials. <i>ACS Nano</i> , 2019 , 13, 11561-11571	16.7	117
150	The thermal and electrical properties of the promising semiconductor MXene Hf ₂ CO ₂ . <i>Scientific Reports</i> , 2016 , 6, 27971	4.9	115
149	Facile preparation of in situ coated Ti ₃ C ₂ T _x /Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ composites and their electromagnetic performance. <i>RSC Advances</i> , 2017 , 7, 24698-24708	3.7	108
148	Intrinsic Structural, Electrical, Thermal, and Mechanical Properties of the Promising Conductor Mo ₂ C MXene. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 15082-15088	3.8	98
147	Rare earth separations by selective borate crystallization. <i>Nature Communications</i> , 2017 , 8, 14438	17.4	94
146	High-resolution dynamic pressure sensor array based on piezo-phototronic effect tuned photoluminescence imaging. <i>ACS Nano</i> , 2015 , 9, 3143-50	16.7	94

145	A Paper-Like Inorganic Thermal Interface Material Composed of Hierarchically Structured Graphene/Silicon Carbide Nanorods. <i>ACS Nano</i> , 2019 , 13, 1547-1554	16.7	93
144	The critical issues of SiC materials for future nuclear systems. <i>Scripta Materialia</i> , 2018 , 143, 149-153	5.6	79
143	Exceptionally high thermal and electrical conductivity of three-dimensional graphene-foam-based polymer composites. <i>RSC Advances</i> , 2016 , 6, 22364-22369	3.7	79
142	Graphene foam-embedded epoxy composites with significant thermal conductivity enhancement. <i>Nanoscale</i> , 2019 , 11, 17600-17606	7.7	68
141	Direct in situ observation and explanation of lithium dendrite of commercial graphite electrodes. <i>RSC Advances</i> , 2015 , 5, 69514-69521	3.7	67
140	The OH radical-H ₂ O molecular interaction potential. <i>Journal of Chemical Physics</i> , 2006 , 124, 224318	3.9	66
139	Novel Scale-Like Structures of Graphite/TiC/Ti ₃ C ₂ Hybrids for Electromagnetic Absorption. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700617	6.4	61
138	A Two-Dimensional Zirconium Carbide by Selective Etching of Al ₃ C ₃ from Nanolaminated Zr ₃ Al ₃ C ₅ . <i>Angewandte Chemie</i> , 2016 , 128, 5092-5097	3.6	55
137	How Does the Hydrogen Bonding Interaction Influence the Properties of Polybenzoxazine? An Experimental Study Combined with Computer Simulation. <i>Macromolecules</i> , 2018 , 51, 4782-4799	5.5	55
136	Fast joining SiC ceramics with Ti ₃ SiC ₂ tape film by electric field-assisted sintering technology. <i>Journal of Nuclear Materials</i> , 2015 , 466, 322-327	3.3	52
135	Coordination Polymer-Derived Multishelled Mixed Ni-Co Oxide Microspheres for Robust and Selective Detection of Xylene. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 15314-15321	9.5	50
134	Halogenated TiC MXenes with Electrochemically Active Terminals for High-Performance Zinc Ion Batteries. <i>ACS Nano</i> , 2021 , 15, 1077-1085	16.7	50
133	VFFDT: A New Software for Preparing AMBER Force Field Parameters for Metal-Containing Molecular Systems. <i>Journal of Chemical Information and Modeling</i> , 2016 , 56, 811-8	6.1	49
132	Tin+1C _n MXenes with fully saturated and thermally stable Cl terminations. <i>Nanoscale Advances</i> , 2019 , 1, 3680-3685	5.1	49
131	Encapsulation kinetics and dynamics of carbon monoxide in clathrate hydrate. <i>Nature Communications</i> , 2014 , 5, 4128	17.4	49
130	Thickness-dependent phase evolution and bonding strength of SiC ceramics joints with active Ti interlayer. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 1233-1241	6	48
129	Effect of carbide interlayers on the microstructure and properties of graphene-nanoplatelet-reinforced copper matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 708, 311-318	5.3	48
128	Superlubricity Enabled by Pressure-Induced Friction Collapse. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 2554-2559	6.4	48

127	First-principles investigations on the electronic structures of U ₃ Si ₂ . <i>Journal of Nuclear Materials</i> , 2016 , 469, 194-199	3.3	46
126	Strong and biocompatible poly(lactic acid) membrane enhanced by Ti ₃ C ₂ T _z (MXene) nanosheets for Guided bone regeneration. <i>Materials Letters</i> , 2018 , 229, 114-117	3.3	46
125	Metal-Semiconductor Phase Twinned Hierarchical MoS Nanowires with Expanded Interlayers for Sodium-Ion Batteries with Ultralong Cycle Life. <i>Small</i> , 2020 , 16, e1906607	11	46
124	Structures and Mechanical and Electronic Properties of the Ti ₂ CO ₂ MXene Incorporated with Neighboring Elements (Sc, V, B and N). <i>Journal of Electronic Materials</i> , 2017 , 46, 2460-2466	1.9	42
123	Multielemental single-atom-thick layers in nanolaminated V(Sn,) C (= Fe, Co, Ni, Mn) for tailoring magnetic properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 820-825	11.5	42
122	Cytocompatibility of TiAlC, TiSiC, and TiAlN: Tests and First-Principles Calculations. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 2293-2301	5.5	40
121	Designing flexible 2D transition metal carbides with strain-controllable lithium storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E11082-E11091	11.5	36
120	Electronic and Transport Properties of Ti ₂ CO ₂ MXene Nanoribbons. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 17143-17152	3.8	35
119	Fabrication of Ti ₂ AlN ceramics with orientation growth behavior by the microwave sintering method. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 1385-1391	6	33
118	Template-Free Growth of Well-Ordered Silver Nano Forest/Ceramic Metamaterial Films with Tunable Optical Responses. <i>Advanced Materials</i> , 2017 , 29, 1605324	24	32
117	Single-Atom-Thick Active Layers Realized in Nanolaminated Ti(AlCu)C and Its Artificial Enzyme Behavior. <i>ACS Nano</i> , 2019 , 13, 9198-9205	16.7	31
116	Highly Conductive 3D Segregated Graphene Architecture in Polypropylene Composite with Efficient EMI Shielding. <i>Polymers</i> , 2017 , 9,	4.5	30
115	Negative differential resistance and rectifying performance induced by doped graphene nanoribbons p/n device. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2016 , 380, 1049-1055	2.3	28
114	Crystal structure and encapsulation dynamics of ice II-structured neon hydrate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 10456-61	11.5	28
113	Two-Dimensional Lamellar MoC for Electrochemical Hydrogen Production: Insights into the Origin of Hydrogen Evolution Reaction Activity in Acidic and Alkaline Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40500-40508	9.5	28
112	Synthesis of MAX phases Nb ₂ CuC and Ti ₂ (Al _{0.1} Cu _{0.9})N by A-site replacement reaction in molten salts. <i>Materials Research Letters</i> , 2019 , 7, 510-516	7.4	27
111	Manganese-Zeolitic Imidazolate Frameworks-90 with High Blood Circulation Stability for MRI-Guided Tumor Therapy. <i>Nano-Micro Letters</i> , 2019 , 11, 61	19.5	27
110	Pancake π -Bonding Goes Double: Unexpected 4e/All-Sites Bonding in Boron- and Nitrogen-Doped Phenalenyls. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 2318-25	6.4	27

109	Rational Design of Highly Stable and Active MXene-Based Bifunctional ORR/OER Double-Atom Catalysts. <i>Advanced Materials</i> , 2021 , 33, e2102595	24	27
108	Facile and Efficient Decontamination of Thorium from Rare Earths Based on Selective Selenite Crystallization. <i>Inorganic Chemistry</i> , 2018 , 57, 1880-1887	5.1	26
107	Tuning the Electrical Conductivity of Ti ₂ CO ₂ MXene by Varying the Layer Thickness and Applying Strains. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 6802-6811	3.8	25
106	Two-Dimensional Hydroxyl-Functionalized and Carbon-Deficient Scandium Carbide, ScC OH, a Direct Band Gap Semiconductor. <i>ACS Nano</i> , 2019 , 13, 1195-1203	16.7	24
105	Uranyl Carboxyphosphonates Derived from Hydrothermal in Situ Ligand Reaction: Syntheses, Structures, and Computational Investigations. <i>Inorganic Chemistry</i> , 2015 , 54, 8617-24	5.1	24
104	The development of cladding materials for the accident tolerant fuel system from the Materials Genome Initiative. <i>Scripta Materialia</i> , 2017 , 141, 99-106	5.6	23
103	Controllable magnitude and anisotropy of the electrical conductivity of HfCO MXene. <i>Journal of Physics Condensed Matter</i> , 2017 , 29, 165701	1.8	22
102	New insight into the helium-induced damage in MAX phase Ti ₃ AlC ₂ by first-principles studies. <i>Journal of Chemical Physics</i> , 2015 , 143, 114707	3.9	22
101	Mechanistic Quantification of Thermodynamic Stability and Mechanical Strength for Two-Dimensional Transition-Metal Carbides. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 4710-4722	3.8	22
100	Interaction between OH radical and the water interface. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 4826-4835	3.5	22
99	Lightweight thermal interface materials based on hierarchically structured graphene paper with superior through-plane thermal conductivity. <i>Chemical Engineering Journal</i> , 2021 , 419, 129609	14.7	22
98	Exploring the potential of exfoliated ternary ultrathin Ti ₄ AlN ₃ nanosheets for fabricating hybrid patterned polymer brushes. <i>RSC Advances</i> , 2015 , 5, 70339-70344	3.7	21
97	Synthesis and properties of conductive B ₄ C ceramic composites with TiB ₂ grain network. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3780-3786	3.8	21
96	Surface Electrochemical Stability and Strain-Tunable Lithium Storage of Highly Flexible 2D Transition Metal Carbides. <i>Advanced Functional Materials</i> , 2018 , 28, 1804867	15.6	21
95	Electronic structures and mechanical properties of Al(111)/ZrB ₂ (0001) heterojunctions from first-principles calculation. <i>Molecular Physics</i> , 2015 , 113, 1794-1801	1.7	18
94	Mechanism of Al on FeCrAl steam oxidation behavior and molecular dynamics simulations. <i>Journal of Alloys and Compounds</i> , 2020 , 828, 154310	5.7	18
93	Bipolar magnetic semiconductors among intermediate states during the conversion from ScC(OH) to ScCO MXene. <i>Nanoscale</i> , 2018 , 10, 8763-8771	7.7	18
92	High Pressure Phase-Transformation Induced Texture Evolution and Strengthening in Zirconium Metal: Experiment and Modeling. <i>Scientific Reports</i> , 2015 , 5, 12552	4.9	18

91	Determination of the rate constant for sulfur recombination by quasiclassical trajectory calculations. <i>Journal of Chemical Physics</i> , 2008 , 128, 204306	3.9	18
90	Label-Free Electrochemical Detection of Vanillin through Low-Defect Graphene Electrodes Modified with Au Nanoparticles. <i>Materials</i> , 2018 , 11,	3.5	16
89	Interaction of ClO radical with liquid water. <i>Journal of the American Chemical Society</i> , 2009 , 131, 14778-8564	5.4	16
88	Development of interatomic potentials for Fe-Cr-Al alloy with the particle swarm optimization method. <i>Journal of Alloys and Compounds</i> , 2019 , 780, 881-887	5.7	16
87	Effects of Different Surface Functionalization and Doping on the Electronic Transport Properties of M2CTxM2CO2 Heterojunction Devices. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 14908-14917	3.8	15
86	Lattice Matching and Halogen Regulation for Synergistically Induced Uniform Zinc Electrodeposition by Halogenated TiC MXenes.. <i>ACS Nano</i> , 2021 ,	16.7	15
85	Theoretical investigations on helium trapping in the Zr/Ti2AlC interface. <i>Surface and Coatings Technology</i> , 2017 , 322, 19-24	4.4	14
84	Mg@C60 nano-lamellae and its 12.50 wt% hydrogen storage capacity. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 15239-15245	6.7	14
83	Hierarchical CoO@NiMoO core-shell nanowires for chemiresistive sensing of xylene vapor. <i>Mikrochimica Acta</i> , 2019 , 186, 222	5.8	14
82	First-principles study on the electrical and thermal properties of the semiconducting Sc(CN)F MXene.. <i>RSC Advances</i> , 2018 , 8, 22452-22459	3.7	14
81	Study of electronic structure and dynamics of interacting free radicals influenced by water. <i>Journal of Chemical Physics</i> , 2009 , 130, 124312	3.9	14
80	Two-dimensional semiconducting LuCT (T = F, OH) MXene with low work function and high carrier mobility. <i>Nanoscale</i> , 2020 , 12, 3795-3802	7.7	14
79	Theory-guided bottom-up design of the FeCrAl alloys as accident tolerant fuel cladding materials. <i>Journal of Nuclear Materials</i> , 2019 , 516, 63-72	3.3	14
78	Preparation of TiC/Ti2AlC coating on carbon fiber and investigation of the oxidation resistance properties. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 5269-5280	3.8	14
77	Highly Sensitive and Selective Potassium Ion Detection Based on Graphene Hall Effect Biosensors. <i>Materials</i> , 2018 , 11,	3.5	13
76	Many-body decomposition of the binding energies for OH.(H2O)2 and OH.(H2O)3 complexes. <i>Journal of Chemical Physics</i> , 2008 , 128, 084307	3.9	13
75	Ab Initio Studies on the Clathrate Hydrates of Some Nitrogen- and Sulfur-Containing Gases. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 2620-2626	2.8	12
74	Residual thermal stress of SiC/Ti3SiC2/SiC joints calculation and relaxed by postannealing. <i>International Journal of Applied Ceramic Technology</i> , 2018 , 15, 1157-1165	2	12

73	First-principles study of the electronic, optical and transport of few-layer semiconducting MXene. <i>Computational Materials Science</i> , 2019 , 168, 137-143	3.2	11
72	Mutual Identification between the Pressure-Induced Superlubricity and the Image Contrast Inversion of Carbon Nanostructures from AFM Technology. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 1498-1504	6.4	11
71	Mo2B, an MBene member with high electrical and thermal conductivities, and satisfactory performances in lithium ion batteries. <i>Nanoscale Advances</i> , 2020 , 2, 347-355	5.1	11
70	Current rectification induced by V-doped and Sc-doped in Ti2CO2 devices. <i>Computational Materials Science</i> , 2017 , 138, 175-182	3.2	10
69	Spectroscopic properties and stability of the SH x H2O open shell complex. <i>Journal of Chemical Physics</i> , 2009 , 130, 124304	3.9	10
68	Ab initio and analytical intermolecular potential for ClO-H2O. <i>Journal of Chemical Physics</i> , 2007 , 126, 114304	3.9	10
67	High Oxidation Resistance of CVD Graphene-Reinforced Copper Matrix Composites. <i>Nanomaterials</i> , 2019 , 9,	5.4	9
66	ZnO nanoflowers modified with RuO for enhancing acetone sensing performance. <i>Nanotechnology</i> , 2020 , 31, 115502	3.4	9
65	Rational design of high-performance thermal interface materials based on gold-nanocap-modified vertically aligned graphene architecture. <i>Composites Communications</i> , 2021 , 24, 100621	6.7	9
64	Structural, electronic and mechanical properties of (NbxTi1-x)2SC and (NbxZr1-x)2SC (0<x<1) from first-principles investigations. <i>Computational and Theoretical Chemistry</i> , 2016 , 1090, 58-66	2	9
63	Single Atom-Modified Hybrid Transition Metal Carbides as Efficient Hydrogen Evolution Reaction Catalysts. <i>Advanced Functional Materials</i> , 2104285	15.6	9
62	The role of Hume-Rothery's rules play in the MAX phases formability. <i>Materialia</i> , 2020 , 12, 100810	3.2	8
61	Y receptor ligand-based nanomicelle as a novel nanoprobe for glioma-targeted imaging and therapy. <i>Nanoscale</i> , 2018 , 10, 5845-5851	7.7	8
60	How Vertical Compression Triggers Lateral Interlayer Slide for Metallic Molybdenum Disulfide?. <i>Tribology Letters</i> , 2018 , 66, 1	2.8	8
59	A theoretical investigation and synthesis of layered ternary carbide system U-Al-C. <i>Ceramics International</i> , 2018 , 44, 1646-1652	5.1	8
58	Copper/BiC whiskers composites with interface optimized by Ti3SiC2. <i>Journal of Materials Science</i> , 2018 , 53, 9806-9815	4.3	7
57	Reprint of: The development of cladding materials for the accident tolerant fuel system from the Materials Genome Initiative. <i>Scripta Materialia</i> , 2018 , 143, 129-136	5.6	7
56	Improved lysis of single bacterial cells by a modified alkaline-thermal shock procedure. <i>BioTechniques</i> , 2016 , 60, 129-35	2.5	7

55	Interface modification of carbon fibers with TiC/Ti ₂ AlC coating and its effect on the tensile strength. <i>Ceramics International</i> , 2019 , 45, 4661-4666	5.1	7
54	A synergetic stabilization and strengthening strategy for two-dimensional ordered hybrid transition metal carbides. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 29684-29692	3.6	7
53	Structures and Mechanical Properties of CH ₄ , SO ₂ , and H ₂ S Hydrates from Density Function Theory Calculations. <i>Chemistry Letters</i> , 2017 , 46, 1141-1144	1.7	6
52	Pt nanodendrites with (111) crystalline facet as an efficient, stable and pH-universal catalyst for electrochemical hydrogen production. <i>Chinese Chemical Letters</i> , 2020 , 31, 2478-2482	8.1	6
51	Phonon-mediated stabilization and softening of 2D transition metal carbides: case studies of TiCO and MoCO. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 14608-14618	3.6	6
50	OH.N ₂ and SH.N ₂ radical-molecule van der Waals complex. <i>Journal of Chemical Physics</i> , 2009 , 131, 064307	3.9	6
49	Structural, mechanical and electronic properties of two-dimensional chlorine-terminated transition metal carbides and nitrides. <i>Journal of Physics Condensed Matter</i> , 2020 , 32, 135302	1.8	6
48	Theoretical study on the electrical and mechanical properties of MXene multilayer structures through strain regulation. <i>Chemical Physics Letters</i> , 2020 , 760, 137997	2.5	6
47	Surface Modification Using Polydopamine-Coated Liquid Metal Nanocapsules for Improving Performance of Graphene Paper-Based Thermal Interface Materials. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
46	Layer-by-layer stacked graphene nanocoatings by Marangoni self-assembly for corrosion protection of stainless steel. <i>Chinese Chemical Letters</i> , 2021 , 32, 501-505	8.1	6
45	MAX phase Zr ₂ SeC and its thermal conduction behavior. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 4447-4451	6	6
44	3D Graphene Oxide Micropatterns Achieved by Roller-Assisted Microcontact Printing Induced Interface Integral Peel and Transfer. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600867	4.6	5
43	Electronic structures, mechanical properties and defect formation energies of U ₃ Si ₅ from density functional theory calculations. <i>Progress in Nuclear Energy</i> , 2019 , 116, 87-94	2.3	5
42	First-principles investigations on MXene-blue phosphorene and MXene-MoS transistors. <i>Nanotechnology</i> , 2020 , 31, 395203	3.4	5
41	Defective structures in FeCrAl alloys from first principles calculations. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, 046003	1.4	5
40	Electric Field Effect on the Reactivity of Solid State Materials: The Case of Single Layer Graphene. <i>Advanced Functional Materials</i> , 2020 , 30, 1909269	15.6	5
39	Abnormal grain growth of UO ₂ with pores in the final stage of sintering: A phase field study. <i>Computational Materials Science</i> , 2018 , 145, 24-34	3.2	5
38	Non-MAX Phase Precursors for MXenes 2019 , 53-68		5

37	Hybridization of inorganic CoB noncrystal with graphene and its Kubas-enhanced hydrogen adsorption at room temperature. <i>RSC Advances</i> , 2016 , 6, 93238-93244	3.7	5
36	Grand Canonical Monte Carlo Simulations on Phase Equilibria of Methane, Carbon Dioxide, and Their Mixture Hydrates. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 9724-9737	3.4	5
35	A dense graphene monolith with poloxamer prefunctionalization enabling aqueous redispersion to obtain solubilized graphene sheets. <i>Chinese Chemical Letters</i> , 2020 , 31, 2507-2511	8.1	4
34	New formulation for reduction potentials of (Cu, Ni, Al, Zn)lanthanide alloys Implications for electrolysis-based pyroprocessing of spent nuclear fuel. <i>Electrochemistry Communications</i> , 2018 , 93, 1805-182	5.1	4
33	First-principles investigations on the anisotropic elasticity and thermodynamic properties of USi-Al.. <i>RSC Advances</i> , 2020 , 10, 35049-35056	3.7	4
32	Theoretical investigations on structural and thermo-mechanical properties of layered ternary carbide ThAlC systems. <i>Journal of Nuclear Materials</i> , 2020 , 540, 152358	3.3	4
31	Facilitating effect of heavy metals on di(2-ethylhexyl) phthalate adsorption in soil: New evidence from adsorption experiment data and quantum chemical simulation. <i>Science of the Total Environment</i> , 2021 , 772, 144980	10.2	4
30	First-principles study on the stability and properties of δ SiC/M+1AlC (M=Sc, Ti, V, Cr, Zr, Nb, Mo, Hf, Ta; n=1,2) interfaces. <i>Journal of Physics and Chemistry of Solids</i> , 2019 , 127, 119-126	3.9	4
29	Molten Salt Synthesis of Nanolaminated Sc ₂ SnC MAX Phase. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021 , 36, 773	1	4
28	Electrochemical Lithium Storage Performance of Molten Salt Derived VSnC MAX Phase. <i>Nano-Micro Letters</i> , 2021 , 13, 158	19.5	4
27	A Study on the Periodic Rule of Reduction Potentials of Lanthanides on Liquid Zinc Electrode. <i>Journal of the Electrochemical Society</i> , 2019 , 166, D689-D693	3.9	3
26	Two-Dimensional Carbonitride MXenes as an Efficient Electrocatalyst for Hydrogen Evolution. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 4477-4488	3.8	3
25	Influence of passivation pretreatment in common acid and alkali on oxidation behaviour of Ti ₃ SiC ₂ at 500°C. <i>Advances in Applied Ceramics</i> , 2016 , 115, 60-64	2.3	2
24	Designing Flexible Quantum Spin Hall Insulators through 2D Ordered Hybrid Transition-Metal Carbides. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 20664-20674	3.8	2
23	MoO Nanoparticle Catalysts for d-Glucose Epimerization and Their Electrical Immobilization in a Continuous Flow Reactor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44118-44123	9.5	2
22	Effect of electric current on diffusion of aluminum in Ti ₃ AlC ₂ into zirconium alloy. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017 , 32, 645-649	1	2
21	Amorphous carbon to graphene: Carbon diffusion via nickel catalyst. <i>Materials Letters</i> , 2020 , 278, 128468	3.3	2
20	Investigations of the stability and electronic structures of U ₃ Si ₂ -Al: A first-principles study. <i>Chemical Physics</i> , 2021 , 543, 111088	2.3	2

19	Adsorption Behaviors and Phase Equilibria for Clathrate Hydrates of Sulfur- and Nitrogen-Containing Small Molecules. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 2691-2702	3.8	2
18	Theoretical investigations on the U ₂ Mo ₃ Si ₄ compound from first-principles calculations. <i>Progress in Nuclear Energy</i> , 2020 , 118, 103121	2.3	2
17	Near-room temperature ferromagnetic behavior of single-atom-thick 2D iron in nanolaminated ternary MAX phases. <i>Applied Physics Reviews</i> , 2021 , 8, 031418	17.3	2
16	The studies of electronic structure, mechanical properties and ideal fracture behavior of U ₃ Si _{1.75} Al _{0.25} : first-principle investigations. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 1356-1369	5.5	2
15	Boosting Oxygen Reduction for High-Efficiency H ₂ O Electrolysis on Oxygen-Coordinated Co ₂ N ₂ C Catalysts. <i>Small</i> , 2022 , e2200730	11	2
14	Predictions of the structures and properties of the substituted layered ternary compound series (Zr/T)AlC (T = Hf, Nb, and V) through first-principles studies. <i>Journal of Physics Condensed Matter</i> , 2019 , 31, 385702	1.8	1
13	First-principles study of magnetism in some novel MXene materials. <i>RSC Advances</i> , 2020 , 10, 44430-44436	3.6	1
12	Theoretical exploration on the vibrational and mechanical properties of M ₃ C ₂ /M ₃ C ₂ T ₂ MXenes. <i>International Journal of Quantum Chemistry</i> , 2020 , 120, e26409	2.1	1
11	First-principles investigations on the electronic structures, polycrystalline elastic properties, ideal strengths and elastic anisotropy of U ₃ Si ₂ . <i>European Physical Journal Plus</i> , 2021 , 136, 1	3.1	1
10	Revisiting alpha decay-based near-light-speed particle propulsion. <i>Applied Radiation and Isotopes</i> , 2016 , 114, 14-8	1.7	1
9	Irradiation behavior of Cf/SiC composite with titanium carbide (TiC)-based interphase. <i>Journal of Nuclear Materials</i> , 2019 , 523, 10-15	3.3	0
8	The compositional dependence of structural stability and resulting properties for Mn _{n+1} CnT ₂ (M = Sc, Ti, V; T = O, OH, F, Cl, Br and I; n = 1, 2): first-principle investigations. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 14979-14989	5.5	0
7	Theoretical studies on microstructures, stabilities and formation conditions of some sour gas in the type I, II, and H clathrate hydrates. <i>Journal of Molecular Structure</i> , 2018 , 1153, 292-298	3.4	0
6	A damage-effect-involved phenomenological crystal plasticity model and computational methods for mechanical responses of FeCrAl alloys. <i>Materials Today Communications</i> , 2021 , 28, 102595	2.5	0
5	A Novel Chimp Optimization Algorithm with Refraction Learning and Its Engineering Applications. <i>Algorithms</i> , 2022 , 15, 189	1.8	0
4	The role of nuclear charges in unifying the descriptions of neural networks (NN)-based force fields. <i>Materials Letters</i> , 2020 , 276, 128262	3.3	0
3	Pressure Tuned Structural, Electronic and Elastic Properties of U ₃ Si ₂ C ₂ : A First Principles Study. <i>Crystals</i> , 2021 , 11, 1420	2.3	0
2	Effect of A-site atom on static corrosion behavior and irradiation damage of Ti ₂ SC phases. <i>Journal of the American Ceramic Society</i> , 2022 , 105, 1386	3.8	0

- 1 Helium-induced damage in USi by first-principles studies.. *RSC Advances*, **2021**, 11, 26920-26927 3.7