AgnÃ"s Ribeiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8169033/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Hepatocyte Nuclear Factor 4α, a Key Factor for Homeostasis, Cell Architecture, and Barrier Function of the Adult Intestinal Epithelium. Molecular and Cellular Biology, 2009, 29, 6294-6308.	1.1	129
2	Integrative multiâ€omics analysis of intestinal organoid differentiation. Molecular Systems Biology, 2018, 14, e8227.	3.2	106
3	Cooperative Binding of Upstream Stimulatory Factor and Hepatic Nuclear Factor 4 Drives the Transcription of the Human Apolipoprotein A-II Gene. Journal of Biological Chemistry, 1999, 274, 1216-1225.	1.6	69
4	Effect of dietary fish oil and corn oil on lipid metabolism and apolipoprotein gene expression by rat liver. FEBS Journal, 1991, 196, 499-507.	0.2	66
5	Restriction of Apolipoprotein A-IV Gene Expression to the Intestine Villus Depends on a Hormone-responsive Element and Parallels Differential Expression of the Hepatic Nuclear Factor 4α and γ Isoforms. Journal of Biological Chemistry, 2002, 277, 34540-34548.	1.6	44
6	Regulation of the tumor suppressor homeogene Cdx2 by HNF4α in intestinal cancer. Oncogene, 2013, 32, 3782-3788.	2.6	36
7	Short Term Palmitate Supply Impairs Intestinal Insulin Signaling via Ceramide Production. Journal of Biological Chemistry, 2016, 291, 16328-16338.	1.6	36
8	HNF-4-dependent Induction of Apolipoprotein A-IV Gene Transcription by an Apical Supply of Lipid Micelles in Intestinal Cells. Journal of Biological Chemistry, 2005, 280, 5406-5413.	1.6	35
9	Lipid-rich diet enhances L-cell density in obese subjects and in mice through improved L-cell differentiation. Journal of Nutritional Science, 2015, 4, e22.	0.7	34
10	Effect of simvastatin on the synthesis and secretion of lipoproteins in relation to the metabolism of cholesterol in cultured hepatocytes. Lipids and Lipid Metabolism, 1991, 1086, 279-286.	2.6	31
11	Intestinal Apolipoprotein A-IV Gene Transcription Is Controlled by Two Hormone-Responsive Elements: A Role for Hepatic Nuclear Factor-4 Isoforms. Molecular Endocrinology, 2005, 19, 2320-2334.	3.7	31
12	E-cadherin-dependent Transcriptional Control of Apolipoprotein A-IV Gene Expression in Intestinal Epithelial Cells. Journal of Biological Chemistry, 2006, 281, 3560-3568.	1.6	29
13	The transcription factor HNF-4α: a key factor of the intestinal uptake of fatty acids in mouse. American Journal of Physiology - Renal Physiology, 2012, 302, G1253-G1263.	1.6	25
14	Type 2 diabetes is associated with impaired jejunal enteroendocrine GLP-1 cell lineage in human obesity. International Journal of Obesity, 2021, 45, 170-183.	1.6	25
15	Two Initiator-like Elements Are Required for the Combined Activation of the Human Apolipoprotein C-III Promoter by Upstream Stimulatory Factor and Hepatic Nuclear Factor-4. Journal of Biological Chemistry, 2002, 277, 15199-15206.	1.6	24
16	In Vitro Transcriptional Induction of the Human Apolipoprotein A-II Gene by Glucose. Diabetes, 2004, 53, 672-678.	0.3	23
17	The four and a half LIM-only protein 2 regulates liver homeostasis and contributes to carcinogenesis. Journal of Hepatology, 2012, 57, 1029-1036.	1.8	23
18	A Novel Organoid Model of Damage and Repair Identifies HNF4α as a Critical Regulator of Intestinal Epithelial Regeneration. Cellular and Molecular Gastroenterology and Hepatology, 2020, 10, 209-223.	2.3	23

AgnÃ"s Ribeiro

#	Article	IF	CITATIONS
19	Glucose Tolerance Is Improved in Mice Invalidated for the Nuclear Receptor HNF-4γ: A Critical Role for Enteroendocrine Cell Lineage. Diabetes, 2015, 64, 2744-2756.	0.3	21
20	The proximal element of the human apolipoprotein A-II promoter increases the enhancer activity of the distal region. Biochemical Journal, 1996, 318, 681-688.	1.7	9
21	Hepatic Nuclear Factor-4, a Key Transcription Factor at the Crossroads Between Architecture and Function of Epithelia. Recent Patents on Endocrine, Metabolic & Immune Drug Discovery, 2007, 1, 166-175.	0.7	8
22	Enteroendocrine System and Gut Barrier in Metabolic Disorders. International Journal of Molecular Sciences, 2022, 23, 3732.	1.8	8
23	Functional specificity of two hormone response elements present on the human apoA-II promoter that bind retinoid X receptor α/thyroid receptor β heterodimers for retinoids and thyroids: synergistic interactions between thyroid receptor β and upstream stimulatory factor 2a. Biochemical Journal, 2003, 376, 423-431.	1.7	6
24	Illegitimate Expression of Apolipoprotein A-II in Caco-2 Cells Is Due to Chromatin Organization. Experimental Cell Research, 1999, 247, 373-379.	1.2	4
25	Intestinal alteration of α-gustducin and sweet taste signaling pathway in metabolic diseases is partly rescued after weight loss and diabetes remission. American Journal of Physiology - Endocrinology and Metabolism, 2021, 321, E417-E432.	1.8	4
26	Hnf4g invalidation prevents diet-induced obesity via intestinal lipid malabsorption. Journal of Endocrinology, 2022, 252, 31-44.	1.2	4
27	IL-1β and IL-6 modulate apolipoprotein E gene expression in rat hepatocyte primary culture. Mediators of Inflammation, 1992, 1, 329-333.	1.4	2
28	Partial apolipoprotein E-β-galactosidase fusion protein expressed in Escherichia coli retains binding activity to the LDL(B/E) receptor. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1990, 1087, 219-225.	2.4	0
29	Regulatory sequences responsible for the restriction of apolipoprotein A-IV gene expression in intestine villus enterocytes. Atherosclerosis, 1999, 144, 10.	0.4	0
30	Role of transcriptional factors USF and HNF4 in the transcription of apolipoprotein genes. Atherosclerosis, 1999, 144, 58.	0.4	0
31	Les gènes d'apolipoprotéines Régulation de leur expression. Annales De L'Institut Pasteur / Actualités, 2000, 11, 21-40.	0.1	0