AgnÃ"s Ribeiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8169033/publications.pdf

Version: 2024-02-01

430754 526166 31 855 18 27 citations h-index g-index papers 31 31 31 1542 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hnf4g invalidation prevents diet-induced obesity via intestinal lipid malabsorption. Journal of Endocrinology, 2022, 252, 31-44.	1.2	4
2	Enteroendocrine System and Gut Barrier in Metabolic Disorders. International Journal of Molecular Sciences, 2022, 23, 3732.	1.8	8
3	Type 2 diabetes is associated with impaired jejunal enteroendocrine GLP-1 cell lineage in human obesity. International Journal of Obesity, 2021, 45, 170-183.	1.6	25
4	Intestinal alteration of \hat{l}_{\pm} -gustducin and sweet taste signaling pathway in metabolic diseases is partly rescued after weight loss and diabetes remission. American Journal of Physiology - Endocrinology and Metabolism, 2021, 321, E417-E432.	1.8	4
5	A Novel Organoid Model of Damage and Repair Identifies HNF4α as a Critical Regulator of Intestinal Epithelial Regeneration. Cellular and Molecular Gastroenterology and Hepatology, 2020, 10, 209-223.	2.3	23
6	Integrative multiâ€omics analysis of intestinal organoid differentiation. Molecular Systems Biology, 2018, 14, e8227.	3.2	106
7	Short Term Palmitate Supply Impairs Intestinal Insulin Signaling via Ceramide Production. Journal of Biological Chemistry, 2016, 291, 16328-16338.	1.6	36
8	Lipid-rich diet enhances L-cell density in obese subjects and in mice through improved L-cell differentiation. Journal of Nutritional Science, 2015, 4, e22.	0.7	34
9	Glucose Tolerance Is Improved in Mice Invalidated for the Nuclear Receptor HNF-4γ: A Critical Role for Enteroendocrine Cell Lineage. Diabetes, 2015, 64, 2744-2756.	0.3	21
10	Regulation of the tumor suppressor homeogene Cdx2 by HNF4 \hat{l}_{\pm} in intestinal cancer. Oncogene, 2013, 32, 3782-3788.	2.6	36
11	The transcription factor HNF-4α: a key factor of the intestinal uptake of fatty acids in mouse. American Journal of Physiology - Renal Physiology, 2012, 302, G1253-G1263.	1.6	25
12	The four and a half LIM-only protein 2 regulates liver homeostasis and contributes to carcinogenesis. Journal of Hepatology, 2012, 57, 1029-1036.	1.8	23
13	Hepatocyte Nuclear Factor 4α, a Key Factor for Homeostasis, Cell Architecture, and Barrier Function of the Adult Intestinal Epithelium. Molecular and Cellular Biology, 2009, 29, 6294-6308.	1.1	129
14	Hepatic Nuclear Factor-4, a Key Transcription Factor at the Crossroads Between Architecture and Function of Epithelia. Recent Patents on Endocrine, Metabolic & Immune Drug Discovery, 2007, 1, 166-175.	0.7	8
15	E-cadherin-dependent Transcriptional Control of Apolipoprotein A-IV Gene Expression in Intestinal Epithelial Cells. Journal of Biological Chemistry, 2006, 281, 3560-3568.	1.6	29
16	Intestinal Apolipoprotein A-IV Gene Transcription Is Controlled by Two Hormone-Responsive Elements: A Role for Hepatic Nuclear Factor-4 Isoforms. Molecular Endocrinology, 2005, 19, 2320-2334.	3.7	31
17	HNF-4-dependent Induction of Apolipoprotein A-IV Gene Transcription by an Apical Supply of Lipid Micelles in Intestinal Cells. Journal of Biological Chemistry, 2005, 280, 5406-5413.	1.6	35
18	In Vitro Transcriptional Induction of the Human Apolipoprotein A-II Gene by Glucose. Diabetes, 2004, 53, 672-678.	0.3	23

#	Article	IF	CITATIONS
19	Functional specificity of two hormone response elements present on the human apoA-II promoter that bind retinoid X receptor \hat{l}^{\pm} /thyroid receptor \hat{l}^{2} heterodimers for retinoids and thyroids: synergistic interactions between thyroid receptor \hat{l}^{2} and upstream stimulatory factor 2a. Biochemical Journal, 2003, 376, 423-431.	1.7	6
20	Restriction of Apolipoprotein A-IV Gene Expression to the Intestine Villus Depends on a Hormone-responsive Element and Parallels Differential Expression of the Hepatic Nuclear Factor $4\hat{l}_{\pm}$ and \hat{l}_{\pm} Isoforms. Journal of Biological Chemistry, 2002, 277, 34540-34548.	1.6	44
21	Two Initiator-like Elements Are Required for the Combined Activation of the Human Apolipoprotein C-III Promoter by Upstream Stimulatory Factor and Hepatic Nuclear Factor-4. Journal of Biological Chemistry, 2002, 277, 15199-15206.	1.6	24
22	Les gà nes d'apolipoprotà ©ines Rà © gulation de leur expression. Annales De L'Institut Pasteur / Actualità © s, 2000, 11, 21-40.	0.1	0
23	Cooperative Binding of Upstream Stimulatory Factor and Hepatic Nuclear Factor 4 Drives the Transcription of the Human Apolipoprotein A-II Gene. Journal of Biological Chemistry, 1999, 274, 1216-1225.	1.6	69
24	Regulatory sequences responsible for the restriction of apolipoprotein A-IV gene expression in intestine villus enterocytes. Atherosclerosis, 1999, 144, 10.	0.4	0
25	Role of transcriptional factors USF and HNF4 in the transcription of apolipoprotein genes. Atherosclerosis, 1999, 144, 58.	0.4	0
26	Illegitimate Expression of Apolipoprotein A-II in Caco-2 Cells Is Due to Chromatin Organization. Experimental Cell Research, 1999, 247, 373-379.	1.2	4
27	The proximal element of the human apolipoprotein A-II promoter increases the enhancer activity of the distal region. Biochemical Journal, 1996, 318, 681-688.	1.7	9
28	IL- $1\hat{l}^2$ and IL-6 modulate apolipoprotein E gene expression in rat hepatocyte primary culture. Mediators of Inflammation, 1992, 1, 329-333.	1.4	2
29	Effect of simvastatin on the synthesis and secretion of lipoproteins in relation to the metabolism of cholesterol in cultured hepatocytes. Lipids and Lipid Metabolism, 1991, 1086, 279-286.	2.6	31
30	Effect of dietary fish oil and corn oil on lipid metabolism and apolipoprotein gene expression by rat liver. FEBS Journal, 1991, 196, 499-507.	0.2	66
31	Partial apolipoprotein E- \hat{l}^2 -galactosidase fusion protein expressed in Escherichia coli retains binding activity to the LDL(B/E) receptor. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1990, 1087, 219-225.	2.4	0