

Ehsan Saljoughi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/816955/publications.pdf>

Version: 2024-02-01

54
papers

1,938
citations

257357

24
h-index

254106

43
g-index

54
all docs

54
docs citations

54
times ranked

1839
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel chlorine resistant thin-film composite forward osmosis membrane: Preparation and performance evaluation in the regeneration of MEG aqueous solution. <i>Chemical Engineering Research and Design</i> , 2022, 177, 554-568.	2.7	9
2	High-performance and robust polysulfone nanocomposite membrane containing 2D functionalized MXene nanosheets for the nanofiltration of salt and dye solutions. <i>Desalination</i> , 2022, 527, 115600.	4.0	30
3	Preparation and characterization of biodegradable polybutylene succinate/polyurethane membrane for harvesting of <i>Chlorella sorokiniana</i> microalgae. <i>Algal Research</i> , 2022, 63, 102658.	2.4	3
4	Recent progress in membrane development, affecting parameters, and applications of reverse electro dialysis: A review. <i>Journal of Water Process Engineering</i> , 2022, 47, 102706.	2.6	39
5	Polyphenylsulfone/polyethylene glycol hexadecyl ether blend membranes with enhanced surface hydrophilicity for high-performance nanofiltration of dye solution. <i>Korean Journal of Chemical Engineering</i> , 2022, 39, 2465-2473.	1.2	2
6	Preparation of amorphous polyphenylsulfone nanofiltration membrane via thermally-induced lamination. <i>Journal of Non-Crystalline Solids</i> , 2021, 551, 120416.	1.5	9
7	Biodegradable membrane based on polycaprolactone/polybutylene succinate: Characterization and performance evaluation in wastewater treatment. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50332.	1.3	25
8	Production of calcium nitrate crystals via membrane distillation crystallization using polyvinylidene fluoride/sorbitan trioleate membranes. <i>Advanced Powder Technology</i> , 2021, 32, 1463-1471.	2.0	6
9	Preparation and hydrophobicity modification of poly(vinylidene fluoride) membrane for the removal of volatile organic compound from water. <i>Polymer Composites</i> , 2021, 42, 4684-4697.	2.3	13
10	Biodegradable polycaprolactone/MXene nanocomposite nanofiltration membranes for the treatment of dye solutions. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 128, 124-139.	2.7	30
11	Effective Parameters on Fabrication and Modification of Braid Hollow Fiber Membranes: A Review. <i>Membranes</i> , 2021, 11, 884.	1.4	10
12	Removal of 1,2,4-trimethylbenzene from Water by Pervaporation Using Styrene-Butadiene-Styrene (SBS) Membrane Incorporated with Carbon Black Nanoparticles. <i>Polymer Engineering and Science</i> , 2020, 60, 257-266.	1.5	11
13	Evaluation of thin film composite membrane in production of ionically modified water applied for enhanced oil recovery. <i>Desalination</i> , 2020, 474, 114194.	4.0	15
14	Pervaporation separation of isopropylbenzene from water using four different polymeric membranes: Membrane preparation, modification, characterization, and performance evaluation. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 114, 67-80.	2.7	15
15	Alignment of functionalized multiwalled carbon nanotubes in forward osmosis membrane support layer induced by electric and magnetic fields. <i>Powder Technology</i> , 2020, 364, 538-552.	2.1	13
16	Preparation and characterization of styrene-butadiene-styrene membrane incorporated with graphene nanosheets for pervaporative removal of 1,2,4-trimethylbenzene from water. <i>Journal of Hazardous Materials</i> , 2019, 378, 120689.	6.5	15
17	Recovery of 1-ethyl-2-methylbenzene from wastewater by polymeric membranes via pervaporation process. <i>Journal of Polymer Research</i> , 2019, 26, 1.	1.2	4
18	Preparation and characterization of a novel hydrophilic PVDF/PVA/Al ₂ O ₃ nanocomposite membrane for removal of As(V) from aqueous solutions. <i>Polymer Composites</i> , 2019, 40, 2452-2461.	2.3	23

#	ARTICLE	IF	CITATIONS
19	Preparation and characterization of modified polyphenylsulfone membranes with hydrophilic property for filtration of aqueous media. <i>Polymers for Advanced Technologies</i> , 2018, 29, 1632-1648.	1.6	36
20	Preparation and characterization of poly(Ether block amide)/graphene membrane for recovery of isopropanol from aqueous solution via pervaporation. <i>Polymer Composites</i> , 2018, 39, 2259-2267.	2.3	22
21	Modifications and research potentials of acrylonitrile/butadiene/styrene (ABS) membranes: A review. <i>Polymer Composites</i> , 2018, 39, 2835-2846.	2.3	28
22	Chitosan/polyvinyl alcohol/amino functionalized multiwalled carbon nanotube pervaporation membranes: Synthesis, characterization, and performance. <i>Polymers for Advanced Technologies</i> , 2018, 29, 84-94.	1.6	29
23	Poly (caprolactone)/poly (ethylene glycol) pervaporation blend membranes: Synthesis, characterization, and performance. <i>Polymers for Advanced Technologies</i> , 2018, 29, 2467-2476.	1.6	6
24	Preparation and characterization of novel PVDF nanofiltration membranes with hydrophilic property for filtration of dye aqueous solution. <i>Applied Surface Science</i> , 2017, 413, 41-49.	3.1	116
25	Use of membrane separation in enzymatic hydrolysis of waste paper. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 768-772.	1.2	2
26	Novel high flux nanofibrous composite membrane based on polyphenylsulfone thin barrier layer on nanofibrous support. <i>Fibers and Polymers</i> , 2017, 18, 1531-1544.	1.1	17
27	PEBA/PVDF blend pervaporation membranes: preparation and performance. <i>Polymers for Advanced Technologies</i> , 2017, 28, 113-123.	1.6	16
28	Removal of 2-propanol from water by pervaporation using poly(vinylidene fluoride) membrane filled with carbon black. <i>Applied Surface Science</i> , 2016, 368, 277-287.	3.1	25
29	Membrane processes used for removal of pharmaceuticals, hormones, endocrine disruptors and their metabolites from wastewaters: a review. <i>Desalination and Water Treatment</i> , 2016, 57, 24146-24175.	1.0	38
30	Preparation and characterization of polyphenylsulfone nanofibrous membranes for the potential use in liquid filtration. <i>Desalination and Water Treatment</i> , 2016, 57, 16250-16259.	1.0	21
31	Preparation of hydrophilic nanofiltration membranes for removal of pharmaceuticals from water. <i>Journal of Environmental Health Science & Engineering</i> , 2015, 13, 42.	1.4	42
32	Hydrophilicity improvement in polyphenylsulfone nanofibrous filtration membranes through addition of polyethylene glycol. <i>Applied Surface Science</i> , 2015, 359, 252-258.	3.1	60
33	Preparation and characterization of nanoporous polysulfone membranes with high hydrophilic property using variation in CBT and addition of tetrionicâ€107 surfactant. <i>Journal of Applied Polymer Science</i> , 2013, 127, 4177-4185.	1.3	26
34	Polyacrylonitrile (PAN)/IGEPAL blend asymmetric membranes: preparation, morphology, and performance. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	25
35	Promotion of polysulfone membrane by thermal-mechanical stretching process. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	4
36	Cellulose acetate butyrate membrane containing TiO ₂ nanoparticle: Preparation, characterization and permeation study. <i>Korean Journal of Chemical Engineering</i> , 2013, 30, 1819-1824.	1.2	22

#	ARTICLE	IF	CITATIONS
37	Polysulfone/Brij®58 blend nanofiltration membranes: preparation, morphology and performance. <i>Polymers for Advanced Technologies</i> , 2013, 24, 383-390.	1.6	22
38	Effects of Coagulation-Bath Temperature and Montmorillonite Nanoclay Content on Asymmetric Cellulose Acetate Butyrate Membranes. <i>Clays and Clay Minerals</i> , 2013, 61, 541-550.	0.6	7
39	Preparation and characterization of modified polysulfone membranes with high hydrophilic property using variation in coagulation bath temperature and addition of surfactant. <i>Polymer Engineering and Science</i> , 2012, 52, 2196-2205.	1.5	37
40	Preparation of modified polyethersulfone membranes using variation in coagulation bath temperature and addition of hydrophilic surfactant. <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	32
41	Preparation and characterization of novel polysulfone nanofiltration membranes for removal of cadmium from contaminated water. <i>Separation and Purification Technology</i> , 2012, 90, 22-30.	3.9	99
42	Preparation and characterization of a composite PDMS membrane on CA support. <i>Polymers for Advanced Technologies</i> , 2010, 21, 568-577.	1.6	34
43	Improvement of permeation performance of polyethersulfone (PES) ultrafiltration membranes via addition of Tween®20. <i>Journal of Applied Polymer Science</i> , 2010, 115, 504-513.	1.3	52
44	Asymmetric cellulose acetate dialysis membranes: Synthesis, characterization, and performance. <i>Journal of Applied Polymer Science</i> , 2010, 116, 2251-2259.	1.3	10
45	Effect of PEG additive and coagulation bath temperature on the morphology, permeability and thermal/chemical stability of asymmetric CA membranes. <i>Desalination</i> , 2010, 262, 72-78.	4.0	178
46	Effects of coagulation bath temperature and polyvinylpyrrolidone content on flat sheet asymmetric polyethersulfone membranes. <i>Polymer Engineering and Science</i> , 2010, 50, 885-893.	1.5	89
47	Triple-Choking Model for Ejector. <i>Journal of Thermal Science and Engineering Applications</i> , 2010, 2, .	0.8	2
48	Effect of poly(vinyl pyrrolidone) concentration and coagulation bath temperature on the morphology, permeability, and thermal stability of asymmetric cellulose acetate membranes. <i>Journal of Applied Polymer Science</i> , 2009, 111, 2537-2544.	1.3	74
49	Effect of preparation variables on morphology and pure water permeation flux through asymmetric cellulose acetate membranes. <i>Journal of Membrane Science</i> , 2009, 326, 627-634.	4.1	176
50	Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes. <i>Desalination</i> , 2009, 243, 1-7.	4.0	90
51	Cellulose acetate (CA)/polyvinylpyrrolidone (PVP) blend asymmetric membranes: Preparation, morphology and performance. <i>Desalination</i> , 2009, 249, 850-854.	4.0	165
52	Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. <i>Desalination</i> , 2009, 249, 837-842.	4.0	57
53	PEBA/PS blend pervaporation membranes: preparation, characterization and performance investigation. , 0, 153, 24-35.		3
54	Preparation of polyphenylsulfone/graphene nanocomposite membrane for the pervaporation separation of cumene from water. <i>Polymers for Advanced Technologies</i> , 0, , .	1.6	4