

# Olga Domnguez-Renedo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8170630/olga-dominguez-renedo-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64  
papers

2,245  
citations

26  
h-index

46  
g-index

64  
ext. papers

2,438  
ext. citations

5.5  
avg, IF

5.05  
L-index

#	Paper	IF	Citations
64	4-ethylphenol detection in wine by fullerene modified screen-printed carbon electrodes. <i>Microchemical Journal</i> , <b>2022</b> , 107599	4.8	0
63	Molecularly imprinted polypyrrole based electrochemical sensor for selective determination of 4-ethylphenol. <i>Talanta</i> , <b>2020</b> , 207, 120351	6.2	13
62	Determination of aluminium using different techniques based on the Al(III)-morin complex. <i>Talanta</i> , <b>2019</b> , 196, 131-136	6.2	18
61	Determination of ascorbic acid in serum samples by screen-printed carbon electrodes modified with gold nanoparticles. <i>Talanta</i> , <b>2017</b> , 174, 733-737	6.2	28
60	Dual enzymatic biosensor for simultaneous amperometric determination of histamine and putrescine. <i>Food Chemistry</i> , <b>2016</b> , 190, 818-823	8.5	58
59	Tyrosinase based biosensor for the electrochemical determination of sulfamethoxazole. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 227, 48-53	8.5	30
58	Electrochemical Oxidation of the Antiretroviral Drug Nelfinavir on Modified Screen-printed Electrodes. <i>Electroanalysis</i> , <b>2016</b> , 28, 2081-2086	3	1
57	Resolution of quaternary mixtures of cadaverine, histamine, putrescine and tyramine by the square wave voltammetry and partial least squares method. <i>Talanta</i> , <b>2015</b> , 143, 97-100	6.2	24
56	A chronoamperometric screen printed carbon biosensor based on alkaline phosphatase inhibition for W(IV) determination in water, using 2-phospho-L-ascorbic acid trisodium salt as a substrate. <i>Sensors</i> , <b>2015</b> , 15, 2232-43	3.8	11
55	Dual Biosensing Device for the Speciation of Arsenic. <i>Electroanalysis</i> , <b>2015</b> , 27, 302-308	3	7
54	Characterization of a Disposable Electrochemical Biosensor Based on Putrescine Oxidase from <i>Micrococcus rubens</i> for the Determination of Putrescine. <i>Electroanalysis</i> , <b>2015</b> , 27, 368-377	3	7
53	Simultaneous amperometric determination of malic and gluconic acids in wine using screen-printed carbon electrodes. <i>Sensors and Actuators B: Chemical</i> , <b>2015</b> , 211, 250-254	8.5	7
52	Disposable immunosensor for human cytomegalovirus glycoprotein B detection. <i>Talanta</i> , <b>2015</b> , 136, 42-6	6.2	7
51	GADH screen-printed biosensor for gluconic acid determination in wine samples. <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 192, 56-59	8.5	9
50	Speciation of chromium using chronoamperometric biosensors based on screen-printed electrodes. <i>Analytica Chimica Acta</i> , <b>2014</b> , 833, 15-21	6.6	23
49	Malate quinone oxidoreductase biosensors based on tetrathiafulvalene and gold nanoparticles modified screen-printed carbon electrodes for malic acid determination in wine. <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 202, 971-975	8.5	19
48	Sensitive and selective cocaine electrochemical detection using disposable sensors. <i>Analytica Chimica Acta</i> , <b>2014</b> , 834, 30-6	6.6	47

47	Cytochrome P450 2D6 based electrochemical sensor for the determination of codeine. <i>Talanta</i> , <b>2014</b> , 129, 315-9	6.2	16
46	Sulfite oxidase biosensors based on tetrathiafulvalene modified screen-printed carbon electrodes for sulfite determination in wine. <i>Analytica Chimica Acta</i> , <b>2014</b> , 812, 41-4	6.6	32
45	Acetylcholinesterase inhibition-based biosensor for aluminum(III) chronoamperometric determination in aqueous media. <i>Sensors</i> , <b>2014</b> , 14, 8203-16	3.8	12
44	A disposable alkaline phosphatase-based biosensor for vanadium chronoamperometric determination. <i>Sensors</i> , <b>2014</b> , 14, 3756-67	3.8	8
43	Determination of Metals Based on Electrochemical Biosensors. <i>Critical Reviews in Environmental Science and Technology</i> , <b>2013</b> , 43, 1042-1073	11.1	16
42	Amperometric determination of sulfite using screen-printed electrodes modified with metallic nanoparticles. <i>Mikrochimica Acta</i> , <b>2013</b> , 180, 1351-1355	5.8	23
41	A screen-printed disposable biosensor for selective determination of putrescine. <i>Mikrochimica Acta</i> , <b>2013</b> , 180, 687-693	5.8	23
40	Disposable amperometric biosensor for the determination of tyramine using plasma amino oxidase. <i>Mikrochimica Acta</i> , <b>2013</b> , 180, 253-259	5.8	29
39	Gluconic acid determination in wine by electrochemical biosensing. <i>Sensors and Actuators B: Chemical</i> , <b>2013</b> , 176, 858-862	8.5	26
38	Electrochemical determination of cocaine using screen-printed cytochrome P450 2B4 based biosensors. <i>Talanta</i> , <b>2013</b> , 105, 131-4	6.2	32
37	Screen-printed biosensor based on the inhibition of the acetylcholinesterase activity for the determination of codeine. <i>Talanta</i> , <b>2013</b> , 111, 8-12	6.2	24
36	Vanadium determination in water using alkaline phosphatase based screen-printed carbon electrodes modified with gold nanoparticles. <i>Journal of Electroanalytical Chemistry</i> , <b>2013</b> , 693, 51-55	4.1	14
35	Simultaneous determination of cadaverine and putrescine using a disposable monoamine oxidase based biosensor. <i>Talanta</i> , <b>2013</b> , 117, 405-11	6.2	39
34	Disposable Horseradish Peroxidase Biosensors for the Selective Determination of Tyramine. <i>Electroanalysis</i> , <b>2013</b> , 25, 1316-1322	3	6
33	Screen-printed acetylcholinesterase-based biosensors for inhibitive determination of permethrin. <i>Science of the Total Environment</i> , <b>2012</b> , 426, 346-50	10.2	16
32	Development of acid phosphatase based amperometric biosensors for the inhibitive determination of As(V). <i>Talanta</i> , <b>2012</b> , 93, 301-6	6.2	26
31	Thick-film voltammetric pH-sensors with internal indicator and reference species. <i>Talanta</i> , <b>2012</b> , 99, 737-43	4.3	10
30	Biosensor for aluminium(III) based on its inhibition of Echinotrypsin immobilized on a screen-printed carbon electrode modified with gold nanoparticles. <i>Mikrochimica Acta</i> , <b>2012</b> , 179, 65-70	5.8	7

29	Fabrication and characterization of disposable sensors and biosensors for detection of formaldehyde. <i>Talanta</i> , <b>2011</b> , 86, 324-8	6.2	22
28	Disposable Miniaturized Screen-Printed pH and Reference Electrodes for Potentiometric Systems. <i>Electroanalysis</i> , <b>2011</b> , 23, 115-121	3	16
27	CYP450 biosensors based on screen-printed carbon electrodes for the determination of cocaine. <i>Analytica Chimica Acta</i> , <b>2011</b> , 685, 15-20	6.6	35
26	Horseradish peroxidase-screen printed biosensors for determination of Ochratoxin A. <i>Analytica Chimica Acta</i> , <b>2011</b> , 688, 49-53	6.6	40
25	Oxcarbazepine Analysis by Adsorptive Stripping Voltammetry Using Silver Nanoparticle-Modified Carbon Screen-Printed Electrodes. <i>Sensor Letters</i> , <b>2010</b> , 8, 268-272	0.9	6
24	Immobilization of acetylcholinesterase on screen-printed electrodes. Application to the determination of arsenic(III). <i>Sensors</i> , <b>2010</b> , 10, 2119-28	3.8	49
23	Experimental Design Optimization of Arsenic Speciation in Groundwater. <i>Analytical Letters</i> , <b>2010</b> , 43, 1922-1932	2.2	2
22	Screen-printed biosensors in microbiology; a review. <i>Talanta</i> , <b>2010</b> , 82, 1629-36	6.2	120
21	Disposable biosensors for determination of biogenic amines. <i>Analytica Chimica Acta</i> , <b>2010</b> , 665, 26-31	6.6	100
20	Sensitive enzyme-biosensor based on screen-printed electrodes for Ochratoxin A. <i>Biosensors and Bioelectronics</i> , <b>2010</b> , 25, 1333-7	11.8	63
19	Simultaneous Determination of Cr(III) and Cr(VI) by Differential Pulse Voltammetry Using Modified Screen-Printed Carbon Electrodes in Array Mode. <i>Electroanalysis</i> , <b>2010</b> , 22, 2924-2930	3	14
18	Electrochemical sensors in the development of selective methods for antiepileptic drugs determination. <i>Combinatorial Chemistry and High Throughput Screening</i> , <b>2010</b> , 13, 650-7	1.3	5
17	Determination of Antimony (III) in Real Samples by Anodic Stripping Voltammetry Using a Mercury Film Screen-Printed Electrode. <i>Sensors</i> , <b>2009</b> , 9, 219-31	3.8	32
16	Determination of Arsenic(III) Using Platinum Nanoparticle-Modified Screen-Printed Carbon-Based Electrodes. <i>Electroanalysis</i> , <b>2009</b> , 21, 635-639	3	65
15	Horseradish peroxidase covalent grafting onto screen-printed carbon electrodes for levetiracetam chronoamperometric determination. <i>Analytical Biochemistry</i> , <b>2009</b> , 395, 86-90	3.1	30
14	CYP450 2B4 covalently attached to carbon and gold screen printed electrodes by diazonium salt and thiols monolayers. <i>Analytica Chimica Acta</i> , <b>2009</b> , 633, 51-6	6.6	59
13	Electrochemical determination of levetiracetam by screen-printed based biosensors. <i>Bioelectrochemistry</i> , <b>2009</b> , 74, 306-9	5.6	33
12	Development of urease based amperometric biosensors for the inhibitive determination of Hg (II). <i>Talanta</i> , <b>2009</b> , 79, 1306-10	6.2	45

11	Electrochemical Methods of Carbamazepine Determination. <i>Sensor Letters</i> , <b>2009</b> , 7, 586-591	0.9	10
10	Electrochemical determination of chromium(VI) using metallic nanoparticle-modified carbon screen-printed electrodes. <i>Talanta</i> , <b>2008</b> , 76, 854-8	6.2	91
9	Determination of Lamotrigine in Pharmaceutical Preparations by Adsorptive Stripping Voltammetry Using Screen Printed Electrodes. <i>Sensors</i> , <b>2008</b> , 8, 4201-4212	3.8	21
8	CYP450 biosensors based on gold chips for antiepileptic drugs determination. <i>Biosensors and Bioelectronics</i> , <b>2008</b> , 23, 1733-7	11.8	26
7	Anodic stripping voltammetry of antimony using gold nanoparticle-modified carbon screen-printed electrodes. <i>Analytica Chimica Acta</i> , <b>2007</b> , 589, 255-60	6.6	79
6	Determination of oxcarbazepine by Square Wave Adsorptive Stripping Voltammetry in pharmaceutical preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2007</b> , 43, 1156-60	3.5	19
5	Speciation of antimony by adsorptive stripping voltammetry using pyrogallol. <i>Talanta</i> , <b>2007</b> , 71, 691-8	6.2	41
4	Recent developments in the field of screen-printed electrodes and their related applications. <i>Talanta</i> , <b>2007</b> , 73, 202-19	6.2	453
3	Determination of lamotrigine by adsorptive stripping voltammetry using silver nanoparticle-modified carbon screen-printed electrodes. <i>Talanta</i> , <b>2007</b> , 74, 59-64	6.2	56
2	Speciation of Antimony by Adsorptive Stripping Voltammetry Using Pyrogallol Red. <i>Electroanalysis</i> , <b>2006</b> , 18, 1159-1166	3	18
1	A Peroxidase-Based Biosensor Supported by Nanoporous Magnetic Silica Microparticles for Acetaminophen Biotransformation and Inhibition Studies. <i>Electroanalysis</i> , <b>2006</b> , 18, 1637-1642	3	27