

Nico Callewaert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8171872/nico-callewaert-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

4,025

citations

30

h-index

63

g-index

96

ext. papers

4,819

ext. citations

10.6

avg, IF

5.26

L-index

#	Paper	IF	Citations
83	Glycomics-based serum markers as reliable tool for assessment of viral response after treatment with direct-acting antiviral drugs in hepatitis C virus infection.. <i>Acta Clinica Belgica</i> , 2022 , 1-7	1.8	1
82	Yeast-produced fructosamine-3-kinase retains mobility after ex vivo intravitreal injection in human and bovine eyes as determined by Fluorescence Correlation Spectroscopy.. <i>International Journal of Pharmaceutics</i> , 2022 , 121772	6.5	1
81	Massively parallel interrogation of protein fragment secretability using SECRiFY reveals features influencing secretory system transit. <i>Nature Communications</i> , 2021 , 12, 6414	17.4	1
80	GlyConnect-Ugi: site-selective, multi-component glycoprotein conjugations through GlycoDelete expressed glycans.. <i>Organic and Biomolecular Chemistry</i> , 2021 ,	3.9	1
79	An affinity-enhanced, broadly neutralizing heavy chain-only antibody protects against SARS-CoV-2 infection in animal models. <i>Science Translational Medicine</i> , 2021 , 13, eabi7826	17.5	7
78	Epidermal galactose spurs chytrid virulence and predicts amphibian colonization. <i>Nature Communications</i> , 2021 , 12, 5788	17.4	1
77	Serum Glycomics on Postoperative Day 7 Are Associated With Graft Loss Within 3 Months After Liver Transplantation Regardless of Early Allograft Dysfunction. <i>Transplantation</i> , 2021 , 105, 2404-2410	1.8	
76	Tissue linked glycosylation as potential prognostic biomarker for biochemical recurrence-free survival. <i>Biomarkers</i> , 2021 , 26, 275-285	2.6	0
75	A Potential Role for Fructosamine-3-Kinase in Cataract Treatment. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
74	Minimally invasive classification of paediatric solid tumours using reduced representation bisulphite sequencing of cell-free DNA: a proof-of-principle study. <i>Epigenetics</i> , 2021 , 16, 196-208	5.7	7
73	Knockout of RSN1, TVP18 or CSC1-2 causes perturbation of Golgi cisternae in <i>Pichia pastoris</i> . <i>Traffic</i> , 2021 , 22, 48-63	5.7	0
72	Engineering of Yeast Glycoprotein Expression. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2021 , 175, 93-135	1.7	13
71	Exploration of Synergistic Action of Cell Wall-Degrading Enzymes against <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0065921	5.9	0
70	Ring finger protein 213 assembles into a sensor for ISGylated proteins with antimicrobial activity. <i>Nature Communications</i> , 2021 , 12, 5772	17.4	8
69	Structural Basis for Potent Neutralization of Betacoronaviruses by Single-Domain Camelid Antibodies. <i>Cell</i> , 2020 , 181, 1004-1015.e15	56.2	319
68	Off-target glycans encountered along the synthetic biology route toward humanized N-glycans in <i>Pichia pastoris</i> . <i>Biotechnology and Bioengineering</i> , 2020 , 117, 2479-2488	4.9	2
67	Human T cell glycosylation and implications on immune therapy for cancer. <i>Human Vaccines and Immunotherapeutics</i> , 2020 , 16, 2374-2388	4.4	8

66	Functional exploration of the GH29 fucosidase family. <i>Glycobiology</i> , 2020 , 30, 735-745	5.8	3
65	STAT2 signaling restricts viral dissemination but drives severe pneumonia in SARS-CoV-2 infected hamsters. <i>Nature Communications</i> , 2020 , 11, 5838	17.4	122
64	Single-Chain Soluble Receptor Fusion Proteins as Versatile Cytokine Inhibitors. <i>Frontiers in Immunology</i> , 2020 , 11, 1422	8.4	3
63	Development of a Counterselectable Transposon To Create Markerless Knockouts from an 18,432-Clone Ordered Mycobacterium bovis Bacillus Calmette-Guérin Mutant Resource. <i>MSystems</i> , 2020 , 5,	7.6	1
62	Protein Glycosylation as a Diagnostic and Prognostic Marker of Chronic Inflammatory Gastrointestinal and Liver Diseases. <i>Gastroenterology</i> , 2020 , 158, 95-110	13.3	47
61	SapM mutation to improve the BCG vaccine: Genomic, transcriptomic and preclinical safety characterization. <i>Vaccine</i> , 2019 , 37, 3539-3551	4.1	6
60	Characterization of Human Recombinant N-Acetylgalactosamine-6-Sulfate Sulfatase Produced in <i>Pichia pastoris</i> as Potential Enzyme for Mucopolysaccharidosis IVA Treatment. <i>Journal of Pharmaceutical Sciences</i> , 2019 , 108, 2534-2541	3.9	5
59	Prostate Protein N-Glycosylation Profiling by Means of DNA Sequencer-Assisted Fluorophore-Assisted Carbohydrate Electrophoresis. <i>Methods in Molecular Biology</i> , 2019 , 1972, 235-250	1.4	1
58	Yeast-secreted, dried and food-admixed monomeric IgA prevents gastrointestinal infection in a piglet model. <i>Nature Biotechnology</i> , 2019 , 37, 527-530	44.5	29
57	N-Linked Glycosylation and Near-Infrared Spectroscopy in the Diagnosis of Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3
56	A guide to Mycobacterium mutagenesis. <i>FEBS Journal</i> , 2019 , 286, 3757-3774	5.7	8
55	Reference genome and comparative genome analysis for the WHO reference strain for Mycobacterium bovis BCG Danish, the present tuberculosis vaccine. <i>BMC Genomics</i> , 2019 , 20, 561	4.5	9
54	Customized protein glycosylation to improve biopharmaceutical function and targeting. <i>Current Opinion in Biotechnology</i> , 2019 , 60, 17-28	11.4	25
53	Capturing the YmeY the expanding molecular toolbox for RNA and DNA library construction. <i>Nucleic Acids Research</i> , 2018 , 46, 2701-2721	20.1	15
52	Glycome Patterns of Perfusate in Livers Before Transplantation Associate With Primary Nonfunction. <i>Gastroenterology</i> , 2018 , 154, 1361-1368	13.3	8
51	Mechanical strain determines the site-specific localization of inflammation and tissue damage in arthritis. <i>Nature Communications</i> , 2018 , 9, 4613	17.4	83
50	Endoglycosidase S Enables a Highly Simplified Clinical Chemistry Procedure for Direct Assessment of Serum IgG Undergalactosylation in Chronic Inflammatory Disease. <i>Molecular and Cellular Proteomics</i> , 2018 , 17, 2508-2517	7.6	11
49	Hierarchical and Redundant Roles of Activating FcRs in Protection against Influenza Disease by M2e-Specific IgG1 and IgG2a Antibodies. <i>Journal of Virology</i> , 2017 , 91,	6.6	50

48	An endoplasmic reticulum-engineered yeast platform for overproduction of triterpenoids. <i>Metabolic Engineering</i> , 2017 , 40, 165-175	9.7	82
47	Release of urinary extracellular vesicles in prostate cancer is associated with altered urinary N-glycosylation profile. <i>Journal of Clinical Pathology</i> , 2017 , 70, 838-846	3.9	13
46	A Glycomics-Based Test Predicts the Development of Hepatocellular Carcinoma in Cirrhosis. <i>Clinical Cancer Research</i> , 2017 , 23, 2750-2758	12.9	25
45	A scalable low-cost cGMP process for clinical grade production of the HIV inhibitor 5P12-RANTES in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2016 , 119, 1-10	2	19
44	Synthetic biology for production of natural and new-to-nature terpenoids in photosynthetic organisms. <i>Plant Journal</i> , 2016 , 87, 16-37	6.9	42
43	Long-Lasting Cross-Protection Against Influenza A by Neuraminidase and M2e-based immunization strategies. <i>Scientific Reports</i> , 2016 , 6, 24402	4.9	36
42	Modular Integrated Secretory System Engineering in <i>Pichia pastoris</i> To Enhance G-Protein Coupled Receptor Expression. <i>ACS Synthetic Biology</i> , 2016 , 5, 1070-1075	5.7	14
41	Structure and Assembly Mechanism of the Signaling Complex Mediated by Human CSF-1. <i>Structure</i> , 2015 , 23, 1621-1631	5.2	30
40	Characterization of genome-wide ordered sequence-tagged <i>Mycobacterium</i> mutant libraries by Cartesian Pooling-Coordinate Sequencing. <i>Nature Communications</i> , 2015 , 6, 7106	17.4	24
39	Membrane protein expression and analysis in yeast. <i>Methods in Enzymology</i> , 2015 , 556, 123-40	1.7	1
38	Engineering the <i>Pichia pastoris</i> N-Glycosylation Pathway Using the GlycoSwitch Technology. <i>Methods in Molecular Biology</i> , 2015 , 1321, 103-22	1.4	26
37	Using GlycoDelete to produce proteins lacking plant-specific N-glycan modification in seeds. <i>Nature Biotechnology</i> , 2015 , 33, 1135-7	44.5	36
36	Urinary prostate protein glycosylation profiling as a diagnostic biomarker for prostate cancer. <i>Prostate</i> , 2015 , 75, 314-22	4.2	21
35	Comparison of VHH-Fc antibody production in <i>Arabidopsis thaliana</i> , <i>Nicotiana benthamiana</i> and <i>Pichia pastoris</i> . <i>Plant Biotechnology Journal</i> , 2015 , 13, 938-47	11.6	19
34	Efficacy of a trans-sialidase-ISCOMATRIX subunit vaccine candidate to protect against experimental Chagas disease. <i>Vaccine</i> , 2015 , 33, 1274-83	4.1	27
33	Capillary electrophoresis of urinary prostate glycoproteins assists in the diagnosis of prostate cancer. <i>Electrophoresis</i> , 2014 , 35, 1017-24	3.6	25
32	GlycoDelete engineering of mammalian cells simplifies N-glycosylation of recombinant proteins. <i>Nature Biotechnology</i> , 2014 , 32, 485-9	44.5	105
31	<i>Pichia pastoris</i> GlycoDelete: the way out when N-glycans are a burden. <i>New Biotechnology</i> , 2014 , 31, S16	6.4	

30	Genome dynamics of the human embryonic kidney 293 lineage in response to cell biology manipulations. <i>Nature Communications</i> , 2014 , 5, 4767	17.4	275
29	Enhanced membrane protein expression by engineering increased intracellular membrane production. <i>Microbial Cell Factories</i> , 2013 , 12, 122	6.4	27
28	Engineering the yeast <i>Yarrowia lipolytica</i> for the production of therapeutic proteins homogeneously glycosylated with Man α 3GlcNAc and Man α 3GlcNAc β 2Man α 6GlcNAc. <i>Microbial Cell Factories</i> , 2012 , 11, 53	6.4	48
27	N-glycan based biomarker distinguishing non-alcoholic steatohepatitis from steatosis independently of fibrosis. <i>Digestive and Liver Disease</i> , 2012 , 44, 315-22	3.3	29
26	A bacterial glycosidase enables mannose-6-phosphate modification and improved cellular uptake of yeast-produced recombinant human lysosomal enzymes. <i>Nature Biotechnology</i> , 2012 , 30, 1225-31	44.5	79
25	Engineering <i>Yarrowia lipolytica</i> to produce glycoproteins homogeneously modified with the universal Man α 3GlcNAc β 2 N-glycan core. <i>PLoS ONE</i> , 2012 , 7, e39976	3.7	39
24	Disruption of the SapM locus in <i>Mycobacterium bovis</i> BCG improves its protective efficacy as a vaccine against <i>M. tuberculosis</i> . <i>EMBO Molecular Medicine</i> , 2011 , 3, 222-34	12	35
23	Diagnostic value of the hemopexin N-glycan profile in hepatocellular carcinoma patients. <i>Clinical Chemistry</i> , 2010 , 56, 823-31	5.5	64
22	The HAC1 gene from <i>Pichia pastoris</i> : characterization and effect of its overexpression on the production of secreted, surface displayed and membrane proteins. <i>Microbial Cell Factories</i> , 2010 , 9, 49	6.4	130
21	High-throughput profiling of the serum N-glycome on capillary electrophoresis microfluidics systems: toward clinical implementation of GlycoHepatoTest. <i>Analytical Chemistry</i> , 2010 , 82, 7408-15	7.8	73
20	Glycome profiling using modern glycomics technology: technical aspects and applications. <i>Biological Chemistry</i> , 2010 , 391, 149-161	4.5	56
19	GlycoFibroTest is a highly performant liver fibrosis biomarker derived from DNA sequencer-based serum protein glycomics. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 986-94	7.6	96
18	Genome sequence of the recombinant protein production host <i>Pichia pastoris</i> . <i>Nature Biotechnology</i> , 2009 , 27, 561-6	44.5	372
17	Engineering complex-type N-glycosylation in <i>Pichia pastoris</i> using GlycoSwitch technology. <i>Nature Protocols</i> , 2009 , 4, 58-70	18.8	178
16	Alteration of protein glycosylation in liver diseases. <i>Journal of Hepatology</i> , 2009 , 50, 592-603	13.4	164
15	Synthesis of Isofagomine and a New C6 Pyrrolidine Azasugar with Potential Biological Activity. <i>Synlett</i> , 2008 , 2008, 2321-2325	2.2	2
14	Consequences of Soluble ICAM-1 N-Glycan Alterations on Receptor Binding and Signaling Kinetics in Mouse Astrocytes. <i>Open Glycoscience</i> , 2008 , 1, 40-51		2
13	N-glycomic changes in hepatocellular carcinoma patients with liver cirrhosis induced by hepatitis B virus. <i>Hepatology</i> , 2007 , 46, 1426-35	11.2	133

12	Glycome mapping on DNA sequencing equipment. <i>Nature Protocols</i> , 2006 , 1, 397-405	18.8	151
11	N-Glycan Engineering in Yeasts and Fungi 2005 , 431-478		2
10	Noninvasive diagnosis of liver cirrhosis using DNA sequencer-based total serum protein glycomics. <i>Nature Medicine</i> , 2004 , 10, 429-34	50.5	359
9	Total serum protein N-glycome profiling on a capillary electrophoresis-microfluidics platform. <i>Electrophoresis</i> , 2004 , 25, 3128-31	3.6	53
8	In vivo synthesis of mammalian-like, hybrid-type N-glycans in <i>Pichia pastoris</i> . <i>Applied and Environmental Microbiology</i> , 2004 , 70, 2639-46	4.8	146
7	Use of a meltable polyacrylamide matrix for sodium dodecyl sulfate-polyacrylamide gel electrophoresis in a procedure for N-glycan analysis on picomole amounts of glycoproteins. <i>Analytical Biochemistry</i> , 2002 , 303, 93-5	3.1	10
6	Use of HDEL-tagged <i>Trichoderma reesei</i> mannosyl oligosaccharide 1,2- α -D-mannosidase for N-glycan engineering in <i>Pichia pastoris</i> . <i>FEBS Letters</i> , 2001 , 503, 173-8	3.8	58
5	Reference genome for the WHO reference strain for <i>Mycobacterium bovis</i> BCG Danish, the present tuberculosis vaccine		1
4	A versatile method for circulating cell-free DNA methylome profiling by reduced representation bisulfite sequencing		10
3	Minimally invasive classification of pediatric solid tumors using reduced representation bisulfite sequencing of cell-free DNA: a proof-of-principle study		2
2	Use of a counterselectable transposon to create markerless knockouts from a 18,432-clone ordered <i>M. bovis</i> BCG mutant resource		1
1	Drug development of an affinity enhanced, broadly neutralizing heavy chain-only antibody that restricts SARS-CoV-2 in rodents		4