## Kornchanok Vareesanghtip

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8172629/kornchanok-vareesanghtip-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6 g index

6 g-index

6 ext. papers ext. citations

1 g-index

2.7 O.31 L-index

| # | Paper   | IF  | Citations |
|---|---|-----|-----------|
| 6 | Cardiac arrhythmia during early-week and mid-week dialysis in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , <b>2021</b> , 25, 890-898  | 1.9 | 2         |
| 5 | Comparison between standard single chamber versus dual chamber low glucose degradation product peritoneal dialysis fluids. <i>Artificial Organs</i> , <b>2021</b> , 45, 88-94   | 2.6 |           |
| 4 | Change in appendicular lean mass in patients established on peritoneal dialysis as measured by dual x-ray absorptiometry (DXA) scanning. <i>European Journal of Clinical Nutrition</i> , <b>2021</b> , 75, 1254-1261    | 5.2 |           |
| 3 | Reducing the risk of intradialytic hypotension by altering the composition of the dialysate. <i>Hemodialysis International</i> , <b>2020</b> , 24, 276-281  | 1.7 | 1         |
| 2 | Comparison of skin autofluorescence, a marker of tissue advanced glycation end-products in the fistula and non-fistula arms of patients treated by hemodialysis. <i>Artificial Organs</i> , <b>2020</b> , 44, 1224-1227 | 2.6 | O         |
| 1 | Comparison of measuring serum osmolality and equations estimating osmolality in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2020</b> , 40, 509-512                                      | 2.8 | O         |