
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8172995/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Neuropsychiatric safety and efficacy of varenicline, bupropion, and nicotine patch in smokers with and without psychiatric disorders (EAGLES): a double-blind, randomised, placebo-controlled clinical trial. Lancet, The, 2016, 387, 2507-2520. | 6.3 | 929 |
| 2 | Effects of Cannabis Use on Human Behavior, Including Cognition, Motivation, and Psychosis: A Review. JAMA Psychiatry, 2016, 73, 292. | 6.0 | 621 |
| 3 | The Problem of the Placebo Response in Clinical Trials for Psychiatric Disorders: Culprits, Possible Remedies, and a Novel Study Design Approach. Psychotherapy and Psychosomatics, 2003, 72, 115-127. | 4.0 | 407 |
| 4 | Brain Reactivity to Smoking Cues Prior to Smoking Cessation Predicts Ability to Maintain Tobacco Abstinence. Biological Psychiatry, 2010, 67, 722-729. | 0.7 | 371 |
| 5 | Medical Morbidity and Mortality in Schizophrenia. Journal of Clinical Psychiatry, 2005, 66, 183-194. | 1.1 | 276 |
| 6 | Single dose of a dopamine agonist impairs reinforcement learning in humans: Behavioral evidence from a laboratory-based measure of reward responsiveness. Psychopharmacology, 2008, 196, 221-232. | 1.5 | 217 |
| 7 | The Effects of Transdermal Nicotine on Cognition in Nonsmokers with Schizophrenia and Nonpsychiatric Controls. Neuropsychopharmacology, 2008, 33, 480-490. | 2.8 | 217 |
| 8 | Clozapine, Diabetes Mellitus, Hyperlipidemia, and Cardiovascular Risks and Mortality. Journal of Clinical Psychiatry, 2005, 66, 1116-1121. | 1.1 | 183 |
| 9 | Maintenance Treatment With Varenicline for Smoking Cessation in Patients With Schizophrenia and Bipolar Disorder. JAMA - Journal of the American Medical Association, 2014, 311, 145. | 3.8 | 180 |
| 10 | A pilot trial of bupropion added to cognitive behavioral therapy for smoking cessation in schizophrenia. Nicotine and Tobacco Research, 2001, 3, 397-403. | 1.4 | 179 |
| 11 | A Double-blind Placebo-Controlled Trial of Bupropion Sustained-Release for Smoking Cessation in Schizophrenia. Journal of Clinical Psychopharmacology, 2005, 25, 218-225. | 0.7 | 176 |
| 12 | A 12-Week Double-Blind, Placebo-Controlled Study of Bupropion SR Added to High-Dose Dual Nicotine Replacement Therapy for Smoking Cessation or Reduction in Schizophrenia. Journal of Clinical Psychopharmacology, 2007, 27, 380-386. | 0.7 | 159 |
| 13 | Cortical Thickness Abnormalities in Cocaine Addiction—A Reflection of Both Drug Use and a Pre-existing Disposition to Drug Abuse?. Neuron, 2008, 60, 174-188. | 3.8 | 150 |
| 14 | A Double-Blind, Placebo-Controlled Trial of Sibutramine for Olanzapine-Associated Weight Gain. American Journal of Psychiatry, 2005, 162, 954-962. | 4.0 | 136 |
| 15 | Initiating Pharmacologic Treatment in Tobacco-Dependent Adults. An Official American Thoracic Society Clinical Practice Guideline. American Journal of Respiratory and Critical Care Medicine, 2020, 202, e5-e31. | 2.5 | 133 |
| 16 | Folate, Homocysteine, and Negative Symptoms in Schizophrenia. American Journal of Psychiatry, 2004, 161, 1705-1708. | 4.0 | 127 |
| 17 | Once-weekly d-cycloserine effects on negative symptoms and cognition in schizophrenia: An exploratory study. Schizophrenia Research, 2008, 106, 320-327. | 1.1 | 126 |
| 18 | Neural Substrates of Attentional Bias for Smoking-Related Cues: An fMRI Study. Neuropsychopharmacology, 2010, 35, 2339-2345. | 2.8 | 122 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Attitudes of Schizophrenia Outpatients Toward Psychiatric Medications. Journal of Clinical Psychiatry, 2004, 65, 1372-1376. | 1.1 | 119 |
| 20 | Single dose of a dopamine agonist impairs reinforcement learning in humans: Evidence from eventâ€related potentials and computational modeling of striatalâ€cortical function. Human Brain Mapping, 2009, 30, 1963-1976. | 1.9 | 117 |
| 21 | Dietary Intake Profile of Patients with Schizophrenia. Annals of Clinical Psychiatry, 2006, 18, 99-105. | 0.6 | 111 |
| 22 | A Single Dose of Nicotine Enhances Reward Responsiveness in Nonsmokers: Implications for Development of Dependence. Biological Psychiatry, 2008, 63, 1061-1065. | 0.7 | 111 |
| 23 | d-Cycloserine added to risperidone in patients with primary negative symptoms of schizophrenia. Schizophrenia Research, 2002, 56, 19-23. | 1.1 | 109 |
| 24 | Effects of transdermal nicotine on episodic memory in non-smokers with and without schizophrenia. Psychopharmacology, 2008, 199, 89-98. | 1.5 | 107 |
| 25 | Modulation of brain and serum glutamatergic concentrations following a switch from conventional neuroleptics to olanzapine. Biological Psychiatry, 2002, 51, 493-497. | 0.7 | 104 |
| 26 | A six-month, placebo-controlled trial of d-cycloserine co-administered with conventional antipsychotics in schizophrenia patients. Psychopharmacology, 2005, 179, 144-150. | 1.5 | 103 |
| 27 | Efficacy and tolerability of pharmacotherapy for smoking cessation in adults with serious mental illness: a systematic review and network metaâ€analysis. Addiction, 2016, 111, 599-612. | 1.7 | 92 |
| 28 | Aripiprazole Added to Overweight and Obese Olanzapine-Treated Schizophrenia Patients. Journal of Clinical Psychopharmacology, 2009, 29, 165-169. | 0.7 | 79 |
| 29 | Two-Year Follow-Up of a Smoking Cessation Trial in Patients With Schizophrenia. Journal of Clinical Psychiatry, 2004, 65, 307-311. | 1.1 | 79 |
| 30 | Achieving Smoking Cessation in Individuals with Schizophrenia: Special Considerations. CNS Drugs, 2017, 31, 471-481. | 2.7 | 76 |
| 31 | Treatment of Tobacco Use Disorders in Smokers with Serious Mental Illness. Harvard Review of Psychiatry, 2015, 23, 90-98. | 0.9 | 74 |
| 32 | Inositol augmentation of lithium or valproate for bipolar depression. Bipolar Disorders, 2006, 8, 168-174. | 1.1 | 69 |
| 33 | High-dose galantamine augmentation inferior to placebo on attention, inhibitory control and working memory performance in nonsmokers with schizophrenia. Schizophrenia Research, 2008, 102, 88-95. | 1.1 | 69 |
| 34 | Added donepezil for stable schizophrenia: a double-blind, placebo-controlled trial. Psychopharmacology, 2005, 181, 358-363. | 1.5 | 67 |
| 35 | Neuropsychiatric Safety and Efficacy of Varenicline, Bupropion, and Nicotine Patch in Smokers With Psychotic, Anxiety, and Mood Disorders in the EAGLES Trial. Journal of Clinical Psychopharmacology, 2019, 39, 108-116. | 0.7 | 67 |
| 36 | A placebo-controlled study of sildenafil effects on cognition in schizophrenia. Psychopharmacology, 2009, 202, 411-417. | 1.5 | 65 |

A EDEN EVINS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Sexual functioning, psychopathology and quality of life in patients with schizophrenia. Schizophrenia Research, 2007, 94, 119-127. | 1.1 | 60 |
| 38 | A Controlled Trial of Bupropion Added to Nicotine Patch and Behavioral Therapy for Smoking Cessation in Adults With Unipolar Depressive Disorders. Journal of Clinical Psychopharmacology, 2008, 28, 660-666. | 0.7 | 59 |
| 39 | Factors associated with the efficacy of smoking cessation treatments and predictors of smoking abstinence in EAGLES. Addiction, 2018, 113, 1507-1516. | 1.7 | 58 |
| 40 | Effect of a Comprehensive Cardiovascular Risk Reduction Intervention in Persons With Serious Mental Illness. JAMA Network Open, 2020, 3, e207247. | 2.8 | 58 |
| 41 | Brain fMRI reactivity to smoking-related images before and during extended smoking abstinence Experimental and Clinical Psychopharmacology, 2009, 17, 365-373. | 1.3 | 57 |
| 42 | Enhancement of Psychosocial Treatment With D-Cycloserine: Models, Moderators, and Future Directions. Biological Psychiatry, 2016, 80, 274-283. | 0.7 | 55 |
| 43 | Investigation of impulsivity in patients on dopamine agonist therapy for hyperprolactinemia: a pilot study. Pituitary, 2014, 17, 150-156. | 1.6 | 53 |
| 44 | Does Cannabis Cause, Exacerbate or Ameliorate Psychiatric Disorders? An Oversimplified Debate Discussed. Neuropsychopharmacology, 2016, 41, 393-401. | 2.8 | 53 |
| 45 | Independent Effects of Tobacco Abstinence and Bupropion on Cognitive Function in Schizophrenia. Journal of Clinical Psychiatry, 2005, 66, 1184-1190. | 1.1 | 52 |
| 46 | Posttraumatic stress disorder, cognitive function and quality of life in patients with schizophrenia. Psychiatry Research, 2008, 159, 140-146. | 1.7 | 49 |
| 47 | Glucose Metabolism in Patients With Schizophrenia Treated With Olanzapine or Quetiapine. Journal of Clinical Psychiatry, 2006, 67, 789-797. | 1.1 | 48 |
| 48 | Association between CHRNA5 genetic variation at rs16969968 and brain reactivity to smoking images in nicotine dependent women. Drug and Alcohol Dependence, 2012, 120, 7-13. | 1.6 | 45 |
| 49 | Predictors of Early Abstinence in Smokers With Schizophrenia. Journal of Clinical Psychiatry, 2008, 69, 1743-1750. | 1.1 | 43 |
| 50 | Analysis of peripheral immune activation in schizophrenia using quantitative reverse-transcription polymerase chain reaction (RT-PCR). Psychiatry Research, 2010, 176, 99-102. | 1.7 | 42 |
| 51 | Lower gray matter density and functional connectivity in the anterior insula in smokers compared with never smokers. Addiction Biology, 2016, 21, 972-981. | 1.4 | 42 |
| 52 | A double-blind, placebo-controlled trial of adjunctive donepezil in treatment-resistant mania. Bipolar Disorders, 2006, 8, 75-80. | 1.1 | 41 |
| 53 | Early onset marijuana use is associated with learning inefficiencies Neuropsychology, 2016, 30, 405-415. | 1.0 | 41 |
| 54 | Adjunctive Antidepressant Drug Therapies in the Treatment of Negative Symptoms of Schizophrenia. CNS Drugs, 1996, 6, 130-147. | 2.7 | 39 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A doubleâ€blind, placeboâ€controlled trial of rosiglitazone for clozapineâ€induced glucose metabolism impairment in patients with Schizophrenia. Acta Psychiatrica Scandinavica, 2009, 119, 457-465. | 2.2 | 38 |
| 56 | Varenicline as a smoking cessation aid in schizophrenia: effects on smoking behavior and reward sensitivity. Psychopharmacology, 2012, 219, 25-34. | 1.5 | 38 |
| 57 | Single dose propranolol does not affect physiologic or emotional reactivity to smoking cues. Psychopharmacology, 2015, 232, 1619-1628. | 1.5 | 38 |
| 58 | Clozapine-Associated Reduction in Arrest Rates of Psychotic Patients With Criminal Histories. American Journal of Psychiatry, 2001, 158, 270-274. | 4.0 | 36 |
| 59 | A Randomized, Double-Blind, Placebo-Controlled Trial of Long-Acting Risperidone in Cocaine-Dependent Men. Journal of Clinical Psychiatry, 2008, 69, 480-486. | 1.1 | 35 |
| 60 | Effect of Medical Marijuana Card Ownership on Pain, Insomnia, and Affective Disorder Symptoms in Adults. JAMA Network Open, 2022, 5, e222106. | 2.8 | 34 |
| 61 | Young adult cannabis users report greater propensity for risk-taking only in non-monetary domains. Drug and Alcohol Dependence, 2015, 147, 26-31. | 1.6 | 31 |
| 62 | Impulsive Social Influence Increases Impulsive Choices on a Temporal Discounting Task in Young Adults. PLoS ONE, 2014, 9, e101570. | 1.1 | 31 |
| 63 | Online recovery support meetings can help mitigate the public health consequences of COVID-19 for individuals with substance use disorder. Addictive Behaviors, 2021, 113, 106661. | 1.7 | 27 |
| 64 | The Effect of Marijuana Use on the Risk for Schizophrenia [CME]. Journal of Clinical Psychiatry, 2012, 73, 1463-1468. | 1.1 | 26 |
| 65 | Systematic review and meta-analysis of opioid antagonists for smoking cessation. BMJ Open, 2014, 4, e004393. | 0.8 | 26 |
| 66 | Efficacy and Safety of Pharmacotherapeutic Smoking Cessation Aids in Schizophrenia Spectrum Disorders: Subgroup Analysis of EAGLES. Psychiatric Services, 2021, 72, 7-15. | 1.1 | 25 |
| 67 | Oral glycine administration increases brain glycine/creatine ratios in men: A proton magnetic resonance spectroscopy study. Psychiatry Research - Neuroimaging, 2009, 173, 143-149. | 0.9 | 24 |
| 68 | Reward Responsiveness Varies by Smoking Status in Women with a History of Major Depressive Disorder. Neuropsychopharmacology, 2015, 40, 1940-1946. | 2.8 | 24 |
| 69 | Anterior cingulate proton spectroscopy glutamate levels differ as a function of smoking cessation outcome. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1709-1713. | 2.5 | 23 |
| 70 | Acute effects of mecamylamine and varenicline on cognitive performance in non-smokers with and without schizophrenia. Psychopharmacology, 2014, 231, 765-775. | 1.5 | 23 |
| 71 | A contingency management method for 30-days abstinence in non-treatment seeking young adult cannabis users. Drug and Alcohol Dependence, 2016, 167, 199-206. | 1.6 | 23 |
| 72 | Resting‣tate Brain Connectivity Predicts Weight Loss and Cognitive Control of Eating Behavior After Vertical Sleeve Gastrectomy. Obesity, 2019, 27, 1846-1855. | 1.5 | 22 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Anterior insula activation during inhibition to smoking cues is associated with ability to maintain tobacco abstinence. Addictive Behaviors Reports, 2018, 7, 40-46. | 1.0 | 21 |
| 74 | Effective Cessation Strategies for Smokers with Schizophrenia. International Review of Neurobiology, 2015, 124, 133-147. | 0.9 | 20 |
| 75 | Neural mechanisms of sensitivity to peer information in young adult cannabis users. Cognitive, Affective and Behavioral Neuroscience, 2016, 16, 646-661. | 1.0 | 20 |
| 76 | Nicotine Increases Activation to Anticipatory Valence Cues in Anterior Insula and Striatum. Nicotine and Tobacco Research, 2018, 20, 851-858. | 1.4 | 20 |
| 77 | Validation of brief screening measures for depression and anxiety in young people with substance use disorders. Journal of Affective Disorders, 2021, 282, 1021-1029. | 2.0 | 20 |
| 78 | Waist Circumference is the Best Anthropometric Predictor for Insulin Resistance in Nondiabetic Patients with Schizophrenia Treated with Clozapine but not Olanzapine. Journal of Psychiatric Practice, 2009, 15, 251-261. | 0.3 | 19 |
| 79 | Finding the Right Match: Mindfulness Training May Potentiate the Therapeutic Effect of Nonjudgment of Inner Experience on Smoking Cessation. Substance Use and Misuse, 2014, 49, 586-594. | 0.7 | 18 |
| 80 | Homocysteine levels and glucose metabolism in non-obese, non-diabetic chronic schizophrenia. Acta Psychiatrica Scandinavica, 2006, 113, 121-125. | 2.2 | 17 |
| 81 | Reassessing the Safety of Varenicline. American Journal of Psychiatry, 2013, 170, 1385-1387. | 4.0 | 16 |
| 82 | Safety and efficacy of first-line smoking cessation pharmacotherapies in bipolar disorders: Subgroup analysis of a randomized clinical trial. Journal of Affective Disorders, 2019, 256, 267-277. | 2.0 | 16 |
| 83 | Need for Cardiovascular Risk Reduction in Persons With Serious Mental Illness: Design of a Comprehensive Intervention. Frontiers in Psychiatry, 2018, 9, 786. | 1.3 | 16 |
| 84 | Smoking Cessation in Patients With Psychiatric Disorders. Primary Care Companion To the Journal of Clinical Psychiatry, 2008, 10, 52-58. | 0.6 | 16 |
| 85 | Case 39-2004. New England Journal of Medicine, 2004, 351, 2741-2749. | 13.9 | 15 |
| 86 | Maintenance pharmacotherapy normalizes the relapse curve in recently abstinent tobacco smokers with schizophrenia and bipolar disorder. Schizophrenia Research, 2017, 183, 124-129. | 1.1 | 15 |
| 87 | Improved Depressive Symptoms in Adults with Schizophrenia During a Smoking Cessation Attempt with Varenicline and Behavioral Therapy. Journal of Dual Diagnosis, 2017, 13, 168-178. | 0.7 | 15 |
| 88 | Predictors of Neuropsychiatric Adverse Events with Smoking Cessation Medications in the Randomized Controlled EAGLES Trial. Journal of General Internal Medicine, 2019, 34, 862-870. | 1.3 | 15 |
| 89 | Efficacy and safety of pharmacotherapies for smoking cessation in anxiety disorders: Subgroup analysis of the randomized, active―and placeboâ€controlled EAGLES trial. Depression and Anxiety, 2020, 37, 247-260. | 2.0 | 14 |
| 90 | A two-site, two-arm, 34-week, double-blind, parallel-group, randomized controlled trial of reduced nicotine cigarettes in smokers with mood and/or anxiety disorders: trial design and protocol. BMC Public Health, 2017, 17, 100. | 1.2 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prolonged cannabis withdrawal in young adults with lifetime psychiatric illness. Preventive Medicine, 2017, 104, 40-45. | 1.6 | 13 |
| 92 | A Double-Blind, Placebo-Controlled Trial of the NMDA Glycine Site Antagonist, GW468816, for Prevention of Relapse to Smoking in Females. Journal of Clinical Psychopharmacology, 2011, 31, 597-602. | 0.7 | 11 |
| 93 | Altered Neural Processing to Social Exclusion in Young Adult Marijuana Users. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2016, 1, 152-159. | 1.1 | 11 |
| 94 | Predictors of tobacco abstinence in outpatient smokers with schizophrenia or bipolar disorder treated with varenicline and cognitive behavioral smoking cessation therapy. Addictive Behaviors, 2017, 71, 89-95. | 1.7 | 11 |
| 95 | Using Functional Near-Infrared Spectroscopy to Measure Effects of Delta 9-Tetrahydrocannabinol on Prefrontal Activity and Working Memory in Cannabis Users. Frontiers in Human Neuroscience, 2017, 11, 488. | 1.0 | 11 |
| 96 | Nicotine-induced activation of caudate and anterior cingulate cortex in response to errors in schizophrenia. Psychopharmacology, 2018, 235, 789-802. | 1.5 | 10 |
| 97 | Delta-9-tetrahydrocannabinol intoxication is associated with increased prefrontal activation as assessed with functional near-infrared spectroscopy: A report of a potential biomarker of intoxication. Neurolmage, 2019, 197, 575-585. | 2.1 | 10 |
| 98 | Urinary 11-nor-9-carboxy-tetrahydrocannabinol elimination in adolescent and young adult cannabis users during one month of sustained and biochemically-verified abstinence. Journal of Psychopharmacology, 2020, 34, 197-210. | 2.0 | 10 |
| 99 | Effect of Social Influence on Effort-Allocation for Monetary Rewards. PLoS ONE, 2015, 10, e0126656. | 1.1 | 9 |
| 100 | A placebo-controlled randomized trial of D-cycloserine augmentation of cue exposure therapy for smoking cessation. Cognitive Behaviour Therapy, 2019, 48, 65-76. | 1.9 | 9 |
| 101 | Characteristics of Adult Cigarette Smokers Who "Relight―and the Effects of Exposure to Tobacco Smoke Constituents. Nicotine and Tobacco Research, 2019, 21, 1206-1212. | 1.4 | 9 |
| 102 | Acceptability of SPECTRUM Research Cigarettes among Participants in Trials of Reduced Nicotine Content Cigarettes. Tobacco Regulatory Science (discontinued), 2018, 4, 573-585. | 0.2 | 9 |
| 103 | Smoking Cessation in Patients With Psychiatric Disorders. Journal of Clinical Psychiatry, 2007, 68, 1404-1410. | 1.1 | 9 |
| 104 | Does Using Marijuana Increase the Risk for Developing Schizophrenia?. Journal of Clinical Psychiatry, 2013, 74, e08. | 1.1 | 8 |
| 105 | Detecting treatmentâ€covariate interactions using permutation methods. Statistics in Medicine, 2015, 34, 2035-2047. | 0.8 | 7 |
| 106 | Phase IIb Trial of an α7 Nicotinic Receptor Partial Agonist With and Without Nicotine Patch for Withdrawal-Associated Cognitive Deficits and Tobacco Abstinence. Journal of Clinical Psychopharmacology, 2018, 38, 307-316. | 0.7 | 7 |
| 107 | Cross-domain correlates of cannabis use disorder severity among young adults. Addictive Behaviors, 2019, 93, 212-218. | 1.7 | 7 |
| 108 | Reducing the Nicotine Content of Cigarettes: Effects in Smokers With Mental Health Conditions and Socioeconomic Disadvantages. Nicotine and Tobacco Research, 2019, 21, S26-S28. | 1.4 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Estimation of risk of neuropsychiatric adverse events from varenicline, bupropion and nicotine patch versus placebo: secondary analysis of results from the EAGLES trial using Bayes factors. Addiction, 2021, 116, 2816-2824. | 1.7 | 7 |
| 110 | Efficacy of newer anticonvulsant medications in bipolar spectrum mood disorders. Journal of Clinical Psychiatry, 2003, 64 Suppl 8, 9-14. | 1.1 | 7 |
| 111 | Alcohol substitution during one month of cannabis abstinence among non-treatment seeking youth. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 107, 110205. | 2.5 | 6 |
| 112 | Assessing Changes in Symptoms of Depression and Anxiety During Four Weeks of Cannabis Abstinence Among Adolescents. Frontiers in Psychiatry, 2021, 12, 689957. | 1.3 | 6 |
| 113 | Sex Differences in Neuropsychological Functioning are Domain-Specific in Adolescent and Young Adult Regular Cannabis Users. Journal of the International Neuropsychological Society, 2021, 27, 592-606. | 1.2 | 6 |
| 114 | White matter integrity differences associated with post-traumatic stress disorder are not normalized by concurrent marijuana use. Psychiatry Research - Neuroimaging, 2020, 295, 111017. | 0.9 | 4 |
| 115 | Variation in Cannabinoid Metabolites Present in the Urine of Adults Using Medical Cannabis Products in Massachusetts. JAMA Network Open, 2021, 4, e215490. | 2.8 | 4 |
| 116 | Polygenic score for cigarette smoking is associated with ever electronicâ€cigarette use in a collegeâ€aged sample. Addiction, 2022, 117, 1071-1078. | 1.7 | 4 |
| 117 | A Call to Action for Treatment of Comorbid Tobacco and Alcohol Dependence. JAMA Psychiatry, 2018, 75, 121. | 6.0 | 3 |
| 118 | Smoking cessation in people with serious mental illness. Lancet Psychiatry,the, 2019, 6, 563-564. | 3.7 | 3 |
| 119 | Virtual Group Therapy Programs—The Wave of the Future. Journal of Adolescent Health, 2021, 69, 527. | 1.2 | 3 |
| 120 | Review: bupropion increases abstinence from smoking without affecting mental state in people with schizophrenia. Evidence-Based Mental Health, 2010, 13, 120-120. | 2.2 | 3 |
| 121 | Performance Metrics of Substance Use Disorder Care Among Medicaid Enrollees in New York, New York. JAMA Health Forum, 2022, 3, e221771. | 1.0 | 3 |
| 122 | T. Kishi and N. Iwata: Varenicline for smoking cessation in people with schizophrenia: systematic review meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 269-270. | 1.8 | 2 |
| 123 | T266. Memory Deficits are Reversible With Sustained Cannabis Abstinence Among Cannabis Using Adolescents. Biological Psychiatry, 2018, 83, S233. | 0.7 | 2 |
| 124 | Effects of various antipsychotics on driving-related cognitive performance in adults with schizophrenia. Journal of Psychiatric Research, 2020, 131, 152-159. | 1.5 | 2 |
| 125 | Developing a Sound Body: Open Trial Results of a Group Healthy Lifestyle Intervention for Young Adults with Psychosis. Community Mental Health Journal, 2021, 57, 864-871. | 1.1 | 2 |
| 126 | Patient Experience and Predictors of Improvement in a Group Behavioral and Educational Intervention for Individuals With Diabetes and Serious Mental Illness: Mixed Methods Case Study. Journal of Participatory Medicine, 2021, 13, e21934. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Randomised, pragmatic, waitlist controlled trial of cannabis added to prescription opioid support on opioid dose reduction and pain in adults with chronic non-cancer pain: study protocol. BMJ Open, 2022, 12, e064457. | 0.8 | 2 |
| 128 | Possible role of nicotine for the treatment of mild cognitive impairment. Expert Review of Neurotherapeutics, 2012, 12, 531-533. | 1.4 | 1 |
| 129 | Effect of Cigarette Rod Length on Smokers Switching to SPECTRUM Cigarettes. American Journal of Health Behavior, 2019, 43, 380-392. | 0.6 | 1 |
| 130 | Integrated Smoking Cessation for Smokers With Serious Mental Illness: Protocol for a Convergent Mixed Methods Implementation Evaluation Study. JMIR Research Protocols, 2021, 10, e25390. | 0.5 | 1 |
| 131 | Implementing Chronic Care Model Treatments for Cigarette Dependence in Community Mental Health Clinics. Journal of Dual Diagnosis, 0, , 1-12. | 0.7 | 1 |
| 132 | Reply to Comments by Dr Babbar. Journal of Clinical Psychopharmacology, 2007, 27, 240. | 0.7 | 0 |