Andrew D Patterson

List of Publications by Citations

Source: https://exaly.com/author-pdf/8173478/andrew-d-patterson-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162 8,942 91 53 h-index g-index citations papers 6.26 187 11,395 9.1 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
162	Aryl hydrocarbon receptor ligands in cancer: friend and foe. <i>Nature Reviews Cancer</i> , 2014 , 14, 801-14	31.3	455
161	Microbiome remodelling leads to inhibition of intestinal farnesoid X receptor signalling and decreased obesity. <i>Nature Communications</i> , 2013 , 4, 2384	17.4	413
160	Intestinal farnesoid X receptor signaling promotes nonalcoholic fatty liver disease. <i>Journal of Clinical Investigation</i> , 2015 , 125, 386-402	15.9	385
159	Gut microbiota and intestinal FXR mediate the clinical benefits of metformin. <i>Nature Medicine</i> , 2018 , 24, 1919-1929	50.5	335
158	Intestine-selective farnesoid X receptor inhibition improves obesity-related metabolic dysfunction. <i>Nature Communications</i> , 2015 , 6, 10166	17.4	304
157	Intermittent Fasting Promotes White Adipose Browning and Decreases Obesity by Shaping the Gut[Microbiota. <i>Cell Metabolism</i> , 2017 , 26, 672-685.e4	24.6	228
156	Intestine farnesoid X receptor agonist and the gut microbiota activate G-protein bile acid receptor-1 signaling to improve metabolism. <i>Hepatology</i> , 2018 , 68, 1574-1588	11.2	206
155	Dysregulated Microbial Fermentation of Soluble Fiber Induces Cholestatic Liver Cancer. <i>Cell</i> , 2018 , 175, 679-694.e22	56.2	205
154	Aberrant lipid metabolism in hepatocellular carcinoma revealed by plasma metabolomics and lipid profiling. <i>Cancer Research</i> , 2011 , 71, 6590-600	10.1	204
153	Persistent Organic Pollutants Modify Gut Microbiota-Host Metabolic Homeostasis in Mice Through Aryl Hydrocarbon Receptor Activation. <i>Environmental Health Perspectives</i> , 2015 , 123, 679-88	8.4	199
152	Adaptation of the human aryl hydrocarbon receptor to sense microbiota-derived indoles. <i>Scientific Reports</i> , 2015 , 5, 12689	4.9	183
151	Disruption of phospholipid and bile acid homeostasis in mice with nonalcoholic steatohepatitis. Hepatology, 2012 , 56, 118-29	11.2	174
150	Gut microbiota-bile acid-interleukin-22 axis orchestrates polycystic ovary syndrome. <i>Nature Medicine</i> , 2019 , 25, 1225-1233	50.5	164
149	Xenobiotic metabolomics: major impact on the metabolome. <i>Annual Review of Pharmacology and Toxicology</i> , 2012 , 52, 37-56	17.9	160
148	An Intestinal Microbiota-Farnesoid X Receptor Axis Modulates Metabolic Disease. <i>Gastroenterology</i> , 2016 , 151, 845-859	13.3	159
147	Intra- and intermolecular domain interactions of the C-terminal GTPase effector domain of the multimeric dynamin-like GTPase Drp1. <i>Journal of Biological Chemistry</i> , 2004 , 279, 35967-74	5.4	144
146	Radiation metabolomics. 1. Identification of minimally invasive urine biomarkers for gamma-radiation exposure in mice. <i>Radiation Research</i> , 2008 , 170, 1-14	3.1	141

(2012-2008)

145	UPLC-ESI-TOFMS-based metabolomics and gene expression dynamics inspector self-organizing metabolomic maps as tools for understanding the cellular response to ionizing radiation. <i>Analytical Chemistry</i> , 2008 , 80, 665-74	7.8	131
144	Ketogenic Diets Alter the Gut Microbiome Resulting in Decreased Intestinal Th17 Cells. <i>Cell</i> , 2020 , 181, 1263-1275.e16	56.2	126
143	Deletion of XPC leads to lung tumors in mice and is associated with early events in human lung carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 13200-5	11.5	118
142	Cellular localization, oligomerization, and membrane association of the hereditary spastic paraplegia 3A (SPG3A) protein atlastin. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49063-71	5.4	117
141	An Intestinal Farnesoid X Receptor-Ceramide Signaling Axis Modulates Hepatic Gluconeogenesis in Mice. <i>Diabetes</i> , 2017 , 66, 613-626	0.9	108
140	Microbiota-Dependent Hepatic Lipogenesis Mediated by Stearoyl CoA Desaturase 1 (SCD1) Promotes Metabolic Syndrome in TLR5-Deficient Mice. <i>Cell Metabolism</i> , 2015 , 22, 983-96	24.6	102
139	Targeting thioredoxin reductase 1 reduction in cancer cells inhibits self-sufficient growth and DNA replication. <i>PLoS ONE</i> , 2007 , 2, e1112	3.7	98
138	Noninvasive urinary metabolomic profiling identifies diagnostic and prognostic markers in lung cancer. <i>Cancer Research</i> , 2014 , 74, 3259-70	10.1	97
137	Lack of soluble fiber drives diet-induced adiposity in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, G528-41	5.1	96
136	Radiation metabolomics. 2. Dose- and time-dependent urinary excretion of deaminated purines and pyrimidines after sublethal gamma-radiation exposure in mice. <i>Radiation Research</i> , 2009 , 172, 42-57	3.1	95
135	Reversing methanogenesis to capture methane for liquid biofuel precursors. <i>Microbial Cell Factories</i> , 2016 , 15, 11	6.4	91
134	Lipid metabolism and lipophagy in cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 504, 582-589	3.4	89
133	Delineating the role of glutathione peroxidase 4 in protecting cells against lipid hydroperoxide damage and in Alzheimer话 disease. <i>Antioxidants and Redox Signaling</i> , 2010 , 12, 819-27	8.4	86
132	Radiation metabolomics. 3. Biomarker discovery in the urine of gamma-irradiated rats using a simplified metabolomics protocol of gas chromatography-mass spectrometry combined with random forests machine learning algorithm. <i>Radiation Research</i> , 2009 , 172, 198-212	3.1	85
131	Radiation metabolomics. 4. UPLC-ESI-QTOFMS-Based metabolomics for urinary biomarker discovery in gamma-irradiated rats. <i>Radiation Research</i> , 2011 , 175, 473-84	3.1	83
130	Peroxisome proliferator-activated receptor alpha induction of uncoupling protein 2 protects against acetaminophen-induced liver toxicity. <i>Hepatology</i> , 2012 , 56, 281-90	11.2	81
129	Microbiota fermentation-NLRP3 axis shapes the impact of dietary fibres on intestinal inflammation. <i>Gut</i> , 2019 , 68, 1801-1812	19.2	79
128	Radiation metabolomics. 5. Identification of urinary biomarkers of ionizing radiation exposure in nonhuman primates by mass spectrometry-based metabolomics. <i>Radiation Research</i> , 2012 , 178, 328-40	3.1	76

127	Role of fibroblast growth factor 21 in the early stage of NASH induced by methionine- and choline-deficient diet. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1242-52	6.9	75
126	Species-specific ant brain manipulation by a specialized fungal parasite. <i>BMC Evolutionary Biology</i> , 2014 , 14, 166	3	74
125	A nucleotide excision repair master-switch: p53 regulated coordinate induction of global genomic repair genes. <i>Cancer Biology and Therapy</i> , 2002 , 1, 145-9	4.6	74
124	Activation of intestinal hypoxia-inducible factor 2during obesity contributes to hepatic steatosis. <i>Nature Medicine</i> , 2017 , 23, 1298-1308	50.5	70
123	The gut microbiome: an orchestrator of xenobiotic metabolism. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 19-32	15.5	69
122	Farnesoid X Receptor Signaling Shapes the Gut Microbiota and Controls Hepatic Lipid Metabolism. <i>MSystems</i> , 2016 , 1,	7.6	67
121	Metabolomics identifies an inflammatory cascade involved in dioxin- and diet-induced steatohepatitis. <i>Cell Metabolism</i> , 2012 , 16, 634-44	24.6	67
120	Quantitative analysis of purine nucleotides indicates that purinosomes increase de novo purine biosynthesis. <i>Journal of Biological Chemistry</i> , 2015 , 290, 6705-13	5.4	66
119	Metabolomics Reveals that Aryl Hydrocarbon Receptor Activation by Environmental Chemicals Induces Systemic Metabolic Dysfunction in Mice. <i>Environmental Science & Environmental Science & Environment</i>	67-73	64
118	Aryl hydrocarbon receptor regulates the cholesterol biosynthetic pathway in a dioxin response element-independent manner. <i>Hepatology</i> , 2012 , 55, 1994-2004	11.2	64
117	Microbial Metabolite Signaling Is Required for Systemic Iron Homeostasis. <i>Cell Metabolism</i> , 2020 , 31, 115-130.e6	24.6	64
116	Network analysis of a Pkd1-mouse model of autosomal dominant polycystic kidney disease identifies HNF4las a disease modifier. <i>PLoS Genetics</i> , 2012 , 8, e1003053	6	60
115	UPLC-MS-based urine metabolomics reveals indole-3-lactic acid and phenyllactic acid as conserved biomarkers for alcohol-induced liver disease in the Ppara-null mouse model. <i>Journal of Proteome Research</i> , 2011 , 10, 4120-33	5.6	59
114	Metabolomics reveals attenuation of the SLC6A20 kidney transporter in nonhuman primate and mouse models of type 2 diabetes mellitus. <i>Journal of Biological Chemistry</i> , 2011 , 286, 19511-22	5.4	59
113	Crucial role of macrophage selenoproteins in experimental colitis. <i>Journal of Immunology</i> , 2014 , 193, 3683-92	5.3	58
112	Lithocholic acid disrupts phospholipid and sphingolipid homeostasis leading to cholestasis in mice. <i>Hepatology</i> , 2011 , 53, 1282-93	11.2	58
111	Role of the Ah receptor in homeostatic control of fatty acid synthesis in the liver. <i>Toxicological Sciences</i> , 2012 , 129, 372-9	4.4	56
110	Xenobiotic metabolism: a view through the metabolometer. <i>Chemical Research in Toxicology</i> , 2010 , 23, 851-60	4	56

(2010-2010)

109	Identification of noninvasive biomarkers for alcohol-induced liver disease using urinary metabolomics and the Ppara-null mouse. <i>Journal of Proteome Research</i> , 2010 , 9, 4176-88	5.6	53
108	Berberine Directly Affects the Gut Microbiota to Promote Intestinal Farnesoid X Receptor Activation. <i>Drug Metabolism and Disposition</i> , 2019 , 47, 86-93	4	50
107	The microbiome modulating activity of bile acids. <i>Gut Microbes</i> , 2020 , 11, 979-996	8.8	49
106	Human urinary metabolomic profile of PPARalpha induced fatty acid beta-oxidation. <i>Journal of Proteome Research</i> , 2009 , 8, 4293-300	5.6	48
105	Metabolomics reveals an essential role for peroxisome proliferator-activated receptor In bile acid homeostasis. <i>Journal of Lipid Research</i> , 2012 , 53, 1625-35	6.3	47
104	Intestinal Farnesoid X Receptor Signaling Modulates Metabolic Disease. <i>Digestive Diseases</i> , 2017 , 35, 178-184	3.2	46
103	Disruption of thioredoxin reductase 1 protects mice from acute acetaminophen-induced hepatotoxicity through enhanced NRF2 activity. <i>Chemical Research in Toxicology</i> , 2013 , 26, 1088-96	4	46
102	Abcb11 deficiency induces cholestasis coupled to impaired Efatty acid oxidation in mice. <i>Journal of Biological Chemistry</i> , 2012 , 287, 24784-94	5.4	46
101	Comparative metabolism of cyclophosphamide and ifosfamide in the mouse using UPLC-ESI-QTOFMS-based metabolomics. <i>Biochemical Pharmacology</i> , 2010 , 80, 1063-74	6	45
100	Detection of Radiation-Exposure Biomarkers by Differential Mobility Prefiltered Mass Spectrometry (DMS-MS). <i>International Journal of Mass Spectrometry</i> , 2010 , 291, 108-117	1.9	45
99	Novel metabolites and roles for Ecocopherol in humans and mice discovered by mass spectrometry-based metabolomics. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 818-30	7	44
98	Microbial determinants of biochemical individuality and their impact on toxicology and pharmacology. <i>Cell Metabolism</i> , 2014 , 20, 761-768	24.6	43
97	Expression of the aryl hydrocarbon receptor contributes to the establishment of intestinal microbial community structure in mice. <i>Scientific Reports</i> , 2016 , 6, 33969	4.9	40
96	The Gut Microbiota Regulates Endocrine Vitamin D Metabolism through Fibroblast Growth Factor 23. <i>Frontiers in Immunology</i> , 2018 , 9, 408	8.4	40
95	Vitamin A deficiency in mice alters host and gut microbial metabolism leading to altered energy homeostasis. <i>Journal of Nutritional Biochemistry</i> , 2018 , 54, 28-34	6.3	39
94	Dietary Broccoli Impacts Microbial Community Structure and Attenuates Chemically Induced Colitis in Mice in an Ah receptor dependent manner. <i>Journal of Functional Foods</i> , 2017 , 37, 685-698	5.1	38
93	Bacterial colonization reprograms the neonatal gut metabolome. <i>Nature Microbiology</i> , 2020 , 5, 838-847	26.6	37
92	The role of mass spectrometry-based metabolomics in medical countermeasures against radiation. Mass Spectrometry Reviews, 2010 , 29, 503-21	11	37

91	Interplay Between the Host, the Human Microbiome, and Drug Metabolism. <i>Human Genomics</i> , 2019 , 13, 27	6.8	35
90	Intestinal microbiota-derived tryptophan metabolites are predictive of Ah receptor activity. <i>Gut Microbes</i> , 2020 , 12, 1-24	8.8	35
89	Orthogonal Comparison of GC-MS and H NMR Spectroscopy for Short Chain Fatty Acid Quantitation. <i>Analytical Chemistry</i> , 2017 , 89, 7900-7906	7.8	34
88	Caloric restriction disrupts the microbiota and colonization resistance. <i>Nature</i> , 2021 , 595, 272-277	50.4	32
87	Metabolomics reveals the metabolic map of procainamide in humans and mice. <i>Biochemical Pharmacology</i> , 2012 , 83, 1435-44	6	31
86	Metabolomics reveals the heterogeneous secretome of two entomopathogenic fungi to ex vivo cultured insect tissues. <i>PLoS ONE</i> , 2013 , 8, e70609	3.7	31
85	Attenuation of Microbiotal Dysbiosis and Hypertension in a CRISPR/Cas9 Gene Ablation Rat Model of GPER1. <i>Hypertension</i> , 2018 , 72, 1125-1132	8.5	30
84	Modulation of colon cancer by nutmeg. <i>Journal of Proteome Research</i> , 2015 , 14, 1937-46	5.6	29
83	Stable isotope- and mass spectrometry-based metabolomics as tools in drug metabolism: a study expanding tempol pharmacology. <i>Journal of Proteome Research</i> , 2013 , 12, 1369-76	5.6	28
82	The Pretreatment Gut Microbiome Is Associated With Lacklof Response to Methotrexate in New-Onset Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 931-942	9.5	28
81	A comprehensive understanding of thioTEPA metabolism in the mouse using UPLC-ESI-QTOFMS-based metabolomics. <i>Biochemical Pharmacology</i> , 2011 , 81, 1043-53	6	27
80	Gadd34 requirement for normal hemoglobin synthesis. <i>Molecular and Cellular Biology</i> , 2006 , 26, 1644-5	3 4.8	27
79	Kernel approaches for differential expression analysis of mass spectrometry-based metabolomics data. <i>BMC Bioinformatics</i> , 2015 , 16, 77	3.6	25
78	Vitamin D Regulates the Microbiota to Control the Numbers of RORE/FoxP3+ Regulatory T Cells in the Colon. <i>Frontiers in Immunology</i> , 2019 , 10, 1772	8.4	24
77	Metabolomics Reveals Altered Lipid Metabolism in a Mouse Model of Endometriosis. <i>Journal of Proteome Research</i> , 2016 , 15, 2626-33	5.6	23
76	The aryl hydrocarbon receptor as a moderator of host-microbiota communication. <i>Current Opinion in Toxicology</i> , 2017 , 2, 30-35	4.4	22
75	Fenofibrate metabolism in the cynomolgus monkey using ultraperformance liquid chromatography-quadrupole time-of-flight mass spectrometry-based metabolomics. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1157-63	4	22
74	White button mushrooms increase microbial diversity and accelerate the resolution of Citrobacter rodentium infection in mice. <i>Journal of Nutrition</i> , 2013 , 143, 526-32	4.1	21

(2020-2020)

73	Perfluorooctane sulfonate alters gut microbiota-host metabolic homeostasis in mice. <i>Toxicology</i> , 2020 , 431, 152365	4.4	20	
72	Editor's Highlight: Perfluorooctane Sulfonate-Choline Ion Pair Formation: A Potential Mechanism Modulating Hepatic Steatosis and Oxidative Stress in Mice. <i>Toxicological Sciences</i> , 2016 , 153, 186-97	4.4	20	
71	Gdf15 regulates murine stress erythroid progenitor proliferation and the development of the stress erythropoiesis niche. <i>Blood Advances</i> , 2019 , 3, 2205-2217	7.8	19	
70	Molecular Regulation of Carcinogenesis: Friend and Foe. <i>Toxicological Sciences</i> , 2018 , 165, 277-283	4.4	18	
69	Identification of serum insulin-like growth factor binding protein 1 as diagnostic biomarker for early-stage alcohol-induced liver disease. <i>Journal of Translational Medicine</i> , 2013 , 11, 266	8.5	18	
68	Metabolomics identifies novel Hnf1alpha-dependent physiological pathways in vivo. <i>Molecular Endocrinology</i> , 2010 , 24, 2343-55		18	
67	Metatranscriptomic Analysis of the Mouse Gut Microbiome Response to the Persistent Organic Pollutant 2,3,7,8-Tetrachlorodibenzofuran. <i>Metabolites</i> , 2019 , 10,	5.6	18	
66	A review of analytical platforms for accurate bile acid measurement. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 4541-4549	4.4	17	
65	Nutrient Sensing in CD11c Cells Alters the Gut Microbiota to Regulate Food Intake and Body Mass. <i>Cell Metabolism</i> , 2019 , 30, 364-373.e7	24.6	17	
64	Ursodeoxycholic Acid (UDCA) Mitigates the Host Inflammatory Response during Clostridioides difficile Infection by Altering Gut Bile Acids. <i>Infection and Immunity</i> , 2020 , 88,	3.7	17	
63	Antioxidant Drug Tempol Promotes Functional Metabolic Changes in the Gut Microbiota. <i>Journal of Proteome Research</i> , 2016 , 15, 563-71	5.6	16	
62	A Cyp2a polymorphism predicts susceptibility to NNK-induced lung tumorigenesis in mice. <i>Carcinogenesis</i> , 2011 , 32, 1279-84	4.6	16	
61	Prebiotic effects of white button mushroom (Agaricus bisporus) feeding on succinate and intestinal gluconeogenesis in C57BL/6 mice. <i>Journal of Functional Foods</i> , 2018 , 45, 223-232	5.1	16	
60	Identification of a mouse Lactobacillus johnsonii strain with deconjugase activity against the FXR antagonist T-EMCA. <i>PLoS ONE</i> , 2017 , 12, e0183564	3.7	15	
59	Metabolomics reveals that tumor xenografts induce liver dysfunction. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 2126-35	7.6	15	
58	Genomic instability in Gadd45a-/- cells is coupled with S-phase checkpoint defects. <i>Cell Cycle</i> , 2005 , 4, 704-9	4.7	15	
57	Randomized controlled-feeding study of dietary emulsifier carboxymethylcellulose reveals detrimental impacts on the gut microbiota and metabolome. <i>Gastroenterology</i> , 2021 ,	13.3	15	
56	Vancomycin prevents fermentable fiber-induced liver cancer in mice with dysbiotic gut microbiota. Gut Microbes, 2020 , 11, 1077-1091	8.8	14	

55	Biochemistry and physiology of the Itlass carbonic anhydrase (Cpb) from Clostridium perfringens strain 13. <i>Journal of Bacteriology</i> , 2013 , 195, 2262-9	3.5	14
54	Mass Spectrometry-Based Metabolomics Identifies Longitudinal Urinary Metabolite Profiles Predictive of Radiation-Induced Cancer. <i>Cancer Research</i> , 2016 , 76, 1569-77	10.1	13
53	Microbiota Metabolism Promotes Synthesis of the Human Ah Receptor Agonist 2,8-Dihydroxyquinoline. <i>Journal of Proteome Research</i> , 2019 , 18, 1715-1724	5.6	13
52	NMR-Based Metabolomics and Its Application in Drug Metabolism and Cancer Research. <i>Current Pharmacology Reports</i> , 2016 , 2, 231-240	5.5	12
51	The Ron Receptor Tyrosine Kinase Regulates Macrophage Heterogeneity and Plays a Protective Role in Diet-Induced Obesity, Atherosclerosis, and Hepatosteatosis. <i>Journal of Immunology</i> , 2016 , 197, 256-65	5.3	12
50	Metabolomics: an essential tool to understand the function of peroxisome proliferator-activated receptor alpha. <i>Toxicologic Pathology</i> , 2013 , 41, 410-8	2.1	11
49	Neural tube development requires the cooperation of p53- and Gadd45a-associated pathways. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2006 , 76, 129-32		10
48	Modulation of urinary siderophores by the diet, gut microbiota and inflammation in mice. <i>Journal of Nutritional Biochemistry</i> , 2017 , 41, 25-33	6.3	9
47	The Human Transient Receptor Potential Melastatin 2 Ion Channel Modulates ROS Through Nrf2. <i>Scientific Reports</i> , 2019 , 9, 14132	4.9	9
46	The nuclear export signal of splicing factor Uap56p interacts with nuclear pore-associated protein Rae1p for mRNA export in Schizosaccharomyces pombe. <i>Journal of Biological Chemistry</i> , 2007 , 282, 175	0 7 -16	9
45	Evaluating the structural complexity of isomeric bile acids with ion mobility spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 4673-4682	4.4	8
44	Regulation of vitamin D metabolism following disruption of the microbiota using broad spectrum antibiotics. <i>Journal of Nutritional Biochemistry</i> , 2018 , 56, 65-73	6.3	8
43	Neuroprotective Role of the Ron Receptor Tyrosine Kinase Underlying Central Nervous System Inflammation in Health and Disease. <i>Frontiers in Immunology</i> , 2018 , 9, 513	8.4	8
42	Nonalcoholic steatohepatitis Fitness Intervention in Thrombosis (NASHFit): Study protocol for a randomized controlled trial of a supervised aerobic exercise program to reduce elevated clotting risk in patients with NASH. <i>Contemporary Clinical Trials Communications</i> , 2020 , 18, 100560	1.8	8
41	Retinoic Acid Mediated Clearance of in Vitamin A Deficient Mice Requires CD11b+ and T Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 3090	8.4	7
40	Impaired recovery from peritoneal inflammation in a mouse model of mild dietary zinc restriction. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 672-81	5.9	7
39	Adding value to first-year undergraduate marketing education: team-based learning as a strategic response to changing modern educational environments. <i>Journal of Strategic Marketing</i> , 2017 , 25, 138-	137	6
38	Metabolic impact of persistent organic pollutants on gut microbiota. <i>Gut Microbes</i> , 2020 , 12, 1-16	8.8	6

(2022-2016)

37	Omics Approaches To Probe Microbiota and Drug Metabolism Interactions. <i>Chemical Research in Toxicology</i> , 2016 , 29, 1987-1997	4	6
36	The East Asian gut microbiome is distinct from colocalized White subjects and connected to metabolic health. <i>ELife</i> , 2021 , 10,	8.9	6
35	A Quantitative HILIC-MS/MS Assay of the Metabolic Response of Huh-7 Cells Exposed to 2,3,7,8-TetrachlorodibenzoDioxin. <i>Metabolites</i> , 2019 , 9,	5.6	5
34	Metabolomics Reveals Aryl Hydrocarbon Receptor Activation Induces Liver and Mammary Gland Metabolic Dysfunction in Lactating Mice. <i>Journal of Proteome Research</i> , 2018 , 17, 1375-1382	5.6	5
33	Ron Receptor Signaling Ameliorates Hepatic Fibrosis in a Diet-Induced Nonalcoholic Steatohepatitis Mouse Model. <i>Journal of Proteome Research</i> , 2018 , 17, 3268-3280	5.6	5
32	Gender Differences in Phytoestrogens and the Relationship with Speed of Processing in Older Adults: A Cross-Sectional Analysis of NHANES, 1999-2002. <i>Nutrients</i> , 2019 , 11,	6.7	5
31	Unraveling the role of peroxisome proliferator-activated receptor-何PPAR即expression in colon carcinogenesis. <i>Npj Precision Oncology</i> , 2019 , 3, 26	9.8	5
30	How gut microbiome interactions affect nutritional traits of. <i>Journal of Experimental Biology</i> , 2020 , 223,	3	5
29	Current Challenges and Recent Developments in Mass Spectrometry-Based Metabolomics. <i>Annual Review of Analytical Chemistry</i> , 2021 , 14, 467-487	12.5	5
28	Impaired Intestinal Akkermansia muciniphila and Aryl Hydrocarbon Receptor Ligands Contribute to Nonalcoholic Fatty Liver Disease in Mice. <i>MSystems</i> , 2021 , 6,	7.6	5
27	Metabolomic Approaches Reveal the Role of CAR in Energy Metabolism. <i>Journal of Proteome Research</i> , 2019 , 18, 239-251	5.6	5
26	Lipid Emulsion Added to a Liquid High-Carbohydrate Diet and Voluntary Running Exercise Reduce Lipogenesis and Ameliorate Early-Stage Hepatic Steatosis in Mice. <i>Journal of Nutrition</i> , 2017 , 147, 746-7	.5 ¹	4
25	Lipocalin 2 deficiency-induced gut microbiota dysbiosis evokes metabolic syndrome in aged mice. <i>Physiological Genomics</i> , 2020 , 52, 314-321	3.6	4
24	Gadd45a acts as a modifier locus for lymphoblastic lymphoma. <i>Leukemia</i> , 2005 , 19, 847-50	10.7	4
23	Multiplatform Physiologic and Metabolic Phenotyping Reveals Microbial Toxicity. <i>MSystems</i> , 2018 , 3,	7.6	4
22	Structural and Functional Analysis of the Gut Microbiome for Toxicologists. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2018 , 78, e54	1	4
21	Isolation and Identification of Aryl Hydrocarbon Receptor Modulators in White Button Mushrooms (). <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9286-9294	5.7	3
20	Defective humoral immunity disrupts bile acid homeostasis which promotes inflammatory disease of the small bowel <i>Nature Communications</i> , 2022 , 13, 525	17.4	3

19	Sample Preparation and Data Analysis for NMR-Based Metabolomics. <i>Methods in Molecular Biology</i> , 2021 , 2194, 301-313	1.4	3
18	Impact of Facultative Bacteria on the Metabolic Function of an Obligate Insect-Bacterial Symbiosis. <i>MBio</i> , 2020 , 11,	7.8	3
17	Exercise Training Reverses Gut Dysbiosis in Patients With Biopsy-Proven Nonalcoholic Steatohepatitis: A Proof of Concept Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1723-17	2 ^{6.9}	3
16	The role of mouse and human peroxisome proliferator-activated receptor-In modulating the hepatic effects of perfluorooctane sulfonate in mice. <i>Toxicology</i> , 2021 , 465, 153056	4.4	2
15	A thermogenic fat-epithelium cell axis regulates intestinal disease tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 32029-32037	11.5	2
14	Metabolic Profiling Reveals Aggravated Non-Alcoholic Steatohepatitis in High-Fat High-Cholesterol Diet-Fed Apolipoprotein E-Deficient Mice Lacking Ron Receptor Signaling. <i>Metabolites</i> , 2020 , 10,	5.6	2
13	OP0119 THE PRE-TREATMENT GUT MICROBIOME PREDICTS EARLY RESPONSE TO RHEUMATOID ARTHRITIS THERAPY 2019 ,		2
12	Secondary bile acid ursodeoxycholic acid alters weight, the gut microbiota, and the bile acid pool in conventional mice. <i>PLoS ONE</i> , 2021 , 16, e0246161	3.7	2
11	A Metabolomic Perspective of Small Molecule Toxicity		2
10	PPAR action in insulin resistance unraveled by metabolomics: potential clinical implications. <i>Genome Medicine</i> , 2011 , 3, 54	14.4	1
10		• •	1
	Genome Medicine, 2011 , 3, 54	• •	
9	Genome Medicine, 2011, 3, 54 Quantitative Analysis of Bile Acid with UHPLC-MS/MS. Methods in Molecular Biology, 2021, 2194, 291-30 Secondary bile acid ursodeoxycholic acid (UDCA) alters weight, the gut microbiota, and the bile acid	• •	1
9	Genome Medicine, 2011, 3, 54 Quantitative Analysis of Bile Acid with UHPLC-MS/MS. Methods in Molecular Biology, 2021, 2194, 291-30 Secondary bile acid ursodeoxycholic acid (UDCA) alters weight, the gut microbiota, and the bile acid pool in conventional mice MDM2-Dependent Rewiring of Metabolomic and Lipidomic Profiles in Dedifferentiated	0 0 1.4	1
9 8 7	Quantitative Analysis of Bile Acid with UHPLC-MS/MS. <i>Methods in Molecular Biology</i> , 2021 , 2194, 291-30. Secondary bile acid ursodeoxycholic acid (UDCA) alters weight, the gut microbiota, and the bile acid pool in conventional mice MDM2-Dependent Rewiring of Metabolomic and Lipidomic Profiles in Dedifferentiated Liposarcoma Models. <i>Cancers</i> , 2020 , 12, The aryl hydrocarbon receptor activates ceramide biosynthesis in mice contributing to hepatic	0 0 4	1 1
9 8 7	Genome Medicine, 2011, 3, 54 Quantitative Analysis of Bile Acid with UHPLC-MS/MS. Methods in Molecular Biology, 2021, 2194, 291-30. Secondary bile acid ursodeoxycholic acid (UDCA) alters weight, the gut microbiota, and the bile acid pool in conventional mice MDM2-Dependent Rewiring of Metabolomic and Lipidomic Profiles in Dedifferentiated Liposarcoma Models. Cancers, 2020, 12, The aryl hydrocarbon receptor activates ceramide biosynthesis in mice contributing to hepatic lipogenesis. Toxicology, 2021, 458, 152831 Metabolomic profiling of stool of two-year old children from the INSIGHT study reveals links	6.6 4.4	1 1 1
9 8 7 6	Quantitative Analysis of Bile Acid with UHPLC-MS/MS. Methods in Molecular Biology, 2021, 2194, 291-30. Secondary bile acid ursodeoxycholic acid (UDCA) alters weight, the gut microbiota, and the bile acid pool in conventional mice MDM2-Dependent Rewiring of Metabolomic and Lipidomic Profiles in Dedifferentiated Liposarcoma Models. Cancers, 2020, 12, The aryl hydrocarbon receptor activates ceramide biosynthesis in mice contributing to hepatic lipogenesis. Toxicology, 2021, 458, 152831 Metabolomic profiling of stool of two-year old children from the INSIGHT study reveals links between butyrate and child weight outcomes. Pediatric Obesity, 2022, 17, e12833 Selenium-dependent metabolic reprogramming during inflammation and resolution. Journal of	6.6 4.4 4.6	1 1 1 1 1

Reconstitution of the host holobiont in germ-free born male rats acutely increases bone growth and affects marrow cellular content. *Physiological Genomics*, **2021**, 53, 518-533

3.6