Helena Salminen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8173647/publications.pdf

Version: 2024-02-01

1040018 996954 22 239 9 15 citations h-index g-index papers 22 22 22 327 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Virtual Patients in Primary Care: Developing a Reusable Model That Fosters Reflective Practice and Clinical Reasoning. Journal of Medical Internet Research, 2014, 16, e3.	4.3	43
2	Primary care physicians' views on osteoporosis management: a qualitative study. Archives of Osteoporosis, 2019, 14, 48.	2.4	33
3	Effect of treatment on back pain and back extensor strength with a spinal orthosis in older women with osteoporosis: a randomized controlled trial. Archives of Osteoporosis, 2019, 14, 5.	2.4	23
4	Medical students' feedback regarding their clinical learning environment in primary healthcare: a qualitative study. BMC Medical Education, 2016, 16, 313.	2.4	21
5	Conditions for interprofessional education for students in primary healthcare: a qualitative study. BMC Medical Education, 2018, 18, 122.	2.4	20
6	Adaptation and validation of the instrument Clinical Learning Environment and Supervision for medical students in primary health care. BMC Medical Education, 2016, 16, 308.	2.4	14
7	High Serum Insulin-Like Growth Factor-Binding Protein 1 (IGFBP-1) is Associated with High Fracture Risk Independent of Insulin-Like Growth Factor 1 (IGF-I). Calcified Tissue International, 2016, 99, 333-339.	3.1	13
8	A virtual patient model for students' interprofessional learning in primary healthcare. PLoS ONE, 2020, 15, e0238797.	2.5	12
9	Circling the undefined—A grounded theory study of intercultural consultations in Swedish primary care. PLoS ONE, 2018, 13, e0203383.	2.5	11
10	IGFBP-1 predicts all-cause mortality in elderly women independently of IGF-I. Growth Hormone and IGF Research, 2015, 25, 281-285.	1.1	9
11	Changes in physical activity levels and relationship to balance performance, gait speed, and self-rated health in older Swedish women: a longitudinal study. Aging Clinical and Experimental Research, 2022, 34, 775-783.	2.9	9
12	The informal curriculum of family medicine – what does it entail and how is it taught to residents? A systematic review. BMC Family Practice, 2020, 21, 49.	2.9	8
13	Association between self-rated health and the risk of hip fracture and mortality in a cohort of older women during a 10-year follow-up. PLoS ONE, 2021, 16, e0247924.	2.5	6
14	Experiences of using an activating spinal orthosis in women with osteoporosis and back pain in primary care. Archives of Osteoporosis, 2020, 15, 171.	2.4	5
15	Virtual patients reflecting the clinical reality of primary care – a useful tool to improve cultural competence. BMC Medical Education, 2021, 21, 270.	2.4	5
16	Wearing an Activating Spinal Orthosis and Physical Training in Women With Osteoporosis and Back Pain: A Postintervention Follow-Up Study. Archives of Rehabilitation Research and Clinical Translation, 2021, 3, 100154.	0.9	4
17	The association between spinal curvature and balance in elderly women at high risk of osteoporotic fractures in primary health care. European Journal of Physiotherapy, 2016, 18, 226-232.	1.3	1
18	Extent of the association between self-rated health and place of birth: a cross-sectional study among people at high risk of developing pre-diabetes and diabetes in Sweden. BMJ Open, 2019, 9, e028757.	1.9	1

#	Article	IF	CITATIONS
19	Two methods of evaluating mandibular trabecular pattern in intraoral radiographs and the association to fragility fractures during a 47â€year follow up. European Journal of Oral Sciences, 2021, 129, e12801.	1.5	1
20	Long-term effects of a ten-year osteoporosis intervention program in a Swedish populationâ€"A cross-sectional study. Preventive Medicine Reports, 2017, 5, 295-300.	1.8	0
21	Primary care consultations on emotional distress $\hat{a} \in \hat{a}$ a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. BMC Family Practice, 2021, 22, 138.	2.9	O
22	Burning sensation in the feet and glycosylated haemoglobin levels in Swedish- and non–Swedish-born primary healthcare patients. Primary Care Diabetes, 2021, 15, 522-527.	1.8	0