## Dario Papale

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/81745/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Net CO <sub>2</sub> exchange rates in three different successional stages of the "Dark Taiga" of central Siberia. Tellus, Series B: Chemical and Physical Meteorology, 2022, 54, 642.	1.6	4
2	The Integrated Carbon Observation System in Europe. Bulletin of the American Meteorological Society, 2022, 103, E855-E872.	3.3	44
3	Ideas and perspectives: Enhancing research and monitoring of carbon pools and land-to-atmosphere greenhouse gases exchange in developing countries. Biogeosciences, 2022, 19, 1435-1450.	3.3	4
4	Global nature run data with realistic high-resolution carbon weather for the year of the Paris Agreement. Scientific Data, 2022, 9, 160.	5.3	3
5	Modeling Ambitions Outpace Observations of Forest Carbon Allocation. Trends in Plant Science, 2021, 26, 210-219.	8.8	29
6	Substantial hysteresis in emergent temperature sensitivity of global wetland CH4 emissions. Nature Communications, 2021, 12, 2266.	12.8	34
7	FLUXNET-CH <sub>4</sub> : a global, multi-ecosystem dataset and analysis of methane seasonality from freshwater wetlands. Earth System Science Data, 2021, 13, 3607-3689.	9.9	79
8	The three major axes of terrestrial ecosystem function. Nature, 2021, 598, 468-472.	27.8	99
9	Gap-filling eddy covariance methane fluxes: Comparison of machine learning model predictions and uncertainties at FLUXNET-CH4 wetlands. Agricultural and Forest Meteorology, 2021, 308-309, 108528.	4.8	33
10	Satellite open data to monitor forest damage caused by extreme climate-induced events: a case study of the Vaia storm in Northern Italy. Forestry, 2021, 94, 407-416.	2.3	23
11	The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. Scientific Data, 2020, 7, 225.	5.3	646
12	Species dominance and above ground biomass in the BiaÅ,owieża Forest, Poland, described by airborne hyperspectral and lidar data. International Journal of Applied Earth Observation and Geoinformation, 2020, 92, 102178.	2.8	6
13	Partitioning net carbon dioxide fluxes into photosynthesis and respiration using neural networks. Global Change Biology, 2020, 26, 5235-5253.	9.5	42
14	A robust data cleaning procedure for eddy covariance flux measurements. Biogeosciences, 2020, 17, 1367-1391.	3.3	15
15	Monitoring tropical forests under a functional perspective with satelliteâ€based vegetation optical depth. Global Change Biology, 2020, 26, 3402-3416.	9.5	15
16	Scaling carbon fluxes from eddy covariance sites to globe: synthesis and evaluation of the FLUXCOM approach. Biogeosciences, 2020, 17, 1343-1365.	3.3	323
17	Ideas and perspectives: enhancing the impact of the FLUXNET network of eddy covariance sites. Biogeosciences, 2020, 17, 5587-5598.	3.3	19
18	Case Study: ENVRI Science Demonstrators with D4Science. Lecture Notes in Computer Science, 2020, , 307-323.	1.3	0

#	Article	IF	CITATIONS
19	Inferring plant functional diversity from space: the potential of Sentinel-2. Remote Sensing of Environment, 2019, 233, 111368.	11.0	56
20	Vegetation optical depth at L-band and above ground biomass in the tropical range: Evaluating their relationships at continental and regional scales. International Journal of Applied Earth Observation and Geoinformation, 2019, 77, 151-161.	2.8	20
21	Tree height in tropical forest as measured by different ground, proximal, and remote sensing instruments, and impacts on above ground biomass estimates. International Journal of Applied Earth Observation and Geoinformation, 2019, 82, 101899.	2.8	30
22	The FLUXCOM ensemble of global land-atmosphere energy fluxes. Scientific Data, 2019, 6, 74.	5.3	337
23	Modelling random uncertainty of eddy covariance flux measurements. Stochastic Environmental Research and Risk Assessment, 2019, 33, 725-746.	4.0	5
24	The ecosystem carbon sink implications of mountain forest expansion into abandoned grazing land: The role of subsoil and climatic factors. Science of the Total Environment, 2019, 672, 106-120.	8.0	18
25	Widespread inhibition of daytime ecosystem respiration. Nature Ecology and Evolution, 2019, 3, 407-415.	7.8	98
26	Effects of the Gill-Solent WindMaster-Pro "w-boost―firmware bug on eddy covariance fluxes and some simple recovery strategies. Agricultural and Forest Meteorology, 2019, 265, 145-151.	4.8	7
27	A comparison of different methods for assessing leaf area index in four canopy types. Central European Forestry Journal, 2019, 65, 67-80.	0.8	10
28	Impact of CO 2 storage flux sampling uncertainty on net ecosystem exchange measured by eddy covariance. Agricultural and Forest Meteorology, 2018, 248, 228-239.	4.8	30
29	SMOS Vegetation Optical Depth and Ecosystem Functional Properties: Exploring Their Relationships in Tropical Forests. , 2018, , .		1
30	Eddy covariance flux errors due to random and systematic timing errors during data acquisition. Biogeosciences, 2018, 15, 5473-5487.	3.3	3
31	Early mapping of industrial tomato in Central and Southern Italy with Sentinel 2, aerial and RapidEye additional data. Journal of Agricultural Science, 2018, 156, 396-407.	1.3	8
32	Above-ground biomass prediction by Sentinel-1 multitemporal data in central Italy with integration of ALOS2 and Sentinel-2 data. Journal of Applied Remote Sensing, 2018, 12, 1.	1.3	101
33	Importance of reporting ancillary site characteristics, and management and disturbance information at ICOS stations. International Agrophysics, 2018, 32, 457-469.	1.7	8
34	Eddy covariance raw data processing for CO2 and energy fluxes calculation at ICOS ecosystem stations. International Agrophysics, 2018, 32, 495-515.	1.7	62
35	ICOS eddy covariance flux-station site setup: a review. International Agrophysics, 2018, 32, 471-494.	1.7	59
36	Ancillary vegetation measurements at ICOS ecosystem stations. International Agrophysics, 2018, 32, 645-664.	1.7	35

#	Article	IF	CITATIONS
37	Assimilating phenology datasets automatically across ICOS ecosystem stations. International Agrophysics, 2018, 32, 677-687.	1.7	14
38	COSMO-SkyMed potential to detect and monitor Mediterranean maquis fires and regrowth: a pilot study in Capo Figari, Sardinia, Italy. IForest, 2018, 11, 389-395.	1.4	5
39	Diel variation in isotopic composition of soil respiratory CO 2 fluxes: The role of non-steady state conditions. Agricultural and Forest Meteorology, 2017, 234-235, 95-105.	4.8	11
40	Compensatory water effects link yearly global land CO2 sink changes to temperature. Nature, 2017, 541, 516-520.	27.8	480
41	Global distribution of groundwaterâ€vegetation spatial covariation. Geophysical Research Letters, 2017, 44, 4134-4142.	4.0	91
42	Atmospheric deposition, CO2, and change in the land carbon sink. Scientific Reports, 2017, 7, 9632.	3.3	62
43	Experimental validation of footprint models for eddy covariance CO2 flux measurements above grassland by means of natural and artificial tracers. Agricultural and Forest Meteorology, 2017, 242, 75-84.	4.8	39
44	Hunting Data Rogues at Scale: Data Quality Control for Observational Data in Research Infrastructures. , 2017, , .		4
45	Reviews and syntheses: An empirical spatiotemporal description of the global surface–atmosphere carbon fluxes: opportunities and data limitations. Biogeosciences, 2017, 14, 3685-3703.	3.3	58
46	Potential of ALOS2 and NDVI to Estimate Forest Above-Ground Biomass, and Comparison with Lidar-Derived Estimates. Remote Sensing, 2017, 9, 18.	4.0	50
47	Detecting impacts of extreme events with ecological inÂsitu monitoring networks. Biogeosciences, 2017, 14, 4255-4277.	3.3	35
48	A New Data Set to Keep a Sharper Eye on Land-Air Exchanges. Eos, 2017, , .	0.1	46
49	Greenhouse gas balance of cropland conversion to bioenergy poplar short-rotation coppice. Biogeosciences, 2016, 13, 95-113.	3.3	29
50	Predicting carbon dioxide and energy fluxes across global FLUXNET sites with regression algorithms. Biogeosciences, 2016, 13, 4291-4313.	3.3	447
51	Evaluating the convergence between eddy-covariance and biometric methods for assessing carbon budgets of forests. Nature Communications, 2016, 7, 13717.	12.8	90
52	Above ground biomass and tree species richness estimation with airborne lidar in tropical Ghana forests. International Journal of Applied Earth Observation and Geoinformation, 2016, 52, 371-379.	2.8	36
53	Correction of a 1 km daily rainfall dataset for modelling forest ecosystem processes in Italy. Meteorological Applications, 2016, 23, 294-303.	2.1	18
54	Estimating daily forest carbon fluxes using a combination of ground and remotely sensed data. Journal of Geophysical Research G: Biogeosciences, 2016, 121, 266-279.	3.0	26

#	Article	IF	CITATIONS
55	Radiocarbon-Based Assessment of Heterotrophic Soil Respiration in Two Mediterranean Forests. Ecosystems, 2016, 19, 62-72.	3.4	2
56	Discrimination of tropical forest types, dominant species, and mapping of functional guilds by hyperspectral and simulated multispectral Sentinel-2 data. Remote Sensing of Environment, 2016, 176, 163-176.	11.0	145
57	Matching the phenology of Net Ecosystem Exchange and vegetation indices estimated with MODIS and FLUXNET in-situ observations. Remote Sensing of Environment, 2016, 174, 290-300.	11.0	76
58	Spatiotemporal patterns of terrestrial gross primary production: A review. Reviews of Geophysics, 2015, 53, 785-818.	23.0	432
59	Effect of spatial sampling from European flux towers for estimating carbon and water fluxes with artificial neural networks. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 1941-1957.	3.0	65
60	On the relationship between ecosystem-scale hyperspectral reflectance and CO <sub>2</sub> exchange in European mountain grasslands. Biogeosciences, 2015, 12, 3089-3108.	3.3	21
61	The role of photo- and thermal degradation for CO <sub>2</sub> and CO fluxes in an arid ecosystem. Biogeosciences, 2015, 12, 4161-4174.	3.3	26
62	Interpreting canopy development and physiology using a European phenology camera network at flux sites. Biogeosciences, 2015, 12, 5995-6015.	3.3	98
63	Uncertainty analysis of gross primary production upscaling using Random Forests, remote sensing and eddy covariance data. Remote Sensing of Environment, 2015, 168, 360-373.	11.0	103
64	Reply to 'Uncertain effects of nutrient availability on global forest carbon balance' and 'Data quality and the role of nutrients in forest carbon-use efficiency'. Nature Climate Change, 2015, 5, 960-961.	18.8	2
65	Biomass production efficiency controlled by management in temperate and boreal ecosystems. Nature Geoscience, 2015, 8, 843-846.	12.9	109
66	Ranking drivers of global carbon and energy fluxes over land. , 2015, , .		2
67	Carbon, Water and Energy Fluxes of Terrestrial Ecosystems in Italy. Environmental Science and Engineering, 2015, , 11-45.	0.2	8
68	Filling the gaps in meteorological continuous data measured at FLUXNET sites with ERA-Interim reanalysis. Earth System Science Data, 2015, 7, 157-171.	9.9	103
69	A full greenhouse gases budget of Africa: synthesis, uncertainties, and vulnerabilities. Biogeosciences, 2014, 11, 381-407.	3.3	162
70	Evaluating the potential of large-scale simulations to predict carbon fluxes of terrestrial ecosystems over a European Eddy Covariance network. Biogeosciences, 2014, 11, 2661-2678.	3.3	30
71	Eddy-covariance flux errors due to biases in gas concentration measurements: origins, quantification and correction. Biogeosciences, 2014, 11, 1037-1051.	3.3	24
72	Observational Data Patterns for Time Series Data Quality Assessment. , 2014, , .		24

#	Article	IF	CITATIONS
73	Nutrient availability as the key regulator of global forest carbon balance. Nature Climate Change, 2014, 4, 471-476.	18.8	383
74	Aboveâ€ground woody carbon sequestration measured from tree rings is coherent with net ecosystem productivity at five eddyâ€covariance sites. New Phytologist, 2014, 201, 1289-1303.	7.3	152
75	Operational monitoring of daily evapotranspiration by the combination of MODIS NDVI and ground meteorological data: Application and evaluation in Central Italy. Remote Sensing of Environment, 2014, 152, 279-290.	11.0	65
76	Partitioning the net ecosystem carbon balance of a semiarid steppe into biological and geological components. Biogeochemistry, 2014, 118, 83-101.	3.5	12
77	Drought Influences the Accuracy of Simulated Ecosystem Fluxes: A Model-Data Meta-analysis for Mediterranean Oak Woodlands. Ecosystems, 2013, 16, 749-764.	3.4	42
78	Climate extremes and the carbon cycle. Nature, 2013, 500, 287-295.	27.8	1,357
79	Simulation of grassland productivity by the combination of ground and satellite data. Agriculture, Ecosystems and Environment, 2013, 165, 163-172.	5.3	43
80	A data-driven analysis of energy balance closure across FLUXNET research sites: The role of landscape scale heterogeneity. Agricultural and Forest Meteorology, 2013, 171-172, 137-152.	4.8	424
81	Biometric and eddy covariance-based assessment of decadal carbon sequestration of a temperate Scots pine forest. Agricultural and Forest Meteorology, 2013, 174-175, 135-143.	4.8	38
82	Use of change-point detection for friction–velocity threshold evaluation in eddy-covariance studies. Agricultural and Forest Meteorology, 2013, 171-172, 31-45.	4.8	126
83	Natural land carbon dioxide exchanges in the ECMWF integrated forecasting system: Implementation and offline validation. Journal of Geophysical Research D: Atmospheres, 2013, 118, 5923-5946.	3.3	113
84	Nighttime Flux Correction. , 2012, , 133-157.		31
85	Data Gap Filling. , 2012, , 159-172.		16
86	Database Maintenance, Data Sharing Policy, Collaboration. , 2012, , 399-424.		17
87	Climate and vegetation controls on the surface water balance: Synthesis of evapotranspiration measured across a global network of flux towers. Water Resources Research, 2012, 48, .	4.2	254
88	The role of trace gas flux networks in the biogeosciences. Eos, 2012, 93, 217-218.	0.1	22
89	Geologic carbon sources may confound ecosystem carbon balance estimates: Evidence from a semiarid steppe in the southeast of Spain. Journal of Geophysical Research, 2012, 117, .	3.3	14
90	Correction to "Global patterns of landâ€atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observationsâ€. Journal of Geophysical Research, 2012, 117, .	3.3	5

#	Article	IF	CITATIONS
91	Relative humidity effects on water vapour fluxes measured with closed-path eddy-covariance systems with short sampling lines. Agricultural and Forest Meteorology, 2012, 165, 53-63.	4.8	138
92	State-dependent errors in a land surface model across biomes inferred from eddy covariance observations on multiple timescales. Ecological Modelling, 2012, 246, 11-25.	2.5	18
93	The European land and inland water CO <sub>2</sub> , CO, CH <sub>4</sub> and N <sub>2</sub> O balance between 2001 and 2005. Biogeosciences, 2012, 9, 3357-3380.	3.3	53
94	On the choice of the driving temperature for eddy-covariance carbon dioxide flux partitioning. Biogeosciences, 2012, 9, 5243-5259.	3.3	45
95	Wind as a main driver of the net ecosystem carbon balance of a semiarid <scp>M</scp> editerranean steppe in the <scp>S</scp> outh <scp>E</scp> ast of <scp>S</scp> pain. Global Change Biology, 2012, 18, 539-554.	9.5	49
96	Fertile forests produce biomass more efficiently. Ecology Letters, 2012, 15, 520-526.	6.4	273
97	Assessing and improving the representativeness of monitoring networks: The European flux tower network example. Journal of Geophysical Research, 2011, 116, .	3.3	32
98	Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations. Journal of Geophysical Research, 2011, 116, .	3.3	933
99	Remote sensing of ecosystem light use efficiency with MODIS-based PRI. Biogeosciences, 2011, 8, 189-202.	3.3	64
100	Temporal variability of the NPP-GPP ratio at seasonal and interannual time scales in a temperate beech forest. Biogeosciences, 2011, 8, 2481-2492.	3.3	43
101	Semiempirical modeling of abiotic and biotic factors controlling ecosystem respiration across eddy covariance sites. Global Change Biology, 2011, 17, 390-409.	9.5	128
102	Soil carbon dynamics in a Mediterranean forest during the Kyoto Protocol commitment periods. Regional Environmental Change, 2011, 11, 371-376.	2.9	6
103	Towards a transnational system of supersites for forest monitoring and research in Europe - an overview on present state and future recommendations. IForest, 2011, 4, 167-171.	1.4	23
104	Availability, accessibility, quality and comparability of monitoring data for European forests for use in air pollution and climate change science. IForest, 2011, 4, 162-166.	1.4	28
105	Predicting changes in soil organic carbon in mediterranean and alpine forests during the Kyoto Protocol commitment periods using the CENTURY model. Soil Use and Management, 2010, 26, 475-484.	4.9	29
106	Separation of net ecosystem exchange into assimilation and respiration using a light response curve approach: critical issues and global evaluation. Global Change Biology, 2010, 16, 187-208.	9.5	752
107	The European carbon balance. Part 3: forests. Global Change Biology, 2010, 16, 1429-1450.	9.5	247
108	Identification of vegetation and soil carbon pools out of equilibrium in a process model via eddy covariance and biometric constraints. Global Change Biology, 2010, 16, 2813-2829.	9.5	77

#	Article	IF	CITATIONS
109	Recent decline in the global land evapotranspiration trend due to limited moisture supply. Nature, 2010, 467, 951-954.	27.8	1,771
110	Reduction of forest soil respiration in response to nitrogen deposition. Nature Geoscience, 2010, 3, 315-322.	12.9	1,254
111	Patterns and controls of the variability of radiation use efficiency and primary productivity across terrestrial ecosystems. Global Ecology and Biogeography, 2010, 19, 253-267.	5.8	201
112	Deciphering the components of regional net ecosystem fluxes following a bottom-up approach for the Iberian Peninsula. Biogeosciences, 2010, 7, 3707-3729.	3.3	27
113	On the differential advantages of evergreenness and deciduousness in mediterranean oak woodlands: a flux perspective. Ecological Applications, 2010, 20, 1583-1597.	3.8	109
114	Terrestrial Gross Carbon Dioxide Uptake: Global Distribution and Covariation with Climate. Science, 2010, 329, 834-838.	12.6	2,056
115	Combining remote sensing and ancillary data to monitor the gross productivity of water-limited forest ecosystems. Remote Sensing of Environment, 2009, 113, 657-667.	11.0	98
116	Temporal and amongâ€site variability of inherent water use efficiency at the ecosystem level. Global Biogeochemical Cycles, 2009, 23, .	4.9	422
117	Toward a consistency crossâ€check of eddy covariance flux–based and biometric estimates of ecosystem carbon balance. Global Biogeochemical Cycles, 2009, 23, .	4.9	61
118	Airborne remote sensing in precision viticolture: assessment of quality and quantity vineyard production using multispectral imagery: a case study in Velletri, Rome surroundings (central Italy). , 2009, , .		0
119	Diagnostic assessment of European gross primary production. Global Change Biology, 2008, 14, 2349-2364.	9.5	86
120	Remote estimation of carbon dioxide uptake by a Mediterranean forest. Global Change Biology, 2008, 14, 2860-2867.	9.5	139
121	Implications of the carbon cycle steady state assumption for biogeochemical modeling performance and inverse parameter retrieval. Global Biogeochemical Cycles, 2008, 22, .	4.9	113
122	Statistical properties of random CO2 flux measurement uncertainty inferred from model residuals. Agricultural and Forest Meteorology, 2008, 148, 38-50.	4.8	128
123	Cross-site evaluation of eddy covariance GPP and RE decomposition techniques. Agricultural and Forest Meteorology, 2008, 148, 821-838.	4.8	248
124	Influences of observation errors in eddy flux data on inverse model parameter estimation. Biogeosciences, 2008, 5, 1311-1324.	3.3	112
125	Analyzing the causes and spatial pattern of the European 2003 carbon flux anomaly using seven models. Biogeosciences, 2008, 5, 561-583.	3.3	136
126	Quality control of CarboEurope flux data – Part 1: Coupling footprint analyses with flux data quality assessment to evaluate sites in forest ecosystems. Biogeosciences, 2008, 5, 433-450.	3.3	192

#	Article	IF	CITATIONS
127	ASPIS, A Flexible Multispectral System for Airborne Remote Sensing Environmental Applications. Sensors, 2008, 8, 3240-3256.	3.8	8
128	Determinants of terrestrial ecosystem carbon balance inferred from European eddy covariance flux sites. Geophysical Research Letters, 2007, 34, .	4.0	223
129	Evidence for soil water control on carbon and water dynamics in European forests during the extremely dry year: 2003. Agricultural and Forest Meteorology, 2007, 143, 123-145.	4.8	509
130	Comprehensive comparison of gap-filling techniques for eddy covariance net carbon fluxes. Agricultural and Forest Meteorology, 2007, 147, 209-232.	4.8	744
131	Mean annual GPP of Europe derived from its water balance. Geophysical Research Letters, 2007, 34, .	4.0	104
132	Characterizing ecosystem-atmosphere interactions from short to interannual time scales. Biogeosciences, 2007, 4, 743-758.	3.3	42
133	Carbon balance assessment of a natural steppe of southern Siberia by multiple constraint approach. Biogeosciences, 2007, 4, 581-595.	3.3	32
134	Reduction of ecosystem productivity and respiration during the European summer 2003 climate anomaly: a joint flux tower, remote sensing and modelling analysis. Global Change Biology, 2007, 13, 634-651.	9.5	486
135	Photosynthesis drives anomalies in net carbon-exchange of pine forests at different latitudes. Global Change Biology, 2007, 13, 2110-2127.	9.5	69
136	CO <sub>2</sub> balance of boreal, temperate, and tropical forests derived from a global database. Global Change Biology, 2007, 13, 2509-2537.	9.5	863
137	Towards a standardized processing of Net Ecosystem Exchange measured with eddy covariance technique: algorithms and uncertainty estimation. Biogeosciences, 2006, 3, 571-583.	3.3	1,206
138	On the separation of net ecosystem exchange into assimilation and ecosystem respiration: review and improved algorithm. Global Change Biology, 2005, 11, 1424-1439.	9.5	2,778
139	Europe-wide reduction in primary productivity caused by the heat and drought in 2003. Nature, 2005, 437, 529-533.	27.8	3,245
140	Temperature sensitivity of decomposition in relation to soil organic matter pools: critique and outlook. Biogeosciences, 2005, 2, 317-321.	3.3	110
141	Spatial and temporal assessment of biospheric carbon fluxes at a continental scale by neural-network optimization , 2004, , 203-230.		1
142	A new assessment of European forests carbon exchanges by eddy fluxes and artificial neural network spatialization. Global Change Biology, 2003, 9, 525-535.	9.5	465
143	Net CO2 exchange rates in three different successional stages of the "Dark Taiga" of central Siberia. Tellus, Series B: Chemical and Physical Meteorology, 2002, 54, 642-654.	1.6	44
144	A Multiple Imputation Strategy for Eddy Covariance Data. Journal of Environmental Informatics, 0, , .	6.0	7