

Tomohiro Koga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8175558/publications.pdf>

Version: 2024-02-01

128
papers

2,514
citations

201674

27
h-index

233421

45
g-index

129
all docs

129
docs citations

129
times ranked

3044
citing authors

#	ARTICLE	IF	CITATIONS
1	The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM. <i>Rheumatology</i> , 2012, 51, 1278-1284.	1.9	252
2	CaMK4-dependent activation of AKT/mTOR and CREM- $\hat{\pm}$ underlies autoimmunity-associated Th17 imbalance. <i>Journal of Clinical Investigation</i> , 2014, 124, 2234-2245.	8.2	185
3	IL-2 Protects Lupus-Prone Mice from Multiple End-Organ Damage by Limiting CD4 $\hat{\sim}$ CD8 $\hat{\sim}$ IL-17 $\hat{\epsilon}$ -Producing T Cells. <i>Journal of Immunology</i> , 2014, 193, 2168-2177.	0.8	105
4	Calcium/Calmodulin-Dependent Protein Kinase IV Suppresses IL-2 Production and Regulatory T Cell Activity in Lupus. <i>Journal of Immunology</i> , 2012, 189, 3490-3496.	0.8	91
5	T cells and IL-17 in lupus nephritis. <i>Clinical Immunology</i> , 2017, 185, 95-99.	3.2	89
6	Cutting Edge: Calcium/Calmodulin-Dependent Protein Kinase Type IV Is Essential for Mesangial Cell Proliferation and Lupus Nephritis. <i>Journal of Immunology</i> , 2011, 187, 5500-5504.	0.8	66
7	cAMP Responsive Element Modulator (CREM) $\hat{\pm}$ Mediates Chromatin Remodeling of CD8 during the Generation of CD3+CD4 $\hat{\sim}$ CD8 $\hat{\sim}$ T Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 2361-2370.	3.4	66
8	ICER is requisite for Th17 differentiation. <i>Nature Communications</i> , 2016, 7, 12993.	12.8	64
9	Familial Mediterranean fever is no longer a rare disease in Japan. <i>Arthritis Research and Therapy</i> , 2016, 18, 175.	3.5	63
10	KN-93, an inhibitor of calcium/calmodulin-dependent protein kinase IV, promotes generation and function of Foxp3 ⁺ regulatory T cells in MRL/lpr mice. <i>Autoimmunity</i> , 2014, 47, 445-450.	2.6	60
11	cAMP-responsive Element Modulator $\hat{\pm}$ (CREM $\hat{\pm}$) trans-Represses the Transmembrane Glycoprotein CD8 and Contributes to the Generation of CD3+CD4 $\hat{\sim}$ CD8 $\hat{\sim}$ T Cells in Health and Disease. <i>Journal of Biological Chemistry</i> , 2013, 288, 31880-31887.	3.4	53
12	Cutting Edge: Nanogel-Based Delivery of an Inhibitor of CaMK4 to CD4+ T Cells Suppresses Experimental Autoimmune Encephalomyelitis and Lupus-like Disease in Mice. <i>Journal of Immunology</i> , 2015, 195, 5533-5537.	0.8	53
13	Serum amyloid A $\hat{\epsilon}$ -induced IL $\hat{\epsilon}$ 6 production by rheumatoid synoviocytes. <i>FEBS Letters</i> , 2008, 582, 579-585.	2.8	51
14	Lupus Nephritis IgG Induction of Calcium/Calmodulin $\hat{\epsilon}$ Dependent Protein Kinase IV Expression in Podocytes and Alteration of Their Function. <i>Arthritis and Rheumatology</i> , 2016, 68, 944-952.	5.6	50
15	Multiple Serum Cytokine Profiling to Identify Combinational Diagnostic Biomarkers in Attacks of Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2016, 95, e3449.	1.0	48
16	The Role of Interleukin-6 in Castleman Disease. <i>Hematology/Oncology Clinics of North America</i> , 2018, 32, 23-36.	2.2	43
17	Tofacitinib inhibits granulocyte $\hat{\epsilon}$ macrophage colony-stimulating factor-induced NLRP3 inflammasome activation in human neutrophils. <i>Arthritis Research and Therapy</i> , 2018, 20, 196.	3.5	43
18	Calcium/Calmodulin $\hat{\epsilon}$ Dependent Kinase IV Facilitates the Recruitment of Interleukin $\hat{\epsilon}$ 17 $\hat{\epsilon}$ -Producing Cells to Target Organs Through the CCR6/CCL20 Axis in Th17 Cell $\hat{\epsilon}$ -Driven Inflammatory Diseases. <i>Arthritis and Rheumatology</i> , 2016, 68, 1981-1988.	5.6	41

#	ARTICLE	IF	CITATIONS
19	Promotion of Calcium/Calmodulinâ€Dependent Protein Kinase 4 by GLUT1â€Dependent Glycolysis in Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019, 71, 766-772.	5.6	41
20	The role of IL-17 in systemic lupus erythematosus and its potential as a therapeutic target. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 629-637.	3.0	39
21	Tentative diagnostic criteria and disease severity classification for Castleman disease: A report of the research group on Castleman disease in Japan. <i>Modern Rheumatology</i> , 2018, 28, 161-167.	1.8	36
22	Influence of Janus Kinase Inhibition on Interleukin 6-mediated Induction of Acute-phase Serum Amyloid A in Rheumatoid Synovium. <i>Journal of Rheumatology</i> , 2011, 38, 2309-2317.	2.0	35
23	Antineutrophilic cytoplasmic antibody-associated vasculitis with hypocomplementemia has a higher incidence of serious organ damage and a poor prognosis. <i>Medicine (United States)</i> , 2016, 95, e4871.	1.0	34
24	Familial Mediterranean fever: overview of pathogenesis, clinical features and management. <i>Immunological Medicine</i> , 2018, 41, 55-61.	2.6	33
25	Clinical significance of myositis-specific autoantibody profiles in Japanese patients with polymyositis/dermatomyositis. <i>Medicine (United States)</i> , 2019, 98, e15578.	1.0	33
26	MicroRNA-204-3p inhibits lipopolysaccharide-induced cytokines in familial Mediterranean fever via the phosphoinositide 3-kinase Î³ pathway. <i>Rheumatology</i> , 2018, 57, 718-726.	1.9	30
27	ILâ€15 is a biomarker involved in the development of rapidly progressive interstitial lung disease complicated with polymyositis/dermatomyositis. <i>Journal of Internal Medicine</i> , 2021, 289, 206-220.	6.0	30
28	Biologic therapy in familial Mediterranean fever. <i>Modern Rheumatology</i> , 2016, 26, 637-641.	1.8	28
29	Current Insights and Future Prospects for Targeting IL-17 to Treat Patients With Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2020, 11, 624971.	4.8	26
30	Effects of HLA-DRB1 alleles on susceptibility and clinical manifestations in Japanese patients with adult onset Stillâ€™s disease. <i>Arthritis Research and Therapy</i> , 2017, 19, 199.	3.5	25
31	The role of CaMK4 in immune responses. <i>Modern Rheumatology</i> , 2018, 28, 211-214.	1.8	24
32	Anti-citrullinated peptide antibodies are the strongest predictor of clinically relevant radiographic progression in rheumatoid arthritis patients achieving remission or low disease activity: A post hoc analysis of a nationwide cohort in Japan. <i>PLoS ONE</i> , 2017, 12, e0175281.	2.5	24
33	Serum amyloid A protein stimulates CCL20 production in rheumatoid synoviocytes. <i>Rheumatology</i> , 2009, 48, 741-747.	1.9	23
34	Successful treatment of palmoplantar pustulosis with rheumatoid arthritis, with tofacitinib: Impact of this JAK inhibitor on T-cell differentiation. <i>Clinical Immunology</i> , 2016, 173, 147-148.	3.2	23
35	Novel anti-suprabasin antibodies may contribute to the pathogenesis of neuropsychiatric systemic lupus erythematosus. <i>Clinical Immunology</i> , 2018, 193, 123-130.	3.2	23
36	Current insights and future prospects for the pathogenesis and treatment for rheumatoid arthritis. <i>Clinical Immunology</i> , 2021, 225, 108680.	3.2	23

#	ARTICLE	IF	CITATIONS
37	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. <i>Modern Rheumatology</i> , 2013, 23, 190-194.	1.8	21
38	Ultrasonographic Efficacy of Biologic and Targeted Synthetic Disease-Modifying Antirheumatic Drug Therapy in Rheumatoid Arthritis From a Multicenter Rheumatoid Arthritis Ultrasound Prospective Cohort in Japan. <i>Arthritis Care and Research</i> , 2018, 70, 1719-1726.	3.4	21
39	Interleukin-18 and fibroblast growth factor 2 in combination is a useful diagnostic biomarker to distinguish adult-onset Still's disease from sepsis. <i>Arthritis Research and Therapy</i> , 2020, 22, 108.	3.5	20
40	Anti-MDA5 Antibody-positive Dermatomyositis Complicated by Autoimmune-associated Hemophagocytic Syndrome That Was Successfully Treated with Immunosuppressive Therapy and Plasmapheresis. <i>Internal Medicine</i> , 2018, 57, 3473-3478.	0.7	19
41	Musculoskeletal manifestations occur predominantly in patients with later-onset familial Mediterranean fever: Data from a multicenter, prospective national cohort study in Japan. <i>Arthritis Research and Therapy</i> , 2018, 20, 257.	3.5	18
42	Renal thrombotic microangiopathies/thrombotic thrombocytopenic purpura in a patient with primary Sjögren's syndrome complicated with IgM monoclonal gammopathy of undetermined significance. <i>Rheumatology International</i> , 2013, 33, 227-230.	3.0	16
43	Combination of MRI-detected bone marrow oedema with 2010 rheumatoid arthritis classification criteria improves the diagnostic probability of early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2219-2220.	0.9	16
44	Serum amyloid A1 (SAA1) gene polymorphisms in Japanese patients with adult-onset Still's disease. <i>Medicine (United States)</i> , 2018, 97, e13394.	1.0	16
45	Effect of a gonadotropin-releasing hormone analog for ovarian function preservation after intravenous cyclophosphamide therapy in systemic lupus erythematosus patients: a retrospective inception cohort study. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1287-1292.	1.9	16
46	Generation and characterization of antagonistic anti-human interleukin (IL)-18 monoclonal antibodies with high affinity: Two types of monoclonal antibodies against full-length IL-18 and the neoepitope of inflammatory caspase-cleaved active IL-18. <i>Archives of Biochemistry and Biophysics</i> , 2019, 663, 71-82.	3.0	16
47	Association between serum bone biomarker levels and therapeutic response to abatacept in patients with rheumatoid arthritis (RA): a multicenter, prospective, and observational RA ultrasound cohort study in Japan. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 506.	1.9	16
48	Magnetic Resonance Imaging Bone Edema at Enrollment Predicts Rapid Radiographic Progression in Patients with Early RA: Results from the Nagasaki University Early Arthritis Cohort. <i>Journal of Rheumatology</i> , 2016, 43, 1278-1284.	2.0	14
49	A benefit and the prospects of IL-6 inhibitors in idiopathic multicentric Castleman's disease. <i>Modern Rheumatology</i> , 2019, 29, 302-305.	1.8	14
50	Post-transcriptional regulation of IL-6 production by Zc3h12a in fibroblast-like synovial cells. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 906-12.	0.8	14
51	Prognostic Factors Toward Clinically Relevant Radiographic Progression in Patients With Rheumatoid Arthritis in Clinical Practice. <i>Medicine (United States)</i> , 2016, 95, e3476.	1.0	13
52	Serum cytokine profiles and Mac-2 binding protein glycosylation isomer (M2BPGi) level in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2018, 97, e13450.	1.0	13
53	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 94-102.	0.9	13
54	Galectin-9 in autoimmune hepatitis. <i>Medicine (United States)</i> , 2019, 98, e16924.	1.0	11

#	ARTICLE	IF	CITATIONS
55	Efficacy of tofacitinib for slowly progressive interstitial lung disease in a patient with anti-MDA5 antibody-positive dermatomyositis. <i>Clinical Immunology</i> , 2020, 215, 108451.	3.2	11
56	Podocyte foot process width is a prediction marker for complete renal response at 6 and 12 months after induction therapy in lupus nephritis. <i>Clinical Immunology</i> , 2018, 197, 161-168.	3.2	10
57	Serial analysis of cytokine and chemokine profiles and viral load in severe fever with thrombocytopenia syndrome. <i>Medicine (United States)</i> , 2019, 98, e17571.	1.0	10
58	Anti-citrullinated protein antibody titre as a predictor of abatacept treatment persistence in patients with rheumatoid arthritis: a prospective cohort study in Japan. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 13-17.	1.1	10
59	An open-label continuation trial of tocilizumab for familial Mediterranean fever with colchicine ineffective or intolerance. <i>Medicine (United States)</i> , 2020, 99, e18328.	1.0	10
60	CD4+ CD52lo T-cell expression contributes to the development of systemic lupus erythematosus. <i>Clinical Immunology</i> , 2018, 187, 50-57.	3.2	9
61	Antineutrophilic cytoplasmic antibody-associated vasculitis with and without renal involvement: C3 contributes to prognosis, but renal involvement does not. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 789-796.	1.9	9
62	Differences in musculoskeletal ultrasound findings between RS3PE syndrome and elderly-onset rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2020, 39, 1981-1988.	2.2	9
63	Methotrexate Alters the Expression of microRNA in Fibroblast-like Synovial Cells in Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11561.	4.1	9
64	Comparison of the efficacy and safety of tocilizumab for colchicine-resistant or colchicine-intolerant familial Mediterranean fever: study protocol for an investigator-initiated, multicenter, randomized, double-blind, placebo-controlled trial. <i>Trials</i> , 2018, 19, 715.	1.6	8
65	Juvenile onset autoinflammatory disease due to a novel mutation in TNFAIP3 (A20). <i>Arthritis Research and Therapy</i> , 2018, 20, 274.	3.5	8
66	Idiopathic multicentric Castleman disease with novel heterozygous Ile729Met mutation in exon 10 of familial Mediterranean fever gene. <i>Rheumatology</i> , 2021, 60, 445-450.	1.9	8
67	Candidate biomarkers for idiopathic multicentric Castleman disease. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2022, 62, 85-90.	0.8	8
68	Rituximab-induced Acute Thrombocytopenia in Granulomatosis with Polyangiitis. <i>Internal Medicine</i> , 2018, 57, 2247-2250.	0.7	7
69	Combination of ultrasound power Doppler-verified synovitis and seropositivity accurately identifies patients with early-stage rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 842-851.	1.9	7
70	Mediterranean fever gene variants modify clinical phenotypes of idiopathic multicentric Castleman disease. <i>Clinical and Experimental Immunology</i> , 2021, 206, 91-98.	2.6	7
71	A case of primary Sjögren's syndrome complicated with inflammatory myopathy and interstitial lung disease. <i>Rheumatology International</i> , 2012, 32, 3647-3649.	3.0	6
72	Synovitis of sternoclavicular and peripheral joints can be detected by ultrasound in patients with SAPHO syndrome. <i>Modern Rheumatology</i> , 2017, 27, 881-885.	1.8	6

#	ARTICLE	IF	CITATIONS
73	Diagnosis and treatment of autoinflammatory diseases in adults: a clinical approach from rheumatologists. <i>Immunological Medicine</i> , 2018, 41, 177-180.	2.6	6
74	Efficacy of infliximab as a switched biologic in rheumatoid arthritis patients in daily clinical practice. <i>Immunological Medicine</i> , 2018, 41, 181-186.	2.6	6
75	HLA-DQB1 DPB1 alleles in Japanese patients with adult-onset Still's disease. <i>Modern Rheumatology</i> , 2019, 29, 843-847.	1.8	6
76	Rheumatoid arthritis-like active synovitis with T-cell activation in a case of idiopathic multicentric Castleman disease. <i>Medicine (United States)</i> , 2019, 98, e15237.	1.0	6
77	Randomized, double-blind, placebo-controlled, parallel-group trial of sirolimus for tocilizumab-resistant idiopathic multicentric Castleman disease. <i>Medicine (United States)</i> , 2020, 99, e20710.	1.0	6
78	Fluorescence optical imaging in patients with active rheumatoid arthritis: a comparison with ultrasound and an association with biomarkers. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 95-103.	1.1	6
79	Soluble urokinase plasminogen activator receptor as a useful biomarker to predict the response to adalimumab in patients with rheumatoid arthritis in a Japanese population. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 811-5.	0.8	6
80	Histological improvement in salivary gland along with effector memory Th17-1 cell reduction in a primary Sjogren's syndrome patient with dermatomyositis and diffuse large B-cell lymphoma by R-CHOP therapy. <i>Clinical Immunology</i> , 2016, 165, 35-37.	3.2	5
81	Successful hydroxychloroquine treatment for familial Mediterranean fever in a Japanese patient with concurrent systemic lupus erythematosus. <i>Rheumatology</i> , 2020, 59, 903-905.	1.9	5
82	Successful canakinumab treatment for activated innate response in idiopathic Castleman's disease with multiple heterozygous MEFV exon 2 variants. <i>Clinical Immunology</i> , 2020, 219, 108547.	3.2	5
83	Inhibition of calcium/calmodulin-dependent protein kinase IV in arthritis: dual effect on Th17 cell activation and osteoclastogenesis. <i>Rheumatology</i> , 2023, 62, 861-871.	1.9	5
84	Comparison of serum inflammatory cytokine concentrations in familial Mediterranean fever and rheumatoid arthritis patients. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 331-333.	1.1	4
85	Effect of abatacept treatment on serum osteoclast-related biomarkers in patients with rheumatoid arthritis (RA). <i>Medicine (United States)</i> , 2021, 100, e26592.	1.0	4
86	Efficacy and safety of canakinumab for colchicine-resistant or colchicine-intolerant familial Mediterranean fever: A single-centre observational study. <i>Modern Rheumatology</i> , 2022, 32, 797-802.	1.8	4
87	Sweet's Syndrome Complicated by Kikuchi's Disease and Hemophagocytic Syndrome which Presented with Retinoic Acid-inducible Gene-1 in both the Skin Epidermal Basal Layer and the Cervical Lymph Nodes. <i>Internal Medicine</i> , 2013, 52, 1839-1843.	0.7	3
88	Subclinical inflammation in a case of menstruation-induced familial Mediterranean fever. <i>Medicine (United States)</i> , 2018, 97, e12305.	1.0	3
89	Atypical Familial Mediterranean Fever Complicated with Gastrointestinal Amyloidosis Diagnosed due to Paroxysmal Arthralgia and Intractable Diarrhea, Successfully Treated with Tocilizumab. <i>Internal Medicine</i> , 2019, 58, 1781-1785.	0.7	3
90	Novel multiple heterozygous NUDT15 variants cause an azathioprine-induced severe leukopenia in a patient with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 200, 64-65.	3.2	3

#	ARTICLE	IF	CITATIONS
91	Paediatric-onset haploinsufficiency of A20 associated with a novel and de novo nonsense TNFAIP3 mutation. <i>Rheumatology</i> , 2020, 59, e85-e87.	1.9	3
92	Genetic and clinical characteristics associated with efficacy and retention rates of colchicine in Japanese patients with familial Mediterranean fever: A single-center observational study. <i>Modern Rheumatology</i> , 2021, 31, 762-763.	1.8	3
93	Contributing factors of clinical outcomes at 1 year post-diagnosis in early rheumatoid arthritis patients with tightly controlled disease activity in clinical practice: a retrospective study. <i>Modern Rheumatology</i> , 2021, 31, 343-349.	1.8	3
94	Systemic lupus erythematosus overlapping dermatomyositis owing to a heterozygous TREX1 Asp130Asn missense mutation. <i>Clinical Immunology</i> , 2021, 227, 108732.	3.2	3
95	A case of tocilizumab-refractory idiopathic multicentric Castleman's disease successfully treated with sirolimus. <i>Clinical Immunology</i> , 2021, 233, 108887.	3.2	3
96	Successful treatment of sepsis-induced disseminated intravascular coagulation in a patient with idiopathic thrombocytopenic purpura using recombinant human soluble thrombomodulin. <i>Rheumatology International</i> , 2011, 31, 1657-1659.	3.0	2
97	Coexistence of Mixed Connective Tissue Disease and Familial Mediterranean Fever in a Japanese Patient. <i>Internal Medicine</i> , 2019, 58, 2235-2240.	0.7	2
98	A case of neutrophilic dermatosis with <i>MEFV</i> gene variant and abnormal activation of peripheral blood monocytes: a case report. <i>Immunological Medicine</i> , 2019, 42, 45-49.	2.6	2
99	Comparison of complications during 1-year follow-up between remitting seronegative symmetrical synovitis with pitting edema syndrome and elderly-onset rheumatoid arthritis. <i>Immunological Medicine</i> , 2022, , 1-7.	2.6	2
100	Generation of antagonistic monoclonal antibodies against the neoepitope of active mouse interleukin (IL)-18 cleaved by inflammatory caspases. <i>Archives of Biochemistry and Biophysics</i> , 2022, 727, 109322.	3.0	2
101	Contribution of an adenine to guanine single nucleotide polymorphism of the matrix metalloproteinase-13 (MMP-13) $\hat{\sim}$ 77 promoter region to the production of anticyclic citrullinated peptide antibodies in patients with HLA-DRB1*shared epitope-negative rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 240-243.	1.8	1
102	Familial Mediterranean fever complicated with refractory asthma: Successful treatment with colchicine. <i>Modern Rheumatology</i> , 2017, 27, 182-183.	1.8	1
103	Evaluation of circulating invariant T cells before and after IL-17 inhibitor treatment in a patient with psoriatic arthritis. <i>Clinical Immunology</i> , 2018, 197, 107-109.	3.2	1
104	A case of familial Mediterranean fever triggered by acute adrenal insufficiency due to an abrupt withdrawal of corticosteroids. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 221-224.	0.7	1
105	Cutaneous polyarteritis nodosa with necrotising vasculitis in the fascia. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 195-198.	0.7	1
106	The potential role of CD4+CD52lo T-cell populations in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 200, 35-36.	3.2	1
107	Reduction in the percentage of circulating variable delta $\hat{\sim}$ AT cells in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2020, 220, 108577.	3.2	1
108	Large deletion in 6q containing the TNFAIP3 gene associated with autoimmune lymphoproliferative syndrome. <i>Clinical Immunology</i> , 2022, 235, 108853.	3.2	1

#	ARTICLE	IF	CITATIONS
109	Tissue resident cell processes determine organ damage in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2022, 234, 108919.	3.2	1
110	Atypical phenotype without fever in a Japanese family with an autosomal dominant transmission of familial Mediterranean fever due to heterozygous MEFV Thr577Asn mutations. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 161-162.	0.8	1
111	The possession of exon 2 or exon 3 variants in the MEFV gene promotes inflammasome activation in Japanese patients with familial Mediterranean fever with a heterozygous exon 10 mutation. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 127, 49-52.	0.8	1
112	THU0057â€¦Kn-93, an Inhibitor of Calcium/Calmodulin-Dependent Protein Kinase I ν , Promotes Generation and Function of Foxp3+ Regulatory T Cells in Mrl/Lpr Mice. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 195.3-196.	0.9	0
113	FRI0018â€¦CAMK4 Inhibition Prevents Recruitment of IL-17 Producing Cells to Target Organs Through CCR6/CCL20 Axis in TH17 Driven Inflammatory Diseases. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 425.1-425.	0.9	0
114	SAT0088â€¦Prognostic Factors Toward Rapid Radiographic Progression in Patients with Rheumatoid Arthritis in Clinical Practice: A Japanese Multicenter, Prospective Longitudinal Cohort Study for Achieving Treat to Target Strategy. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 680.2-680.	0.9	0
115	AB0180â€¦The Role of Immune Regulation of CD4+CD52High T Cells in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 951.1-951.	0.9	0
116	SAT0533â€¦Early Diagnosis is Associated with the Less Flair in Patients with Remitting Seronegative Symmetrical Synovitis with Pitting Edema (RS3PE) Syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 853.1-853.	0.9	0
117	A case of TAFRO syndrome successfully treated with cyclosporin A and tocilizumab. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 209-213.	0.7	0
118	AB0172â€¦EXPRESSION OF SLAMF6 AND ITS FUNCTIONAL SIGNIFICANCE IN PODOCYTES OF LUPUS NEPHRITIS. , 2019, , .		0
119	Comment on: Successful hydroxychloroquine treatment for familial Mediterranean fever in a Japanese patient with concurrent systemic lupus erythematosus: reply. <i>Rheumatology</i> , 2020, 59, e156-e157.	1.9	0
120	Successful Strategies to Recruit Patients with Familial Mediterranean Fever for a Multicenter Clinical Trial. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 2021, 52, 3-7.	0.1	0
121	Granulocyte-macrophage colony-stimulating factor and tumor necrosis factor- β in combination is a useful diagnostic biomarker to distinguish familial Mediterranean fever from sepsis. <i>Arthritis Research and Therapy</i> , 2021, 23, 260.	3.5	0
122	FRI0027â€¦MRI-Proven Bone Marrow Oedema at Baseline is the Strongest Predictor Toward the Development of Rapid Radiographic Progression at 1 Year in Patients with Early-Stage Rheumatoid Arthritis: Results from Nagasaki University Early Arthritis Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 428.1-428.	0.9	0
123	SAT0589â€¦Musculoskeletal manifestations occur predominantly in patients with older onset familial mediterranean fever. , 2018, , .		0
124	9. Familial Mediterranean Fever - Diagnosis and Clinical Management -. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 1918-1925.	0.0	0
125	Lung consolidation and mediastinal lymphadenopathy in patients with early anti-citrullinated protein antibody-positive rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 517-518.	0.8	0
126	Late-onset protracted febrile myalgia syndrome successfully treated with colchicine owing to heterozygous MEFV exon 2 variants. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 166.	0.8	0

#	ARTICLE	IF	CITATIONS
127	Rheumatoid arthritis patients with low baseline Health Assessment Questionnaire scores have a risk of functional disability progression: a post hoc analysis of a nationwide longitudinal cohort in Japan. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1096-1101.	0.8	0
128	Next-generation sequencing of the whole MEFV gene in Japanese patients with familial Mediterranean fever: a case-control association study. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 127, 35-41.	0.8	0