

Carsten Bcker Pedersen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8175760/carsten-bocker-pedersen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

192
papers

19,361
citations

60
h-index

137
g-index

201
ext. papers

25,247
ext. citations

10.1
avg, IF

7.13
L-index

#	Paper	IF	Citations
192	The Danish Civil Registration System. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 22-5	3	2476
191	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
190	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75	36.3	826
189	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018 , 50, 381-389	36.3	787
188	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019 , 51, 431-444	36.3	746
187	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
186	Effects of family history and place and season of birth on the risk of schizophrenia. <i>New England Journal of Medicine</i> , 1999 , 340, 603-8	59.2	624
185	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020 , 180, 568-584.e23	56.2	578
184	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , 2018 , 359, 693-697	33.3	547
183	The Danish Civil Registration System. A cohort of eight million persons. <i>Danish Medical Bulletin</i> , 2006 , 53, 441-9		545
182	New parents and mental disorders: a population-based register study. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 2582-9	27.4	447
181	Absolute risk of suicide after first hospital contact in mental disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 1058-64		425
180	Evidence of a dose-response relationship between urbanicity during upbringing and schizophrenia risk. <i>Archives of General Psychiatry</i> , 2001 , 58, 1039-46		411
179	A comprehensive nationwide study of the incidence rate and lifetime risk for treated mental disorders. <i>JAMA Psychiatry</i> , 2014 , 71, 573-81	14.5	313
178	Neonatal vitamin D status and risk of schizophrenia: a population-based case-control study. <i>Archives of General Psychiatry</i> , 2010 , 67, 889-94		272
177	Meta-analysis of the association of urbanicity with schizophrenia. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1118-23		265
176	Long-term risk of epilepsy after traumatic brain injury in children and young adults: a population-based cohort study. <i>Lancet, The</i> , 2009 , 373, 1105-10	40	242

175	Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005 , 46, 963-71	7.9	236
174	Residential green space in childhood is associated with lower risk of psychiatric disorders from adolescence into adulthood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 5188-5193	11.5	233
173	Risks and predictors of readmission for a mental disorder during the postpartum period. <i>Archives of General Psychiatry</i> , 2009 , 66, 189-95		202
172	Individual and familial risk factors for bipolar affective disorders in Denmark. <i>Archives of General Psychiatry</i> , 2003 , 60, 1209-15		198
171	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
170	Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. <i>Archives of General Psychiatry</i> , 2010 , 67, 822-9		186
169	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia: A Danish Population-Based Study and Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 635-41	14.5	177
168	Thimerosal and the occurrence of autism: negative ecological evidence from Danish population-based data. <i>Pediatrics</i> , 2003 , 112, 604-6	7.4	171
167	Prevalence and incidence of precocious pubertal development in Denmark: an epidemiologic study based on national registries. <i>Pediatrics</i> , 2005 , 116, 1323-8	7.4	169
166	A comprehensive assessment of parental age and psychiatric disorders. <i>JAMA Psychiatry</i> , 2014 , 71, 301-9	14.5	152
165	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019 , 394, 1827-1835	40	147
164	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010 , 15, 119-21	15.1	147
163	The iPSYCH2012 case-cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 6-14	15.1	140
162	Family history, place and season of birth as risk factors for schizophrenia in Denmark: a replication and reanalysis. <i>British Journal of Psychiatry</i> , 2001 , 179, 46-52	5.4	138
161	Migration as a risk factor for schizophrenia: a Danish population-based cohort study. <i>British Journal of Psychiatry</i> , 2003 , 182, 117-22	5.4	136
160	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014 , 19, 325-33	15.1	133
159	Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. <i>American Journal of Psychiatry</i> , 2004 , 161, 2312-4	11.9	130
158	Increased risk of precocious puberty in internationally adopted children in Denmark. <i>Pediatrics</i> , 2006 , 118, e391-9	7.4	127

157	Risk factors for parvovirus B19 infection in pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1099-105	27.4	126
156	Incidence and prevalence of epilepsy in Denmark. <i>Epilepsy Research</i> , 2007 , 76, 60-5	3	123
155	Nitrate in drinking water and colorectal cancer risk: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , 2018 , 143, 73-79	7.5	121
154	Exposure to prenatal and childhood infections and the risk of schizophrenia: suggestions from a study of sibship characteristics and influenza prevalence. <i>Archives of General Psychiatry</i> , 1999 , 56, 993-8		117
153	Psychiatric family history and schizophrenia risk in Denmark: which mental disorders are relevant?. <i>Psychological Medicine</i> , 2010 , 40, 201-10	6.9	112
152	Paternal and maternal age as risk factors for psychosis: findings from Denmark, Sweden and Australia. <i>Schizophrenia Research</i> , 2004 , 67, 227-36	3.6	112
151	Nationwide prevalence of groin hernia repair. <i>PLoS ONE</i> , 2013 , 8, e54367	3.7	112
150	Full spectrum of psychiatric disorders related to foreign migration: a Danish population-based cohort study. <i>JAMA Psychiatry</i> , 2013 , 70, 427-35	14.5	109
149	Induced first-trimester abortion and risk of mental disorder. <i>New England Journal of Medicine</i> , 2011 , 364, 332-9	59.2	104
148	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731	59.2	103
147	Paternal age at birth of first child and risk of schizophrenia. <i>American Journal of Psychiatry</i> , 2011 , 168, 82-8	11.9	103
146	Incidence Rates and Cumulative Incidences of the Full Spectrum of Diagnosed Mental Disorders in Childhood and Adolescence. <i>JAMA Psychiatry</i> , 2020 , 77, 155-164	14.5	94
145	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019 , 22, 353-361	25.5	93
144	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007 , 37, 479-84	6.9	93
143	The long-term risk of epilepsy after febrile seizures in susceptible subgroups. <i>American Journal of Epidemiology</i> , 2007 , 165, 911-8	3.8	85
142	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , 2010 , 122, 257-63	3.6	84
141	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
140	Bipolar disorder, schizoaffective disorder, and schizophrenia overlap: a new comorbidity index. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1432-8	4.6	82

139	Air pollution from traffic and schizophrenia risk. <i>Schizophrenia Research</i> , 2004 , 66, 83-5	3.6	73
138	Urban-rural differences in incidence rates of psychiatric disorders in Denmark. <i>British Journal of Psychiatry</i> , 2016 , 208, 435-40	5.4	72
137	Toxoplasma infection and later development of schizophrenia in mothers. <i>American Journal of Psychiatry</i> , 2011 , 168, 814-21	11.9	69
136	Environmental pollution is associated with increased risk of psychiatric disorders in the US and Denmark. <i>PLoS Biology</i> , 2019 , 17, e3000353	9.7	68
135	The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. <i>Psychological Medicine</i> , 2004 , 34, 1339-46	6.9	67
134	Are the cause(s) responsible for urban-rural differences in schizophrenia risk rooted in families or in individuals?. <i>American Journal of Epidemiology</i> , 2006 , 163, 971-8	3.8	64
133	Large-scale study of Toxoplasma and Cytomegalovirus shows an association between infection and serious psychiatric disorders. <i>Brain, Behavior, and Immunity</i> , 2019 , 79, 152-158	16.6	63
132	Gestational age, birth weight, intrauterine growth, and the risk of epilepsy. <i>American Journal of Epidemiology</i> , 2008 , 167, 262-70	3.8	58
131	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
130	Death in children with febrile seizures: a population-based cohort study. <i>Lancet, The</i> , 2008 , 372, 457-63	4.0	55
129	Familial predisposition for psychiatric disorder: comparison of subjects treated for cannabis-induced psychosis and schizophrenia. <i>Archives of General Psychiatry</i> , 2008 , 65, 1269-74		53
128	Apgar scores and long-term risk of epilepsy. <i>Epidemiology</i> , 2006 , 17, 296-301	3.1	53
127	Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication: A Danish Nationwide, Register-Based Study. <i>JAMA Psychiatry</i> , 2017 , 74, 282-290	14.5	52
126	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 963-70	1.3	52
125	Risk of schizophrenia in second-generation immigrants: a Danish population-based cohort study. <i>Psychological Medicine</i> , 2007 , 37, 485-94	6.9	52
124	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019 , 76, 516-525	14.5	51
123	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004 , 70, 49-56	3.6	50
122	The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , 2018 , 8, 17692	4.9	49

121	Frequent change of residence and risk of attempted and completed suicide among children and adolescents. <i>Archives of General Psychiatry</i> , 2009 , 66, 628-32		48
120	A population-based study of the risk of schizophrenia and bipolar disorder associated with parent-child separation during development. <i>Psychological Medicine</i> , 2015 , 45, 2825-37	6.9	47
119	Urbanicity and autism spectrum disorders. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 394-404	4.0	45
118	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , 2016 , 21, 969-74	15.1	44
117	Neonatal antibodies to infectious agents and risk of bipolar disorder: a population-based case-control study. <i>Bipolar Disorders</i> , 2011 , 13, 624-9	3.8	40
116	Association of GRIN1 and GRIN2A-D with schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 913-22	3.5	39
115	Association between prepartum maternal iron deficiency and offspring risk of schizophrenia: population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , 2011 , 37, 982-7	1.3	37
114	Urbanicity during upbringing and bipolar affective disorders in Denmark. <i>Bipolar Disorders</i> , 2006 , 8, 242-7	3.8	37
113	No evidence of time trends in the urban-rural differences in schizophrenia risk among five million people born in Denmark from 1910 to 1986. <i>Psychological Medicine</i> , 2006 , 36, 211-9	6.9	36
112	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , 2018 , 75, 689-696	14.5	35
111	Childhood exposure to green space - A novel risk-decreasing mechanism for schizophrenia?. <i>Schizophrenia Research</i> , 2018 , 199, 142-148	3.6	34
110	Childhood residential mobility, schizophrenia, and bipolar disorder: a population-based study in Denmark. <i>Schizophrenia Bulletin</i> , 2015 , 41, 346-54	1.3	33
109	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV</i> , 2015 , 2, e344-50	7.8	33
108	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1015-1022	14.5	33
107	Traumatic Stress Disorders and Risk of Subsequent Schizophrenia Spectrum Disorder or Bipolar Disorder: A Nationwide Cohort Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 180-186	1.3	32
106	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , 2019 , 6, 582-589	23.3	31
105	Association of Mental Disorder in Childhood and Adolescence With Subsequent Educational Achievement. <i>JAMA Psychiatry</i> , 2020 , 77, 797-805	14.5	31
104	Urbanization and traffic related exposures as risk factors for schizophrenia. <i>BMC Psychiatry</i> , 2006 , 6, 2	4.2	31

103	Febrile seizures and risk of schizophrenia. <i>Schizophrenia Research</i> , 2005 , 73, 343-9	3.6	29
102	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016 , 78, 57-64	5.2	29
101	Ethnic density, urbanicity and psychosis risk for migrant groups - A population cohort study. <i>Schizophrenia Research</i> , 2017 , 190, 82-87	3.6	28
100	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: a Danish national birth cohort-based study. <i>Schizophrenia Research</i> , 2012 , 134, 246-252	3.6	28
99	Somatic diseases and conditions before the first diagnosis of schizophrenia: a nationwide population-based cohort study in more than 900 000 individuals. <i>Schizophrenia Bulletin</i> , 2015 , 41, 513-21	1.3	27
98	The prevalence of umbilical and epigastric hernia repair: a nationwide epidemiologic study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2015 , 19, 815-9	3.2	26
97	The Association between Residential Green Space in Childhood and Development of Attention Deficit Hyperactivity Disorder: A Population-Based Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 127011	8.4	26
96	Population impact of familial and environmental risk factors for schizophrenia: a nationwide study. <i>Schizophrenia Research</i> , 2014 , 153, 214-9	3.6	26
95	First-time first-trimester induced abortion and risk of readmission to a psychiatric hospital in women with a history of treated mental disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 159-65		26
94	Nature and prevalence of combinations of mental disorders and their association with excess mortality in a population-based cohort study. <i>World Psychiatry</i> , 2020 , 19, 339-349	14.4	26
93	The association between early-onset schizophrenia with employment, income, education, and cohabitation status: nationwide study with 35 years of follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1343-1351	4.5	25
92	Long-term mortality in children and young adults with epilepsy--A population-based cohort study. <i>Epilepsy Research</i> , 2015 , 114, 81-8	3	25
91	Fetal growth and schizophrenia: a nested case-control and case-sibling study. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1337-42	1.3	25
90	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017 , 74, 485-492	14.5	24
89	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health</i> , 2020 , 4, e64-e73	9.8	23
88	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e153	5.1	23
87	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , 2017 , 2, e314-e322	22.4	22
86	Gender-age interaction in incidence rates of childhood emotional disorders. <i>Psychological Medicine</i> , 2015 , 45, 829-39	6.9	22

85	Air pollution and family related determinants of asthma onset and persistent wheezing in children: nationwide case-control study. <i>BMJ, The</i> , 2020 , 370, m2791	5.9	21
84	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health, The</i> , 2018 , 3, e498-e507	22.4	21
83	Parvovirus B19 infection in the first trimester of pregnancy and risk of fetal loss: a population-based case-control study. <i>American Journal of Epidemiology</i> , 2012 , 176, 803-7	3.8	20
82	Family and partner psychopathology and the risk of postpartum mental disorders. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1947-53	4.6	20
81	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016 , 51, 291-300	6.1	20
80	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1251-61	4.5	19
79	The importance of father's age to schizophrenia risk. <i>Molecular Psychiatry</i> , 2014 , 19, 530-1	15.1	18
78	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015 , 10, e0131915	3.7	18
77	Exposure to Manganese in Drinking Water during Childhood and Association with Attention-Deficit Hyperactivity Disorder: A Nationwide Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 97004	8.4	18
76	Persons with schizophrenia migrate towards urban areas due to the development of their disorder or its prodromata. <i>Schizophrenia Research</i> , 2015 , 168, 204-8	3.6	17
75	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
74	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017 , 208, 582-589	6.6	17
73	Why factors rooted in the family may solely explain the urban-rural differences in schizophrenia risk estimates. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 247-251	5.1	17
72	Risk factors and confounders in the geographical clustering of schizophrenia. <i>Schizophrenia Research</i> , 2001 , 49, 295-9	3.6	17
71	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020 , 77, 17-24	14.5	17
70	Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. <i>Psychological Medicine</i> , 2017 , 1-10	6.9	16
69	Long-term exposure to air pollution and mortality in the Danish population a nationwide study. <i>EClinicalMedicine</i> , 2020 , 28, 100605	11.3	16
68	Associations between growing up in natural environments and subsequent psychiatric disorders in Denmark. <i>Environmental Research</i> , 2020 , 188, 109788	7.9	16

67	The association between family history of mental disorders and general cognitive ability. <i>Translational Psychiatry</i> , 2014 , 4, e412	8.6	16
66	Risk for schizophrenia in intercountry adoptees: a Danish population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007 , 48, 1053-60	7.9	16
65	The impact of nonlinear exposure-risk relationships on seasonal time-series data: modelling Danish neonatal birth anthropometric data. <i>BMC Medical Research Methodology</i> , 2007 , 7, 45	4.7	16
64	Assessing fetal growth impairments based on family data as a tool for identifying high-risk babies. An example with neonatal mortality. <i>BMC Pregnancy and Childbirth</i> , 2007 , 7, 28	3.2	16
63	Exposure to air pollution in early childhood and the association with Attention-Deficit Hyperactivity Disorder. <i>Environmental Research</i> , 2020 , 183, 108930	7.9	16
62	Neighbourhood ethnic density and psychosis - Is there a difference according to generation?. <i>Schizophrenia Research</i> , 2018 , 195, 501-505	3.6	15
61	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 174, 150-155	3.6	15
60	Sibship characteristics during upbringing and schizophrenia risk. <i>American Journal of Epidemiology</i> , 2004 , 160, 652-60	3.8	15
59	Childhood seizures and risk of psychiatric disorders in adolescence and early adulthood: a Danish nationwide cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 99-108	14.5	15
58	Otitis media, antibiotics, and risk of autism spectrum disorder. <i>Autism Research</i> , 2018 , 11, 1432-1440	5.1	15
57	Age at migration and risk of schizophrenia among immigrants in Denmark: a 25-year incidence study. <i>American Journal of Psychiatry</i> , 2012 , 169, 1117-8	11.9	14
56	Cancer risk in a cohort of polio patients. <i>International Journal of Cancer</i> , 2001 , 92, 605-8	7.5	14
55	Natural surroundings in childhood are associated with lower schizophrenia rates. <i>Schizophrenia Research</i> , 2020 , 216, 488-495	3.6	14
54	Do risk factors for schizophrenia predispose to emigration?. <i>Schizophrenia Research</i> , 2011 , 127, 229-34	3.6	13
53	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 415-421	4.5	13
52	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish Population--A Nationwide Register Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 824-31	1.3	12
51	A possible association between the genetic predisposition for dizygotic twinning and schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 31-5	3.6	12
50	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1629-1637	1.3	12

49	Risk of eating disorders in immigrant populations. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 156-165	6.5	11
48	Positive predictive value of a register-based algorithm using the Danish National Registries to identify suicidal events. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1131-1138	2.6	11
47	Longitudinal association between mental disorders in childhood and subsequent depression - A nationwide prospective cohort study. <i>Journal of Affective Disorders</i> , 2018 , 227, 56-64	6.6	11
46	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017 , 208, 130-138	6.6	11
45	Paternal age and general cognitive ability-a cross sectional study of Danish male conscripts. <i>PLoS ONE</i> , 2013 , 8, e77444	3.7	11
44	Muskoxen in Angujaartorfiup Nunaa, West Greenland: Monitoring, Spatial Distribution, Population Growth, and Sustainable Harvest. <i>Arctic</i> , 2000 , 53,	2.1	11
43	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
42	Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. <i>JAMA Psychiatry</i> , 2021 , 78, 387-397	14.5	11
41	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , 2019 , 4, e220-e228 ¹⁰	22.4	10
40	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014 , 160, 131-5	3.6	10
39	Risk of schizophrenia in relation to parental origin and genome-wide divergence. <i>Psychological Medicine</i> , 2012 , 42, 1515-21	6.9	10
38	Spatial fine-mapping for gene-by-environment effects identifies risk hot spots for schizophrenia. <i>Nature Communications</i> , 2018 , 9, 5296	17.4	10
37	Urbanicity and Risk of Schizophrenia-New Studies and Old Hypotheses. <i>JAMA Psychiatry</i> , 2018 , 75, 687-688.5	6.5	10
36	Perinatal mental disorders in native Danes and immigrant women. <i>Archives of Women's Mental Health</i> , 2010 , 13, 319-26	5	9
35	Register-based metrics of years lived with disability associated with mental and substance use disorders: a register-based cohort study in Denmark. <i>Lancet Psychiatry</i> , 2021 , 8, 310-319	23.3	8
34	Experience of Child-Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 178-186	6.1	8
33	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020 , 217, 390-396	5.4	6
32	Herpes Simplex Virus Type 1 infection is associated with suicidal behavior and first registered psychiatric diagnosis in a healthy population. <i>Psychoneuroendocrinology</i> , 2019 , 108, 150-154	5	6

31	The importance of distinguishing between the odds ratio and the incidence rate ratio in GWAS. <i>BMC Medical Genetics</i> , 2015 , 16, 71	2.1	6
30	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015 , 15, 920	4.1	6
29	The iPSYCH2015 Case-Cohort sample: updated directions for unravelling genetic and environmental architectures of severe mental disorders		6
28	A genome-wide association study for shared risk across major psychiatric disorders in a nation-wide birth cohort implicates fetal neurodevelopment as a key mediator		6
27	Exposure to nitrate from drinking water and the risk of childhood cancer in Denmark. <i>Environment International</i> , 2021 , 155, 106613	12.9	6
26	Self-harm and violent criminality linked with parental death during childhood. <i>Psychological Medicine</i> , 2020 , 50, 1224-1232	6.9	5
25	Prenatal Exposure to Nitrate from Drinking Water and Markers of Fetal Growth Restriction: A Population-Based Study of Nearly One Million Danish-Born Children. <i>Environmental Health Perspectives</i> , 2021 , 129, 27002	8.4	5
24	Lithium in drinking water associated with adverse mental health effects. <i>Schizophrenia Research</i> , 2019 , 210, 313-315	3.6	4
23	New Directions: Air pollution from traffic and schizophrenia risk. <i>Atmospheric Environment</i> , 2004 , 38, 3733-3734	5.3	4
22	The iPSYCH2012 case-cohort sample: New directions for unravelling genetic and environmental architectures of severe mental disorders		4
21	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
20	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People-"Dual Harm". <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
19	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 186-97	8.5	3
18	Familial clustering and risk of groin hernia in children. <i>BJS Open</i> , 2017 , 1, 46-49	3.9	3
17	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020 , 18, 323	11.4	3
16	Premature mortality in persons with epilepsy and schizophrenia: A population-based nationwide cohort study. <i>Epilepsia</i> , 2019 , 60, 1200-1208	6.4	2
15	The association between childhood rickets and nonaffective psychosis: a Danish record-linkage study. <i>Schizophrenia Research</i> , 2012 , 137, 256-7	3.6	1
14	Urbanisation and psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 168; author reply 168	5.4	1

13	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. <i>Health and Place</i> , 2021 , 72, 102678	4.6	1
12	Spatial gene-by-environment mapping for schizophrenia reveals locale of upbringing effects beyond urban-rural differences		1
11	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
10	Lack of fit with the neighbourhood social environment as a risk factor for psychosis - a national cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
9	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021 , 152, 106502	4.3	1
8	Parental age and risk of epilepsy: A nationwide register-based study. <i>Epilepsia</i> , 2018 , 59, 1334-1343	6.4	0
7	Urban Health and Wellbeing. <i>Urban Book Series</i> , 2021 , 259-280	0.3	0
6	Trace elements in drinking water and the incidence of attention-deficit hyperactivity disorder. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021 , 68, 126828	4.1	0
5	Assessing Factors Associated With Suicide Risk-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 537-538	14.5	
4	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. <i>Schizophrenia Research</i> , 2015 , 162, 90-6	3.6	
3	Cancer risk among future schizophrenic patients? A biased inference. <i>Schizophrenia Bulletin</i> , 2013 , 39, 504-5; discussion 506	1.3	
2	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Yearbook of Psychiatry and Applied Mental Health</i> , 2013 , 2013, 219-220		
1	Urban/rural life as a risk factor? 2002 , 123-131		