

# Carsten Bcker Pedersen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8175760/carsten-bocker-pedersen-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

192  
papers

19,361  
citations

60  
h-index

137  
g-index

201  
ext. papers

25,247  
ext. citations

10.1  
avg, IF

7.13  
L-index

#	Paper	IF	Citations
192	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. <i>Health and Place</i> , <b>2021</b> , 72, 102678	4.6	1
191	Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 387-397	14.5	11
190	Register-based metrics of years lived with disability associated with mental and substance use disorders: a register-based cohort study in Denmark. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 310-319	23.3	8
189	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 817-829	36.3	83
188	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	1
187	Lack of fit with the neighbourhood social environment as a risk factor for psychosis - a national cohort study. <i>Psychological Medicine</i> , <b>2021</b> , 1-9	6.9	1
186	Urban Health and Wellbeing. <i>Urban Book Series</i> , <b>2021</b> , 259-280	0.3	0
185	Prenatal Exposure to Nitrate from Drinking Water and Markers of Fetal Growth Restriction: A Population-Based Study of Nearly One Million Danish-Born Children. <i>Environmental Health Perspectives</i> , <b>2021</b> , 129, 27002	8.4	5
184	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , <b>2021</b> ,		4
183	Exposure to nitrate from drinking water and the risk of childhood cancer in Denmark. <i>Environment International</i> , <b>2021</b> , 155, 106613	12.9	6
182	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , <b>2021</b> , 152, 106502	4.3	1
181	Trace elements in drinking water and the incidence of attention-deficit hyperactivity disorder. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2021</b> , 68, 126828	4.1	0
180	The Association between Residential Green Space in Childhood and Development of Attention Deficit Hyperactivity Disorder: A Population-Based Cohort Study. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 127011	8.4	26
179	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People-"Dual Harm". <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	3
178	Long-term exposure to air pollution and mortality in the Danish population a nationwide study. <i>EClinicalMedicine</i> , <b>2020</b> , 28, 100605	11.3	16
177	Associations between growing up in natural environments and subsequent psychiatric disorders in Denmark. <i>Environmental Research</i> , <b>2020</b> , 188, 109788	7.9	16
176	Association of Mental Disorder in Childhood and Adolescence With Subsequent Educational Achievement. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 797-805	14.5	31

175	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health, The</i> , <b>2020</b> , 4, e64-e73	9.8	23
174	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , <b>2020</b> , 180, 568-584.e23	56.2	578
173	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , <b>2020</b> , 217, 390-396	5.4	6
172	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , <b>2020</b> , 382, 1721-1731	59.2	103
171	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 1629-1637	1.3	12
170	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 169-184	7.9	57
169	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 415-421	4.5	13
168	Natural surroundings in childhood are associated with lower schizophrenia rates. <i>Schizophrenia Research</i> , <b>2020</b> , 216, 488-495	3.6	14
167	Incidence Rates and Cumulative Incidences of the Full Spectrum of Diagnosed Mental Disorders in Childhood and Adolescence. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 155-164	14.5	94
166	Exposure to air pollution in early childhood and the association with Attention-Deficit Hyperactivity Disorder. <i>Environmental Research</i> , <b>2020</b> , 183, 108930	7.9	16
165	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , <b>2020</b> , 18, 323	11.4	3
164	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e153	5.1	23
163	Nature and prevalence of combinations of mental disorders and their association with excess mortality in a population-based cohort study. <i>World Psychiatry</i> , <b>2020</b> , 19, 339-349	14.4	26
162	Exposure to Manganese in Drinking Water during Childhood and Association with Attention-Deficit Hyperactivity Disorder: A Nationwide Cohort Study. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 97004	8.4	18
161	Air pollution and family related determinants of asthma onset and persistent wheezing in children: nationwide case-control study. <i>BMJ, The</i> , <b>2020</b> , 370, m2791	5.9	21
160	Self-harm and violent criminality linked with parental death during childhood. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1224-1232	6.9	5
159	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 17-24	14.5	17
158	The association between early-onset schizophrenia with employment, income, education, and cohabitation status: nationwide study with 35 years of follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2019</b> , 54, 1343-1351	4.5	25

157	Large-scale study of Toxoplasma and Cytomegalovirus shows an association between infection and serious psychiatric disorders. <i>Brain, Behavior, and Immunity</i> , <b>2019</b> , 79, 152-158	16.6	63
156	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , <b>2019</b> , 22, 353-361	25.5	93
155	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 516-525	14.5	51
154	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 582-589	23.3	31
153	Premature mortality in persons with epilepsy and schizophrenia: A population-based nationwide cohort study. <i>Epilepsia</i> , <b>2019</b> , 60, 1200-1208	6.4	2
152	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 793-803	36.3	662
151	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , <b>2019</b> , 4, e220-e228 <sup>10</sup>	22.4	10
150	Residential green space in childhood is associated with lower risk of psychiatric disorders from adolescence into adulthood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 5188-5193	11.5	233
149	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 431-444	36.3	746
148	Environmental pollution is associated with increased risk of psychiatric disorders in the US and Denmark. <i>PLoS Biology</i> , <b>2019</b> , 17, e3000353	9.7	68
147	Herpes Simplex Virus Type 1 infection is associated with suicidal behavior and first registered psychiatric diagnosis in a healthy population. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 108, 150-154	5	6
146	Lithium in drinking water associated with adverse mental health effects. <i>Schizophrenia Research</i> , <b>2019</b> , 210, 313-315	3.6	4
145	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet</i> , <b>2019</b> , 394, 1827-1835	40	147
144	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1914401	10.4	17
143	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 63-75	36.3	826
142	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 259-270	14.5	188
141	Childhood seizures and risk of psychiatric disorders in adolescence and early adulthood: a Danish nationwide cohort study. <i>The Lancet Child and Adolescent Health</i> , <b>2019</b> , 3, 99-108	14.5	15
140	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , <b>2018</b> , 50, 381-389	36.3	787

139	Positive predictive value of a register-based algorithm using the Danish National Registries to identify suicidal events. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1131-1138	2.6	11
138	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , <b>2018</b> , 359, 693-697	33.3	547
137	Nitrate in drinking water and colorectal cancer risk: A nationwide population-based cohort study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 73-79	7.5	121
136	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , <b>2018</b> , 50, 668-681	36.3	1301
135	Childhood exposure to green space - A novel risk-decreasing mechanism for schizophrenia?. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 142-148	3.6	34
134	Longitudinal association between mental disorders in childhood and subsequent depression - A nationwide prospective cohort study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 56-64	6.6	11
133	Neighbourhood ethnic density and psychosis - Is there a difference according to generation?. <i>Schizophrenia Research</i> , <b>2018</b> , 195, 501-505	3.6	15
132	Parental age and risk of epilepsy: A nationwide register-based study. <i>Epilepsia</i> , <b>2018</b> , 59, 1334-1343	6.4	0
131	The iPSYCH2012 case-cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 6-14	15.1	140
130	Spatial fine-mapping for gene-by-environment effects identifies risk hot spots for schizophrenia. <i>Nature Communications</i> , <b>2018</b> , 9, 5296	17.4	10
129	The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , <b>2018</b> , 8, 17692	4.9	49
128	Otitis media, antibiotics, and risk of autism spectrum disorder. <i>Autism Research</i> , <b>2018</b> , 11, 1432-1440	5.1	15
127	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , <b>2018</b> , 3, e498-e507	22.4	21
126	Urbanicity and Risk of Schizophrenia-New Studies and Old Hypotheses. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 687-688	14.5	10
125	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 689-696	14.5	35
124	Experience of Child-Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , <b>2018</b> , 55, 178-186	6.1	8
123	Traumatic Stress Disorders and Risk of Subsequent Schizophrenia Spectrum Disorder or Bipolar Disorder: A Nationwide Cohort Study. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 180-186	1.3	32
122	Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. <i>Psychological Medicine</i> , <b>2017</b> , 1-10	6.9	16

121	Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication: A Danish Nationwide, Register-Based Study. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 282-290	14.5	52
120	Assessing Factors Associated With Suicide Risk-Reply. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 537-538	14.5	
119	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , <b>2017</b> , 2, e314-e322	22.4	22
118	Risk of eating disorders in immigrant populations. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 156-165	6.5	11
117	Ethnic density, urbanicity and psychosis risk for migrant groups - A population cohort study. <i>Schizophrenia Research</i> , <b>2017</b> , 190, 82-87	3.6	28
116	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 485-492	14.5	24
115	Familial clustering and risk of groin hernia in children. <i>BJS Open</i> , <b>2017</b> , 1, 46-49	3.9	3
114	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 582-589	6.6	17
113	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 130-138	6.6	11
112	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 969-74	15.1	44
111	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 1015-1022	14.5	33
110	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , <b>2016</b> , 174, 150-155	3.6	15
109	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , <b>2016</b> , 62, 186-97	8.5	3
108	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish Population--A Nationwide Register Study. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 824-31	1.3	12
107	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 78, 57-64	5.2	29
106	Urban-rural differences in incidence rates of psychiatric disorders in Denmark. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 435-40	5.4	72
105	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , <b>2016</b> , 51, 291-300	6.1	20
104	Long-term mortality in children and young adults with epilepsy--A population-based cohort study. <i>Epilepsy Research</i> , <b>2015</b> , 114, 81-8	3	25

103	Childhood residential mobility, schizophrenia, and bipolar disorder: a population-based study in Denmark. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 346-54	1.3	33
102	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV,the</i> , <b>2015</b> , 2, e344-50	7.8	33
101	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia: A Danish Population-Based Study and Meta-analysis. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 635-41	14.5	177
100	Gender-age interaction in incidence rates of childhood emotional disorders. <i>Psychological Medicine</i> , <b>2015</b> , 45, 829-39	6.9	22
99	The prevalence of umbilical and epigastric hernia repair: a nationwide epidemiologic study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , <b>2015</b> , 19, 815-9	3.2	26
98	Persons with schizophrenia migrate towards urban areas due to the development of their disorder or its prodromata. <i>Schizophrenia Research</i> , <b>2015</b> , 168, 204-8	3.6	17
97	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 963-70	1.3	52
96	A population-based study of the risk of schizophrenia and bipolar disorder associated with parent-child separation during development. <i>Psychological Medicine</i> , <b>2015</b> , 45, 2825-37	6.9	47
95	The importance of distinguishing between the odds ratio and the incidence rate ratio in GWAS. <i>BMC Medical Genetics</i> , <b>2015</b> , 16, 71	2.1	6
94	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , <b>2015</b> , 15, 920	4.1	6
93	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , <b>2015</b> , 10, e0131915	3.7	18
92	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. <i>Schizophrenia Research</i> , <b>2015</b> , 162, 90-6	3.6	
91	Somatic diseases and conditions before the first diagnosis of schizophrenia: a nationwide population-based cohort study in more than 900 000 individuals. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 513-21 <sup>1-3</sup>	1.3	27
90	Population impact of familial and environmental risk factors for schizophrenia: a nationwide study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 214-9	3.6	26
89	The importance of father's age to schizophrenia risk. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 530-1	15.1	18
88	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 325-33	15.1	133
87	The association between family history of mental disorders and general cognitive ability. <i>Translational Psychiatry</i> , <b>2014</b> , 4, e412	8.6	16
86	A comprehensive nationwide study of the incidence rate and lifetime risk for treated mental disorders. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 573-81	14.5	313



85	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , <b>2014</b> , 160, 131-5	3.6	10
84	A comprehensive assessment of parental age and psychiatric disorders. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 301-9	4.5	152
83	Urbanicity and autism spectrum disorders. <i>Journal of Autism and Developmental Disorders</i> , <b>2014</b> , 44, 394-404	4.0	45
82	Full spectrum of psychiatric disorders related to foreign migration: a Danish population-based cohort study. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 427-35	14.5	109
81	Cancer risk among future schizophrenic patients? A biased inference. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 504-5; discussion 506	1.3	
80	Fetal growth and schizophrenia: a nested case-control and case-sibling study. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 1337-42	1.3	25
79	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Yearbook of Psychiatry and Applied Mental Health</i> , <b>2013</b> , 2013, 219-220		
78	Paternal age and general cognitive ability-a cross sectional study of Danish male conscripts. <i>PLoS ONE</i> , <b>2013</b> , 8, e77444	3.7	11
77	Nationwide prevalence of groin hernia repair. <i>PLoS ONE</i> , <b>2013</b> , 8, e54367	3.7	112
76	Parvovirus B19 infection in the first trimester of pregnancy and risk of fetal loss: a population-based case-control study. <i>American Journal of Epidemiology</i> , <b>2012</b> , 176, 803-7	3.8	20
75	Meta-analysis of the association of urbanicity with schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1118-23	3.3	265
74	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: a Danish national birth cohort-based study. <i>Schizophrenia Research</i> , <b>2012</b> , 134, 246-52	3.6	28
73	The association between childhood rickets and nonaffective psychosis: a Danish record-linkage study. <i>Schizophrenia Research</i> , <b>2012</b> , 137, 256-7	3.6	1
72	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2012</b> , 47, 1251-61	4.5	19
71	Age at migration and risk of schizophrenia among immigrants in Denmark: a 25-year incidence study. <i>American Journal of Psychiatry</i> , <b>2012</b> , 169, 1117-8	11.9	14
70	First-time first-trimester induced abortion and risk of readmission to a psychiatric hospital in women with a history of treated mental disorder. <i>Archives of General Psychiatry</i> , <b>2012</b> , 69, 159-65		26
69	Risk of schizophrenia in relation to parental origin and genome-wide divergence. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1515-21	6.9	10
68	Do risk factors for schizophrenia predispose to emigration?. <i>Schizophrenia Research</i> , <b>2011</b> , 127, 229-34	3.6	13



67	Neonatal antibodies to infectious agents and risk of bipolar disorder: a population-based case-control study. <i>Bipolar Disorders</i> , <b>2011</b> , 13, 624-9	3.8	40
66	Association of GRIN1 and GRIN2A-D with schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2011</b> , 156B, 913-22	3.5	39
65	Paternal age at birth of first child and risk of schizophrenia. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 82-8	11.9	103
64	Induced first-trimester abortion and risk of mental disorder. <i>New England Journal of Medicine</i> , <b>2011</b> , 364, 332-9	59.2	104
63	Toxoplasma infection and later development of schizophrenia in mothers. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 814-21	11.9	69
62	Absolute risk of suicide after first hospital contact in mental disorder. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 1058-64		425
61	The Danish Civil Registration System. <i>Scandinavian Journal of Public Health</i> , <b>2011</b> , 39, 22-5	3	2476
60	Association between prepartum maternal iron deficiency and offspring risk of schizophrenia: population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 982-7	1.3	37
59	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , <b>2010</b> , 15, 119-21	15.1	147
58	Psychiatric family history and schizophrenia risk in Denmark: which mental disorders are relevant?. <i>Psychological Medicine</i> , <b>2010</b> , 40, 201-10	6.9	112
57	Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 822-9		186
56	Neonatal vitamin D status and risk of schizophrenia: a population-based case-control study. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 889-94		272
55	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , <b>2010</b> , 122, 257-63	3.6	84
54	Perinatal mental disorders in native Danes and immigrant women. <i>Archives of Women's Mental Health</i> , <b>2010</b> , 13, 319-26	5	9
53	Frequent change of residence and risk of attempted and completed suicide among children and adolescents. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 628-32		48
52	Risks and predictors of readmission for a mental disorder during the postpartum period. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 189-95		202
51	Long-term risk of epilepsy after traumatic brain injury in children and young adults: a population-based cohort study. <i>Lancet, The</i> , <b>2009</b> , 373, 1105-10	4.0	242
50	Bipolar disorder, schizoaffective disorder, and schizophrenia overlap: a new comorbidity index. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 1432-8	4.6	82

49	Death in children with febrile seizures: a population-based cohort study. <i>Lancet, The</i> , <b>2008</b> , 372, 457-63	40	55
48	Familial predisposition for psychiatric disorder: comparison of subjects treated for cannabis-induced psychosis and schizophrenia. <i>Archives of General Psychiatry</i> , <b>2008</b> , 65, 1269-74		53
47	Gestational age, birth weight, intrauterine growth, and the risk of epilepsy. <i>American Journal of Epidemiology</i> , <b>2008</b> , 167, 262-70	3.8	58
46	Incidence and prevalence of epilepsy in Denmark. <i>Epilepsy Research</i> , <b>2007</b> , 76, 60-5	3	123
45	Risk for schizophrenia in intercountry adoptees: a Danish population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2007</b> , 48, 1053-60	7.9	16
44	The impact of nonlinear exposure-risk relationships on seasonal time-series data: modelling Danish neonatal birth anthropometric data. <i>BMC Medical Research Methodology</i> , <b>2007</b> , 7, 45	4.7	16
43	Assessing fetal growth impairments based on family data as a tool for identifying high-risk babies. An example with neonatal mortality. <i>BMC Pregnancy and Childbirth</i> , <b>2007</b> , 7, 28	3.2	16
42	The long-term risk of epilepsy after febrile seizures in susceptible subgroups. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 911-8	3.8	85
41	Risk of schizophrenia in second-generation immigrants: a Danish population-based cohort study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 485-94	6.9	52
40	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 479-84	6.9	93
39	Family and partner psychopathology and the risk of postpartum mental disorders. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 1947-53	4.6	20
38	Urbanization and traffic related exposures as risk factors for schizophrenia. <i>BMC Psychiatry</i> , <b>2006</b> , 6, 2	4.2	31
37	New parents and mental disorders: a population-based register study. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 296, 2582-9	27.4	447
36	Why factors rooted in the family may solely explain the urban-rural differences in schizophrenia risk estimates. <i>Epidemiology and Psychiatric Sciences</i> , <b>2006</b> , 15, 247-251	5.1	17
35	Increased risk of precocious puberty in internationally adopted children in Denmark. <i>Pediatrics</i> , <b>2006</b> , 118, e391-9	7.4	127
34	Are the cause(s) responsible for urban-rural differences in schizophrenia risk rooted in families or in individuals?. <i>American Journal of Epidemiology</i> , <b>2006</b> , 163, 971-8	3.8	64
33	No evidence of time trends in the urban-rural differences in schizophrenia risk among five million people born in Denmark from 1910 to 1986. <i>Psychological Medicine</i> , <b>2006</b> , 36, 211-9	6.9	36
32	Apgar scores and long-term risk of epilepsy. <i>Epidemiology</i> , <b>2006</b> , 17, 296-301	3.1	53

31	Urbanicity during upbringing and bipolar affective disorders in Denmark. <i>Bipolar Disorders</i> , <b>2006</b> , 8, 242-3,8	37
30	The Danish Civil Registration System. A cohort of eight million persons. <i>Danish Medical Bulletin</i> , <b>2006</b> , 53, 441-9	545
29	Febrile seizures and risk of schizophrenia. <i>Schizophrenia Research</i> , <b>2005</b> , 73, 343-9	3.6 29
28	Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2005</b> , 46, 963-71	7.9 236
27	Urbanisation and psychosis. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 168; author reply 168	5.4 1
26	Prevalence and incidence of precocious pubertal development in Denmark: an epidemiologic study based on national registries. <i>Pediatrics</i> , <b>2005</b> , 116, 1323-8	7.4 169
25	Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. <i>American Journal of Psychiatry</i> , <b>2004</b> , 161, 2312-4	11.9 130
24	Sibship characteristics during upbringing and schizophrenia risk. <i>American Journal of Epidemiology</i> , <b>2004</b> , 160, 652-60	3.8 15
23	New Directions: Air pollution from traffic and schizophrenia risk. <i>Atmospheric Environment</i> , <b>2004</b> , 38, 3733-3734	5.3 4
22	Air pollution from traffic and schizophrenia risk. <i>Schizophrenia Research</i> , <b>2004</b> , 66, 83-5	3.6 73
21	Paternal and maternal age as risk factors for psychosis: findings from Denmark, Sweden and Australia. <i>Schizophrenia Research</i> , <b>2004</b> , 67, 227-36	3.6 112
20	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , <b>2004</b> , 70, 49-56	3.6 50
19	The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. <i>Psychological Medicine</i> , <b>2004</b> , 34, 1339-46	6.9 67
18	Migration as a risk factor for schizophrenia: a Danish population-based cohort study. <i>British Journal of Psychiatry</i> , <b>2003</b> , 182, 117-22	5.4 136
17	Thimerosal and the occurrence of autism: negative ecological evidence from Danish population-based data. <i>Pediatrics</i> , <b>2003</b> , 112, 604-6	7.4 171
16	Individual and familial risk factors for bipolar affective disorders in Denmark. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 1209-15	198
15	A possible association between the genetic predisposition for dizygotic twinning and schizophrenia. <i>Schizophrenia Research</i> , <b>2002</b> , 58, 31-5	3.6 12
14	Urban/rural life as a risk factor? <b>2002</b> , 123-131	

13	Cancer risk in a cohort of polio patients. <i>International Journal of Cancer</i> , <b>2001</b> , 92, 605-8	7.5	14
12	Evidence of a dose-response relationship between urbanicity during upbringing and schizophrenia risk. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 1039-46		411
11	Risk factors and confounders in the geographical clustering of schizophrenia. <i>Schizophrenia Research</i> , <b>2001</b> , 49, 295-9	3.6	17
10	Family history, place and season of birth as risk factors for schizophrenia in Denmark: a replication and reanalysis. <i>British Journal of Psychiatry</i> , <b>2001</b> , 179, 46-52	5.4	138
9	Muskoxen in Angujaartorfiup Nunaa, West Greenland: Monitoring, Spatial Distribution, Population Growth, and Sustainable Harvest. <i>Arctic</i> , <b>2000</b> , 53,	2.1	11
8	Risk factors for parvovirus B19 infection in pregnancy. <i>JAMA - Journal of the American Medical Association</i> , <b>1999</b> , 281, 1099-105	27.4	126
7	Effects of family history and place and season of birth on the risk of schizophrenia. <i>New England Journal of Medicine</i> , <b>1999</b> , 340, 603-8	59.2	624
6	Exposure to prenatal and childhood infections and the risk of schizophrenia: suggestions from a study of sibship characteristics and influenza prevalence. <i>Archives of General Psychiatry</i> , <b>1999</b> , 56, 993-8		117
5	The iPSYCH2012 case-cohort sample: New directions for unravelling genetic and environmental architectures of severe mental disorders		4
4	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
3	The iPSYCH2015 Case-Cohort sample: updated directions for unravelling genetic and environmental architectures of severe mental disorders		6
2	A genome-wide association study for shared risk across major psychiatric disorders in a nation-wide birth cohort implicates fetal neurodevelopment as a key mediator		6
1	Spatial gene-by-environment mapping for schizophrenia reveals locale of upbringing effects beyond urban-rural differences		1